

DATA SHEET

LIFEBOOK S6420

Issue: June 2009

Get ready for your next business trip

LIFEBOOK S6420

The LIFEBOOK S6420 is ideal for all business trips with its fantastic performance and genuine mobility. Weighing only 1.7 kg and with a 33.8 cm (13.3-inch) WXGA display and long battery life, it is easy to use all day long. The new integrated application buttons guarantee fast access to your personal applications. Integrated 3G/UMTS and an embedded ConfCam ensure trouble-free wireless connectivity.

Slim mobility

Enjoy permanent access to all your data thanks to a mobile device that is both easy and flexible to use.

- Lean, lightweight Notebook weighing only 1.7 kg with a 33.8 cm (13.3-inch) WXGA display, with up to 8.5 hours running time with a second accu

Ultimate connectivity

Available everywhere: wireless connectivity anytime, anywhere even if there is no hotspot nearby.

- Optional integrated 3G/UMTS, WLAN and Bluetooth

Reliable companion

Secure and effective working even for the most demanding of users in all situations.

- Spill-proof keyboard, shock sensor, magnesium lid and further innovative highlights

Flexible working



Adapt your notebook to various business environments and thus increase your business agility.

- Modular bay for a second battery or an optical drive

Maximum security

Protect your company data against unauthorized third-party access and benefit from our end-to-end anti-theft and system and user protection concept.

- Fingerprint Sensor, TPM Modul und SmartCase Logon+



Components

Processor	Intel® Core™2 Duo T9600 (2.8 GHz, 6 MB , 1066 MHz)
	Intel® Core™2 Duo T9550 (2.66 GHz, 6 MB , 1066 MHz)
	Intel® Core™2 Duo P8700 (2.53 GHz, 3 MB , 1066 MHz)
	Intel® Core™2 Duo P8600 (2.4 GHz, 3 MB , 1066 MHz)

Memory modules	2 GB (1 module(s) with 2 GB) DDR3, 1066 MHz, PC3-8500, SODIMM
	1 GB (1 module(s) with 1 GB) DDR3, 1066 MHz, PC3-8500, SODIMM

Hard disk drives (internal)	320 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T.
	160 GB, 7200 rpm, SATA, 2.5-inch S.M.A.R.T.
	160 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T.
	160 GB, 5400 rpm, FDE-3, 2.5-inch S.M.A.R.T.
	64 GB SSD SATA, 2.5-inch

Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software
-----------------	---

WLAN (optional)	Atheros Minicard b/g 802.11 b/g
	Intel® Wireless WiFi Link 5300 AGN 11/13ch

UMTS/HSUPA (optional)	Sierra Wireless MC8790 (downlink 7.2 MBit/s, uplink 2.0 MBit/s)
------------------------------	---

Bluetooth	Bluetooth 2.1
------------------	---------------

Modular bay options	2nd battery
	DVD Super Multi
	Weight saver

Base unit	LIFEBOOK S6420, 13.3-inch WXGA
------------------	---------------------------------------

General system information

Chipset	Intel® GM45, ICH 9-M
BIOS features	BIOS Flash EPROM BIOS based on Phoenix TrustedCore Notebook
Memory slots	2 DIMM (DDR3)
Turbo memory	Optional 4 GB
Supported capacity RAM (max.)	4 GB
Memory notes	8 GB - with future memory modules.

Interfaces

Memory card slots	1
PC Card slot (Type I/II)	1
SIM card slot	1
Modem (RJ-11)	1
USB 2.0 total	3
S-Video out (TV-out)	1
FireWire (IEEE1394)	1
VGA	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2
Docking connector for Port Replicator	1
Kensington Lock support	1

Wired communication

Modem type	56 K V.92 modem MDC1.5
LAN	Built-in 10/100/1000 MBit/s Marvell 88E8055

Wireless technologies

Antennas	3 Dual band WLAN antennas, 2 UMTS antennas
----------	--

Wireless technologies

Infrared link (Fast IrDa 1.1, 4 Mbps)	1
WLAN notes	Import and usage according to country-specific regulations.

Keyboard and pointing devices

	Spill-proof keyboard
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 3 mm
	TouchPad with two mouse buttons and scroll via fingerprint sensor
	Fingerprint sensor
	Application buttons
	Status LED

Multimedia

Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones
Camera	Built-in ConfCamera, 1.3 megapixel, VGA camera

Graphics

Display	33.8 cm (13.3-inch) TFT 1280 x 800 pixel (WXGA) LED glare display
Max. resolution external display	1920 x 1200 / true color / 60 Hz
Graphics brand name	Mobile Intel® GMA 4500M HD
Graphic features	DualView (Windows XP & Windows Vista)

Power supply

AC adapter	19 V / 80 W (4.22 A)
Rated voltage range	100 - 240 V (AC Input)
Rated frequency range	50 - 60 Hz
1st battery	1st Li-Ion battery 6-cell, 5800 mAh, 62 Wh
2nd battery (optional)	2nd Li-Ion battery 6 cell (Option), 2500 mAh, 25.3 Wh
Benchmark	Mobile Mark 2005
Runtime 1st battery	5 h (Mobile Mark 2005 reader workload)
Runtime 1st + 2nd battery	8.5 h (Mobile Mark 2005 reader workload)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.

Power consumption

Power consumption note	see white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=5b4ac52e-8324-4683-b833-492c5e3c3e11

Dimensions / Weight / Environmental

Dimension (W x D x H)	314 x 234 x 22.4 - 33.5 mm
Weight	1.7 kg
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)

Operating system

Operating system optional preinstalled	Microsoft® Windows Vista® Business 32bit Microsoft® Windows Vista® Home Basic TwinLoad Microsoft® Windows® XP Professional (DVD)
Operating system compatible	Microsoft® Windows® XP Professional
Operating system notes	Driver support for Microsoft Windows XP Professional

Additional Software

Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Wireless Selector Utility EasyGuide online user documentation Nero Essentials S (CD / DVD write software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Toshiba Stack 4.x
Additional software (optional)	Windows Vista® recovery media Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software
Additional software (included as a CD/DVD)	SmartCase Logon+

Manageability

Manageability features	DeskUpdate Driver management DeskView Migrate (optional) DeskView Control (optional)
Manageability type	DeskView 10.x client management including:
DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html

Security

Physical security	Kensington Lock support
System security	Optional: Trusted platform module (TPM 1.2) Symantec Norton Internet Security (90 day test version)
User security	Integrated Fingerprint Sensor Integrated SmartCard controller in PC Card with system lock support Hard disk password SystemLock BIOS SmartCard security SmartCase Logon+ incl. Fingerprint software User and supervisor BIOS password

Compliance

Europe	CE CE!
USA/Canada	FCC Class B (depending on wireless configuration) CSA cUL UL
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 4.0 EPEAT® Silver Compliant with ISO13406-2 (Pixel fault class II)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Portreplicator interfaces (optional)

DC-in	1
Power on switch	1

Portreplicator interfaces (optional)

Headphones	1
Audio: microphone in	1
USB 2.0 total	4
VGA	1
DVI	1 (with HDCP Support)
Serial (RS-232)	1
Mouse / Keyboard (PS/2)	1
Ethernet (RJ-45)	1
Parallel	1
Kensington Lock support	2

Possible Accessories

Accessories included	Exclusive pouch
----------------------	-----------------

Warranty

Standard Warranty	2 years
Service level	Collect & Return Service / Bring-In Service (depending on country)

Maintenance and Support Services - the perfect extension

Recommended Service	3 years, On-site Service
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice



Information about environmental care, policies, programs and our Environmental Guideline FSC 03230:

<http://ts.fujitsu.com/aboutus>

Take back and Recycling information:

<http://ts.fujitsu.com/recycling>

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions June 2009

Published by
Fujitsu Technology Solutions
<http://ts.fujitsu.com>