

Aspire ES1-311 Specifications (v5-0-5)			
Category		Description	Footnotes
Operating system	1	Windows 8.1 64-bit	2
CPU and chipset	1	Intel [®] Pentium [®] processor N3540 (2 MB L2 cache, 2.16 GHz, up to 2.66	
		GHz with Intel [®] Burst Technology, DDR3L 1333 MHz, 7.5 W), supporting	
		Intel [®] 64 architecture	
		Intel [®] Celeron [®] processor N2840 (1 MB L2 cache, 2.16 GHz, up to 2.58	
		GHz with Intel [®] Burst Technology, DDR3L 1333 MHz, 7.5 W), supporting	
		Intel [®] 64 architecture	
		Intel [®] Celeron [®] processor N2940 (2 MB L2 cache, 1.83 GHz, up to 2.25	
		GHz with Intel [®] Burst Technology, DDR3L 1333 MHz, 7.5 W), supporting	
		Intel [®] 64 architecture	
Memory	1, 3, 4		4, 5
	., ., .	Upgradable to 8 GB of DDR3L system memory using a single	., 0
		soDIMM module	
Display		13.3" HD 1366 x 768 resolution, high-brightness Acer ComfyViewTM LED-	
		backlit TFT LCD	
		16:9 aspect ratio	
		Ultra-slim design	
		Mercury free, environment friendly	
Graphics	1	Intel [®] HD Graphics, supporting OpenGL [®] 4.0, OpenCL [™] 1.2, Microsoft [®]	6
		DirectX [®] 11	
Audio		Certified for Skype	
		Two built-in stereo speakers	
<u>Otorogo</u>		Built-in digital microphone	
Storage		 Hard disk drive 320 GB / 500 GB / 1 TB 2.5-inch 5400 RPM 	-
		• 32 GB / 500 GB / 1 TB 2.5-IICH 5400 RPM • 32 GB eMMC	7 8
Webcam	1	Video conferencing	
		Acer Crystal Eye HD webcam with:	
		1280 x 720 resolution	
		 720p HD audio/video recording 	
Wireless and	1	WLAN	
networking		 Acer InviLink[™] Nplify[™] 802.11b/g/n wireless LAN 	9, 10
Privacy control	1	Kensington lock slot	
Dimensions and	11	Dimensions	
weight		• 327 (W) x 228 (D) x 20.7/20.7 (H) mm (12.87 x 8.98 x 0.81/0.81	
		inches) pad and dock with hard drive	

	Weight
	1.6 kg (3.53 lbs.) with 4-cell battery pack
Power adapter	Power adapter
and battery	3-pin 45 W AC adapter:
	• 95 (W) x 38 (D) x 25.4 (H) mm (3.74 x 1.5 x 1.0 inches)
	 150 g with 150 cm DC cable
	Battery
	 48 Wh 3220 mAh 15.2 V 4-cell Li-ion battery pack
	(for models with HD Panel)
	Battery life up to 7 hours
	 36 Wh 3220 mAh 11.4 V 3-cell Li-ion battery pack
	(for models with HD Panel)
	Battery life up to 5 hours
	ACPI 5.0 CPU power management standard: supports Standby and
	Hibernation power-saving modes
nput and control	Keyboard
	86-/87-/91-key Acer FineTip keyboard with international language support
	TouchPad
	Acer ZoomPerfect touchpad, supporting two-finger scroll and pinch.
	Swipes access charms, application commands, and previous applications.
Input and output	SD [™] Card reader
	HDMI [®] port with HDCP support
	Ethernet (RJ-45) port
	DC-in jack for AC adapter
	USB 3.0 port
	USB 2.0 port
	Headphone/speaker jack with S/PDIF support
	3.5 mm headphone/speaker jack, supporting headsets with built-in
	microphone
Windows 12	In-House
Desktop Apps	Identity Card
	Live Updater
	Recovery Management
	Productivity
	Office 2013
	Tools
	Launch Manager
Options and	HDMI [®] A-to-VGA cable
accessories	
Warranty	One-year International Travelers Warranty (ITW)

2. 64-bit software is required to enjoy the advantages of 64-bit processing.

Aspire ES1-311 Specifications (v5-0-5)

- 3. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment.
- 4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 5. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 6. Resolution/refresh rates depend on display capability and color/depth settings.
- 7. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 8. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 9. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 10. Subject to availability.
- 11. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 12. Bundled software may vary depending on hardware configuration, OS and regional availability.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2014. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Intel, Intel Core, Core Inside, Pentium, and Pentium Inside are trademarks of Intel Corporation in the U.S. and other countries.

About Acer

Established in 1976, Acer is a *hardware* + *software* + *services* company dedicated to the research, design, marketing, sale and support of innovative products that enhance people's lives. Acer's product offering includes PCs, displays, projectors, servers, tablets and smartphones — tools our customers need to explore beyond limits and experience more. Acer employs 7,400 people and ranks No. 4 for total PCs globally (IDC 2013). Revenues for 2013 reached US\$12.02 billion. Please visit www.acer.com for more information.



