

i-SENSYS LBP112 / LBP113w

FAST, COMPACT, EASY-TO-OPERATE BLACK-AND-WHITE PRINTER SERIES IDEAL FOR HOME OFFICE USE

Ideal for home offices, the LBP110 series features premium, black-and-white, single function printers housed in compact yet stylish frames. They are easy to use and mobile-friendly with an ultra-efficient cartridge



LBP112



LBP113w

Your office might be small, but your ambitions for your company certainly aren't. That's why you need a printer to help take your business to the next level – one that is compact enough to fit into home or shared office spaces.

- Compact design with a stylish, black finish blends effortlessly into home offices
- Wide-ranging mobile device support. Includes Airprint and Mopria compatibility to ensure seamless integration with iOS and Android devices (LBP113w only)
- Capable of print speeds of up to 22 pages per minute thereby increasing business productivity
- Input paper capacity of up to 150 sheets – saves time on larger print runs
- Optimised for users who print small amounts frequently, it has a fast first print out time of less than 7 seconds
- Includes Canon's advanced Genuine Cartridge, which delivers up to 1,600 pages before requiring replacement
- Auto Seal Removal technology ensures less mess during installation
- MS (Magnetic Sphere) Toner delivers faster prints and decreases energy consumption
- Information easily accessible via 5-line LCD display, including monitoring toner (LBP113w only)
- Free Canon PRINT Business app enables mobile printing (LBP113w only)

TOP FEATURES

22
Black
ppm

22 pages per minute
Fast print speed



Wireless Printing

Connectivity
Wireless direct connection
(LBP113w only)



LCD Display
Easy user interface
(LBP113w only)

Canon

TECHNICAL SPECIFICATIONS

i-SENSYS LBP112 / LBP113w

PRINTER ENGINE

Print speed	Single sided: Up to 22 ppm (A4)
Printing method	Monochrome laser beam printing
Print quality	Up to 2400 equivalent x 600 dpi
Print resolution	Up to 600 x 600 dpi
Warm-up time	Approx. 15 seconds or less from power on
First Page Out Time	Approx. 6.5 seconds
Recommended Monthly Print Volume	150 - 1,500 pages per month
Duty cycle	Max. 10,000 pages per month ¹⁾
Print margins	5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)
Advanced printing features	LBP113w only: Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

MEDIA HANDLING

Paper input (Standard)	150-sheet cassette
Paper input (Option)	
Paper output	50-sheets
Media types	Plain paper, Recycled paper, Heavy Paper, Bond paper, Label, Envelope
Media sizes	Cassette : A4, A5, B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COM10, Monarch, DL, C5), Custom sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm.
Media weights	Cassette: 60 to 163 g/m ²
Double sided printing	

GENERAL FEATURES

Power requirements	220-240V (±10%) 50/60Hz (±2Hz)
Power consumption	Maximum: Approx. 900 W Standby: Approx. 2.7 W Sleep mode: Approx. 0.4 W Power switch off: 0.5W or less Typical Electricity Consumption (TEC): LBP112 0.5 kWh/week LBP113w 0.6 kWh/week Idle time required to enter sleep mode: 1-30 min (default: 1 min) Idle time required to enter Auto Shutdown: 4 hours (default) Lot 26 http://www.canon-europe.com/For_Work/Lot26/index.aspx
Noise level	Sound Pressure ²⁾ : Active: 47 dB in B/W printing Standby: Inaudible Sound Power ²⁾ : Active: 69.6 dB or less in B/W printing Standby: N/A
Dimensions (W x D x H)	376 mm x 291 mm x 222 mm
Weight	LBP112: Approx. 5.9 kg LBP113w: Approx. 6.0 kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)

Control panel

LBP112: 4 LED indicator, 3 operation key
LBP113w: 5 Line LCD

CONTROLLER

Processor Speed	LBP112: 175MHz LBP113w: 400MHz
Memory	LBP112: 128MB LBP113w: 256MB
Printer Languages	UFRII-LT
Fonts	
Interface and connectivity	LBP112: USB 2.0 Hi-Speed LBP113w: USB 2.0 Hi-Speed, Wireless 802.11b/g/n, Wireless Direct Connection
Software and Printer Management	LBP112: Toner Status Tool LBP113w: Remote User Interface (RUI), Toner Status Tool
Operating Systems Compatibility	Windows® 10 / Windows® 8.1 / Windows® 7 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 / Mac OS X version 10.8.5 & up / Mac OS 10.13 & up Linux ³⁾

CONSUMABLES

All-in-One cartridges	Cartridge 047 (1,600 pages ⁴⁾ ⁵⁾ Drum Cartridge 049 (12,000 pages ⁴⁾ ⁵⁾
-----------------------	------------------------------------------------------------------------------------------------------------------------

ACCESSORIES/ OPTIONS

Items

Notes:

¹⁾Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product

²⁾Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779

³⁾Web distribution only Available from December 2018.

⁴⁾Based on ISO/IEC 19752

⁵⁾Printer ships with Starter Cartridge (700 pages), Drum Cartridge 049 (12,000 pages)



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
Woodhatch
Reigate
Surrey RH2 8BF
Telephone No: 01737 220000
Facsimile No: 01737 220022
canon.co.uk

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V., 2018

**FAST, COMPACT, EASY-TO-OPERATE
BLACK-AND-WHITE PRINTER SERIES
IDEAL FOR HOME OFFICE USE**

i-SENSYS LBP112 / LBP113w

Ideal for home offices, the LBP110 series features premium, black-and-white, single function, printers housed in compact yet stylish frames. They are easy to use and mobile-friendly with an ultra- efficient cartridge

Sales Start Date: 1st October 2018



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
i-SENSYS LBP113w	2207C025AA	8714574658742
i-SENSYS LBP112	2207C023AA	8714574658759

CONSUMABLES :

Product Name	Mercury Code	EAN Code
Toner Cartridge 047	2164C002AA	4549292088793
Drum Cartridge 049	2165C001AA	4549292088816

Canon
