


# DONN13G 4-in-1 MST Docking Station USB 3.2 Gen 1, HDMI x 2, USB-A, 100W USB PD

## Product Images





## Short Description

- 4-in-1 USB-C to HDMI/USB-C PD/USB 3.0 multiport adapter
- Dual display
- Supports HDMI resolution up to 4K 30Hz
- Supports USB Power Delivery (PD) up to 100W
- Display modes : extended, mirror
- Supports MST mode (for Windows only)
- USB 3.2 Gen 1 SuperSpeed (5Gb/s)
- Aluminum casing for heat dissipation
- Simple Plug and Play installation
- Multi-platform support: Windows, macOS, ChromeOS
- Cable length: 25cm

## Description

This 4-in-1 Docking Station makes it possible to expand your device's USB Type-C capacity with HDMI/USB-C PD/USB 3.0 ports. The adapter provides an easy way to add HDTV, or equipment such as a monitor or projector to any USB-C device such as a smartphone, portable gaming console, MacBook, Chromebook Pixel or any similar late-model laptop with USB-C ports. The multiport video adapter lets you mirror or extend content on two additional monitors simultaneously (2 x HDMI), creating a dual-screen workstation. Multi Stream Transport, or MST, is a means of connecting one or more monitors together via a single display port. This technology makes it possible to connect say, two monitors to a laptop, using a docking station. This works by combining multiple video signals into one single stream and then "unpacking"; them again on the display side. MST works on any Windows® device that supports DP Alt Mode (DisplayPort Alternate Mode), using USB-C.

Perfect for home entertainment, office presentations and classroom teaching.

# Additional Information

Harmonized System (HS) code	847180
Customs product code (TARIC)	8471800000
Compatible operating systems	Windows XP/Vista/7/8/10 MacOS 10.5 or above Android 5.0 or above
Package Contents	DONN13G Multilingual quick installation guide
Cable Length	0.25m
Dimensions (W x D x H)	60 x 61.5 x 11.5 mm
Product weight (kg)	0.06
Color	Grey
EAN	4015867229118
Model Number	DONN13G
USB Power Delivery (PD)	100W
Bandwidth	5Gbps
Connector	USB-C male
Port Configuration	HDMI x 2, USB-C PD x 1, USB 3.0 x 1
Power supply included	No
Resolutions	4K 30Hz Single display, 1080P 60Hz Dual display
Standards	USB 3.2 Gen 1

