



Smoother, tear-free performance

Dell 24 200Hz Monitor

MODEL: SE2425HG

Dell 27 200Hz Monitor

MODEL: SE2725HG

The world's # 1 monitor company*



Get the action without tear or lag

Enjoy seamless, smooth motion while gaming or streaming content thanks to the **200Hz refresh rate**. Featuring **AMD FreeSync™ Premium** technology which helps eliminate screen tearing, and **HDMI VRR (Variable Refresh Rate)** keeps **console** action smooth and responsive for seamless gameplay and faster reaction time.



Fast IPS panel

Enjoy quicker **1ms response time**, excellent color accuracy and consistency across wide viewing angles. Experience vivid images with eye-catching clarity thanks to 99% sRGB color coverage.



Improved visual comfort

Enjoy visual well-being with **eye comfort solutions**, engineered to minimize harmful blue light exposure without sacrificing color accuracy



Easily connect

Connect conveniently to most PCs and consoles via **DP and HDMI (2x)** ports.

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

* Dell monitors are #1 Worldwide for 11 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q1 2025. From 2014 to 2024. CLM-0013633



Made for you, sustainably

Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor is crafted with recycled materials from top to bottom, including up to 85% post-consumer recycled plastic and closed-loop ITE-derived plastic¹ and at least 20% recycled glass². Using recycled materials helps conserve natural resources and contributes to a lower environmental footprint.

Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution³.

¹ Based on internal analysis, March 2025. Percentage is based on plastic weight. Designed with up to 35% post-consumer recycled plastic and up to 85% closed-loop ITE derived plastic.

² Applicable to all new monitors launching in CY 2025. Recycled glass is present in monitor panel. Based on internal analysis, January 2025.

³ Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.

Ports & Slots



- 1** Security lock slot¹
- 2** Power connector
- 3** 2x HDMI (HDCP 1.4 and HDCP 2.2) (Supports up to FHD 1920 x 1080 200Hz, VRR, HDR as per specified in HDMI 2.1)
- 4** DisplayPort 1.4 (HDCP 1.4 and HDCP 2.2)
- 5** Audio headphone out

Cables included

- Power cable
- HDMI 2.0 cable, 1.8m

¹ Based on Kensington Security Slot™

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
MODEL	Dell 24 200Hz Monitor - SE2425HG	Dell 27 200Hz Monitor - SE2725HG
DIAGONAL VIEWING SIZE	604.7 mm (23.8 in.)	686.0 mm (27.0 in.)
PANEL TYPE	In-Plane Switching (IPS) Technology	In-Plane Switching (IPS) Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	1920 x 1080 up to 200Hz	1920 x 1080 up to 200 Hz
VIEWING ANGLE	178° vertical 178° horizontal	178° vertical 178° horizontal
PIXEL PITCH	0.2745 mm x 0.2745 mm	0.3114 mm x 0.3114 mm
PIXEL PER INCH (PPI)	93	82
CONTRAST RATIO	1000:1 (typical)	1000:1 (typical)
ASPECT RATIO	16:9	16:9
BACKLIGHT TECHNOLOGY	LED Edgelight System	LED Edgelight System
BRIGHTNESS	300 cd/m ² (typical)	300 cd/m ² (typical)
RESPONSE TIME	<ul style="list-style-type: none"> • 1 milliseconds (gray to gray - extreme mode) • 3 milliseconds (gray to gray – super fast mode) • 5 milliseconds (gray to gray – fast mode) 	<ul style="list-style-type: none"> • 1 milliseconds (gray to gray – extreme fast mode) • 3 milliseconds (gray to gray – super fast mode) • 5 milliseconds (gray to gray – fast mode)
COLOR GAMUT	sRGB 99% (CIE 1931)	sRGB 99% (CIE 1931)
COLOR DEPTH	16.7 Million colors	16.7 Million colors
TÜV RHEINLAND EYE COMFORT	N.A.	N.A.
CONNECTIVITY	<ul style="list-style-type: none"> • 2 HDMI ports (HDCP 1.4 and HDCP 2.2), (Supports up to FHD 1920 x 1080 200Hz, VRR, HDR as per specified in HDMI 2.1) • 1 DisplayPort 1.4 port (HDCP 1.4 and HDCP 2.2) • 1 Headphone-out port (3.5 mm jack) 	<ul style="list-style-type: none"> • 2 HDMI ports (HDCP 1.4 and HDCP 2.2), (Supports up to FHD 1920 x 1080 200Hz, VRR, HDR as per specified in HDMI 2.1) • 1 DisplayPort 1.4 port (HDCP 1.4 and HDCP 2.2) • 1 Headphone-out port (3.5 mm jack)
ADJUSTABILITY	Tilt -5°/+21°	Tilt -5°/+21°
DISPLAY SCREEN COATING	Anti-glare with hard-coating 3H	Anti-glare with hard-coating 3H
VARIABLE REFRESH RATE	AMD FreeSync™ Premium	AMD FreeSync™ Premium
SOFTWARE COMPATIBILITY	Not Applicable	Not Applicable
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/0.8 A (max)	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/0.8 A (max)
POWER CONSUMPTION	<ul style="list-style-type: none"> • 0.3 W (Off mode)¹ • 0.5 W (Standby mode)¹ • 15.6 W (On mode)¹ • 38.0 W (Max.)² • 12.86 W (Pon)³ • 40.68 kWh (TEC)³ 	<ul style="list-style-type: none"> • 0.3 W (Off mode)¹ • 0.5 W (Standby Mode)¹ • 17.3 W (On Mode)¹ • 40 W (Max.)² • 14.96 W (Pon)³ • 47.12 kWh (TEC)³
AUDIO OUTPUT	3.5 mm jack	3.5 mm jack
HEIGHT WITH STAND	412.30 mm (16.23 in.)	452.82 mm (17.83 in.)
WIDTH WITH STAND	538.84 mm (21.21 in.)	610.88 mm (24.05 in.)
DEPTH WITH STAND	188.00 mm (7.04 in.)	188.00 mm (7.40 in.)
HEIGHT WITHOUT STAND	317.05 mm (12.48 in.)	357.51 mm (14.08 in.)
WIDTH WITHOUT STAND	538.84 mm (21.21 in.)	610.88 mm (24.05 in.)
DEPTH WITHOUT STAND	47.20 mm (1.86 in.)	47.20 mm (1.86 in.)

1 As defined in EU 2019/2021 and EU 2019/2013.

2 Max brightness and contrast setting with maximum power loading on all USB ports.

3 Pon: Power consumption of On mode as defined in Energy Star 8.0 version. TEC: Total energy consumption in kWh as defined in Energy Star 8.0 version.

FEATURE	TECHNICAL SPECIFICATION	
MODEL	Dell 24 200Hz Monitor - SE2425HG	Dell 27 200Hz Monitor - SE2725HG
WEIGHT (WITH PACKAGING)	4.53 kg (9.99 lb)	5.28 kg (11.64 lb)
WEIGHT (PANEL ONLY - FOR VESA MOUNT)	2.62 kg (5.78 lb)	3.15 kg (6.94 lb)
WEIGHT WITH STAND ASSEMBLY AND CABLES	3.19 kg (7.03 lb)	4.40 kg (8.20 lb)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)	VESA (100 mm x 100 mm)
SECURITY	Security lock slot (cable lock sold separately)	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	<ul style="list-style-type: none"> • RoHS Compliant • BFR/PVC reduce monitor. (The circuit boards are made from BFR/PVC-free laminates.) • Arsenic-Free glass and Mercury-Free for the panel only. 	<ul style="list-style-type: none"> • RoHS Compliant • BFR/PVC reduce monitor (The circuit boards are made from BFR/PVC-free laminates) • Arsenic-Free glass and Mercury-Free for the panel only.
TEMPERATURE RANGE	<ul style="list-style-type: none"> • Operating: 0°C to 40°C (32°F to 104°F) • Non-operating: -20°C to 60°C (-4°F to 140°F) 	<ul style="list-style-type: none"> • Operating: 0°C to 40°C (32°F to 104°F) • Non-operating: -20°C to 60°C (-4°F to 140°F)
HUMIDITY RANGE	<ul style="list-style-type: none"> • Operating: 10% to 80% (non-condensing) • Non-Operating: 5% to 90% (non-condensing) 	<ul style="list-style-type: none"> • Operating: 10% to 80% (non-condensing) • Non-Operating: 5% to 90% (non-condensing)
ALTITUDE	<ul style="list-style-type: none"> • Operating: 5,000 m (16,400 ft) maximum • Non-operating: 12,191 m (40,000 ft) maximum 	<ul style="list-style-type: none"> • Operating: 5,000 m (16,400 ft) maximum • Non-operating: 12,191 m (40,000 ft) maximum
WHAT'S INCLUDED	<ul style="list-style-type: none"> • Monitor with stand • Power cable • 1 HDMI 2.0 cable - 1.8 m • QR card • Safety Information 	<ul style="list-style-type: none"> • Monitor with stand • Power cable • 1 HDMI 2.0 cable - 1.8 m • QR card • Safety Information
STANDARD SERVICE PLAN	<ul style="list-style-type: none"> • (US/Canada) 1-year Advanced Exchange Service¹ • (WW) 3-year Advanced Exchange Service¹ 	<ul style="list-style-type: none"> • (US/Canada) 1-year Advanced Exchange Service¹ • (WW) 3-year Advanced Exchange Service¹

¹ Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.