


DELL ULTRASHARP 27 MONITOR | U2722D

# Elevated productivity. Vibrant color.



## CAPTIVATING PRODUCTIVITY

Take your work to new heights with this stylish 27" QHD monitor with wide color coverage and multitasking features.



## CONNECT TO PRODUCTIVITY

Easily connect to a variety of devices with comprehensive connectivity options including super speed USB 10Gbps and quick access front ports.



## VIBRANT COLOR. EASY ON THE EYES.

Features ComfortView Plus, an always on built-in low blue light screen that reduces low blue light while maintaining color accuracy.



## TRUSTED RELIABILITY

World's number 1 monitor company.\*  
Backed by renowned Dell reliability.

# Elevated productivity. Vibrant color.




## CAPTIVATING COLOR. EASY ON THE EYES.

**Designed with wellness in mind:** Optimize eye comfort with ComfortView Plus — an always on built-in low blue light screen that reduces harmful blue light emissions while delivering excellent color performance. TÜV Rheinland certified!

**Consistent, vibrant colors:** Enjoy true-to-life color with a color depth of 1.07 billion colors, wide color coverage including 100% sRGB, 100% Rec.709 and 95% DCI-P3. In-Plane Switching (IPS) technology delivers consistent color and picture quality across a wide 178°/178° viewing angle.

**See details with striking clarity:** With QHD (2560x1440) resolution on this 27" screen, you'll see 1.77 times more details than Full HD.



## CONNECT TO PRODUCTIVITY

**Fast connections:** Connect to a variety of devices with a wide range of connectivity ports, including super speed USB 10Gbps. Quick access ports enable easy connection to peripherals, such as storage devices and mobile phones, with up to 15W charging capability (via USB-C®).

**Expand your efficiency:** Experience a seamless view across multiple monitors with virtually borderless InfinityEdge. And, with a dual monitor setup, you can increase your productivity by up to 21%.<sup>2</sup>

**Multitask effectively:** Connect two PCs to the monitor and view content from both PC sources at the same time with PBP (Picture-by-Picture) and PIP (Picture-in-Picture) features.

**Multi-monitor sync:** The OSD (Onscreen Menu Display) settings from one monitor can be synchronized across connected monitors for easy multi-monitor setup.<sup>3</sup>



## PURPOSE BUILT

**Eco-conscious in design:** This monitor is made of 85% PCR (Post-consumer Recyclable Plastic), meets the latest regulatory and environmental standards such as ENERGY STAR® and TCO, and is EPEAT Gold registered.<sup>4</sup>

**Style meets function:** Crafted with a premium platinum silver finish, this sleek monitor features a small base and an elegant cable management system that hides cords within the monitor riser. Navigate the menu and adjust screen settings with the easy-to-use joystick control. Snap on the optional Dell Slim Soundbar (SB521A) and enjoy exceptional sound quality.

**Comfort is key:** Tilt, swivel, pivot and adjust the height of your monitor to a maximum of 150mm for optimal viewing comfort.

## DELL DISPLAY MANAGER

**Productive at every level:** Dell Display Manager's (DDM)<sup>5</sup> Easy Arrange feature lets you quickly tile and view your applications side by side across one or more connected screens for multitasking efficiency.

**More ways to manage:** Asset management reports allow IT managers to quickly capture and track monitor information as well as configure multiple monitors at once through a single setup.

## THANK YOU FOR MAKING DELL MONITORS #1 WORLDWIDE\*

**Peace of mind:** Dell Premium Panel Exchange allows a free monitor replacement during the Limited Hardware Warranty<sup>7</sup> period even if only one bright pixel is found.

**Minimize downtime:** Your monitor comes with a 3-year Advanced Exchange Service<sup>8</sup> so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.

**Get a higher level of support:** Upgrade to 24 X 7, in-region technical phone support from qualified engineers with Dell ProSupport option.<sup>9</sup>

# Features & Technical Specifications

## Monitor

Diagonal Image Size	Dell UltraSharp 27 Monitor – U2722D 68.47 cm (27 inches)
Active Display Area	
Horizontal	596.7 mm (23.49 inches)
Vertical	335.7 mm (13.21 inches)
Maximum Preset Resolution	2560 x 1440 @ 60Hz
Aspect Ratio	16:9
Pixel Pitch	0.2331 mm x 0.2331 mm
Pixels Per Inch (PPI)	108.78
Brightness	350 cd/m <sup>2</sup> (typical)
Color Gamut <sup>10</sup>	100% sRGB, 100% Rec.709, 95% DCI-P3
Calibration Accuracy	Delta E < 2 (average) for sRGB and Rec.709
Color Depth	1.07 billion colors
Contrast Ratio	1000: 1 (typical)
Viewing Angle	178° vertical / 178° horizontal
Response Time	8 ms (Normal mode); 5 ms (Fast mode)
Panel Technology	In-Plane Switching Technology
Backlight Technology	LED
Display Screen Coating	Anti-glare treatment of the front polarizer (3H) hard coating
ComfortView with Flicker-free Screen	Yes with ComfortView Plus, built-in low blue light screen (TÜV Rheinland certified – Low Blue Light Hardware Solution and Flicker Free <sup>1</sup> )
Dell Display Manager	Yes with Dell Easy Arrange and other key features
Remote Asset Management	Yes, via Dell Command   Monitor
Others	Daisy Chaining with Multi Monitor Sync to synchronize key OSD settings, Picture-by-Picture, Picture-in-Picture

## Connectivity

Connectors	1 x DP 1.4 (HDCP 1.4) 1 x HDMI 1.4 1 x USB-C (USB 3.2 Gen2, 10Gbps) upstream port, data only 1 x DP (Out) 2 x super speed USB-A (USB 3.2 Gen2, 10Gbps) downstream ports 1 x super speed USB-A (USB 3.2 Gen2, 10Gbps) with B.C 1.2 1 x USB-C (USB 3.2 Gen2, 10Gbps, Up to 15W charging) downstream port 1 x Analog 2.0 audio line out (3.5mm jack)
------------	--

## Design features

Adjustability	Height-adjustable stand (150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°), Pivot (-90° to 90°)
Security	Security lock slot (cable lock sold separately), Anti-theft stand lock slot (to panel)
VESA Mounting Support	VESA mounting holes (100 mm x 100 mm — behind attached VESA cover)

## Power

AC Input voltage/frequency/current	100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 1.6 A (maximum)
Energy Efficiency Class (A to G scale)	E
Power Consumption (Normal Operation)	<0.3 W (Off Mode) <0.5 W (Standby Mode) 25 W (On Mode) 74 W (Maximum)



## Dimensions (with stand)

Height (Compressed ~ Extended)	385.1 mm ~ 535.1 mm (15.16 inches ~ 21.07 inches)
Width	611.3 mm (24.07 inches)
Depth	185.0 mm (7.28 inches)

## Weight

Weight (panel only)	4.38 kg (9.66 lb)
Weight (with stand and cables)	6.61 kg (14.57 lb)
Shipping Weight	9.62 kg (21.21 lb)

## Standard Service Plan

3 Years Advanced Exchange Service<sup>8</sup> & Limited Hardware Warranty<sup>7</sup>, Premium Panel Exchange

## Optional Service Plan

Dell ProSupport<sup>9</sup>

## Environmental Compliance

ENERGY STAR<sup>®</sup> certified monitor, EPEAT<sup>®</sup> Gold registered where applicable<sup>4</sup>, RoHS Compliant, TCO Certified Display, BFR/PVC Free monitor (excluding external cables), Meets NFPA 99 leakage current requirements, Arsenic-Free glass and Mercury-Free for the panel only

## What's in the box?

### Components

- Monitor with stand

### Cables

- Power Cable
- DisplayPort Cable (DP to DP) - 1.8 M
- USB Type-C<sup>®</sup> to Type-A Cable - 1 M

### Documentation

- Quick Setup Guide
- Factory Calibration Report
- Safety and regulatory information


# Connectivity and Accessories

DELL ULTRASHARP 27 MONITOR | U2722D


Purposeful design, built for ergonomic comfort.



Joystick control,  
cable management slot



Tilt and height adjustable




Pivot



Swivel

## Connectivity



- |                      |                       |  |  |
|----------------------|-----------------------|--|--|
| 1 Security lock slot | 5 Stand lock          | 8 Super speed USB 10Gbps (USB 3.2 Gen2) Type-A Downstream port (2) | 10 Super speed USB 10Gbps (USB 3.2 Gen2) Downstream port with Power Charging |
| 2 Power connector    | 6 DisplayPort (out)   | 9 Audio line-out port <sup>11</sup>                                | 11 USB-C Downstream port (10Gbps, 15W)                                       |
| 3 HDMI port          | 7 USB-C Upstream port |  |  |
| 4 DisplayPort (in)   | (data only)           |  |  |

## RECOMMENDED ACCESSORIES



DELL DUAL MONITOR  
ARM | MDA20

This comprehensive dual monitor and system mounting solution keeps your desk clutter-free. It is the world's first monitor arm that offers swivel angle adjustment with a flip of the switch.\*\*



DELL SLIM SOUNDBAR |  
SB521A

World's slimmest and lightest soundbar\*\*\* offers exceptional audio clarity and magnetically attaches to Dell monitors<sup>12</sup>, offering a clean desk experience.



DELL PREMIER MULTI-DEVICE WIRELESS  
KEYBOARD AND MOUSE | KM7321W<sup>6</sup>

Multi-task seamlessly across 3 devices with this premium full size keyboard and sculpted mouse combo with programmable shortcuts and 36 months battery life.<sup>15</sup>

\* Dell monitors are #1 Worldwide for 7 consecutive years (2013, Q2 to 2020, Q3)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3, 2020.

\*\* Based on internal analysis, November 2019.

\*\*\* Based on Dell analysis of publicly available specs of comparative attachable monitor soundbars, July 2020.

1 TÜV Rheinland certified – Low Blue Light Hardware Solution and Flicker Free (ID 1111232803). For more details, visit [www.tuv.com](http://www.tuv.com).

2 Source: Based on Principled Technologies Report commissioned by Dell. Actual results will vary. Full report: [https://www.principledtechnologies.com/Dell/P2419H\\_monitor\\_productivity\\_1118.pdf](https://www.principledtechnologies.com/Dell/P2419H_monitor_productivity_1118.pdf)

3 Limited to select OSD functions; applies to daisy chained monitors via DP. Please refer to the User Guide for the full list.

4 EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

5 Learn more about Dell Display Manager software and where to download at [dell.com/ddm](http://dell.com/ddm)

6 Product availability varies by country. Contact your Dell representative or visit [Dell.com](http://Dell.com) to learn more.

7 For a copy of the Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [dell.com/warranty](http://dell.com/warranty).

8 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See [dell.com/servicecontracts/global](http://dell.com/servicecontracts/global).

9 Availability varies, please visit [www.dell.com/support](http://www.dell.com/support) for details.

10 At panel native only, under Custom Mode preset.

11 Connect external speakers. The audio line-out does not support headphones.

12 Compatible with select Dell monitors only. Please refer to the Dell Slim Soundbar – SB521A compatibility list on [dell.com](http://dell.com)

13 Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors.

[Dell.com/monitors](http://Dell.com/monitors)

Product availability varies by country. Please contact your Dell representative for more information.

© 2021 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

