

Your window to better work

Designed to provide outstanding collaborative, connected and visual experiences, this advanced video conferencing monitor features the most intelligent webcam in a 31.5" 4K video conferencing monitor and is the 1st monitor in its class with IPS Black panel technology.





Connect like you're there

Look your best, always, with an intelligent webcam that includes a 4K HDR Sony STARVIS™ CMOS sensor. Experience automatic focus, light adjustments, enhanced visual clarity. Communicate clearly with integrated dual array echo cancellation mics and two 14W speakers.

Effortless security

Secure interactions with automatic camera disable and get to work fast with Dell ExpressSign-in that senses when you are close and signs you in via Windows Hello.

Launch Team meetings effortlessly on this

Certified for Microsoft

Teams monitor.

Brilliance, because it matters

Bring your work to life with 4K clarity, incredible color and exceptional contrast with groundbreaking IPS Black technology on this 31.5" monitor with VESA certified DisplayHDR 400 and ComfortView Plus.

Peak productivity

Streamline your
workspace with a
USB-C Hub monitor
that connects you to
the Ethernet and a host
of other devices. Peak
productivity with a dual
4K monitor set up and
a variety of multitasking
features.

The CES Innovation Awards are based upon descriptive materials submitted to the judges. CTA did not verify the accuracy of any submission or of any claims made and did not test the item to which the award was given. CES® is a registered trademark of Consumer Technology Association (CTA)®.

U3223QZ

World's 1st 31.5" 4K video conferencing monitor featuring an intelligent 4K webcam[^] and groundbreaking IPS Black panel technology[^].

Connect like you're there

Look great always with an intelligent webcam that includes a 4K HDR Sony STARVIS™ CMOS sensor and multi-element lens to deliver crystal clear images.

Exceptional contrast

See incredible color and superior black performance with a contrast ratio of 2,000:1 on the world's first video conferencing monitor with IPS Black technology[^].

Communicate clearly with optimally positioned built-in

optimally positioned built-in echo cancellation mics and two 14W speakers.

Adjust to your comfort

Tilt, swivel, and height adjustable (150mm max).

Launch Team meetings effortlessly by pressing the touch controls on this Certified for Microsoft Teams monitor.

Daisy chain two 4K monitors and get uncompromised picture quality with DSC (Display Stream Compression) technology.



See more in outstanding detail and clarity

 $^{-4}\mbox{K}$ (3840 x 2160) resolution on a large 31.5" monitor.

True brilliance

Experience true-to-life visuals with 1.07 billion colors, a wide color gamut including 98% DCI-P3, and VESA Certified DisplayHDR™ 400.

Built-in **ComfortView Plus** reduces harmful blue light emissions without sacrificing color performance.


Connect two PC sources and multitask efficiently with Picture-by-Picture / Picture-in-Picture and KVM (with Auto KVM).

ENERGY STAR®, TCO Certified Edge, EPEAT® Gold registered.

Connect to multiple devices with USB-C (up to 90W power delivery), RJ45 (Ethernet), super speed USB 10Gbps and quick access front ports.

▶ Click the image or here to explore the Dell UltraSharp 32 4K Video Conferencing Monitor.

Connect like you're there





Make the world take notice

The intelligent webcam includes a 4K HDR Sony STARVIS™ CMOS sensor and multi-element lens to deliver crystal clear images.

. . .

Communicate clearly with built-in dual echo cancellation mics and two 14W speakers well positioned for optimal hearing.

. . .

Certified for Microsoft Teams, you can join meetings and respond to notifications with a touch of the quick access control panel.

Look great, always.

Experience automatic focus with Al auto framing, true color even in harsh lighting with Digital Overlap HDR, and images without motion blur with 3D/2D Video Noise Reduction. Design how you want others to see you by customizing your webcam settings via Dell Peripheral Manager.

- - -

Record and playback high quality video content in 4K at 30 frames per second (fps), or FHD at either 30 or 60 fps.

. . .

Tilt the adjustable camera (0-20°) to the angle you want and customize how much show of your surroundings by adjusting the field of view to 65°, 78°, 90°.

Effortless security

Dell ExpressSign-in which detects your presence when you're close by and uses Windows Hello™ to log you in automatically. It locks your PC when you walk away.

. . .

Camera disable automatically opens and closes the camera shutter by syncing to video conferencing applications.

٠.

The mute and camera disable touch sensors at the front add an extra layer of security.

Dell Peripheral Manager is available for download on dell.com/support/dpem, compatible with Windows 10 and above. Visit the site for a full compatibility list and OS support.

See brilliant visuals with groundbreaking IPS Black technology

Exceptional contrast

See incredible color and deeper blacks with a contrast ratio of 2,000:1 on the world's first video conferencing monitor with IPS Black technology[^]. With a wide 178°/178° viewing angle, images remain spectacular, from virtually any angle.

True brilliance

With 4K resolution, 1.07 billion colors, a wide color gamut (100% sRGB, 100% Rec. 709, 98% DCI-P3), and VESA DisplayHDR 400, every color and detail will pop.

Enhanced eye comfort

ComfortView Plus—an alwayson, built-in low blue light screen reduces potentially harmful blue light emissions without compromising color.







U3223QZ

Peak productivity with multitasking features

Stretch productivity with a dual 4K monitor set up and multitask efficiently with built-in KVM, Picture-by-Picture and Picture-in-Picture features.



Multitask better

Connect to two PC sources and Auto KVM will seamlessly switch controls over to the second connected PC. Use KVM (keyboard, video and mouse) to control both PCs with a single mouse and keyboard.

See more on one screen

View content from two PC sources with Picture-in-Picture (PiP) and Picture-by-Picture (PbP). KVM allows you to control both PCs with a single keyboard and mouse.

Expand your productivity

Experience uncompromised picture quality by daisy chaining two 4K monitors with DSC (Display Stream Compression) technology.



Connectivity that drives productivity

USB-C Hub monitors offer extensive connectivity options including USB-C (up to 90W power delivery), RJ45 for wired Ethernet access, super speed USB for fast data transfers, and more.



7

U3223QZ

Sustainability on Dell Monitors

Leading the industry in sustainable practices in our products, packaging and supply chain.



Environmental standards

This monitor is made of 85% post-consumer recyclable plastic in the design⁵ and meets the latest environmental standards such as ENERGY STAR®, and TCO Certified Edge, and is EPEAT® Gold⁶ registered.

Eco-conscious packaging

Dell commercial monitors ship in 100% recyclable cardboard packaging⁷.

Energy conservation

Save energy with PowerNap⁸, a feature that dims or puts your monitor to sleep when it's not in use.

U3223QZ

Designed for you

Crafted with a premium platinum silver finish, this stylish Dell UltraSharp Video Conferencing monitor fits both home and office environments.



NI.

Designed with purpose

The small base and elegant cable management system hides cords within the monitor riser.

Easy-to-use

Navigate the onscreen menu and adjust settings with a convenient joystick control.

Work comfortably

Experience made-for-you comfort by tilting, swiveling and adjusting the height of your monitor (150mm max).



Dell Display Manager



Productive at every level

Easy Arrange allows you to easily tile multiple applications across one or more screens with 38 pre-set window partitions and the ability to personalize up to five windows, giving you improved multitasking abilities.

Seamless transitions

The auto-restore feature remembers where you left off, so applications will go back to where you left them, even after you've unplugged.

The key to convenience

Shortcut keys can save you even more time, letting you easily configure your display management settings so you can get to work faster.

More ways to manage

Asset management reports allow IT managers to quickly capture and track monitor information as well as configure multiple monitors at once through a single setup.

Expanded compatibility

With support for multiple operating systems9, Dell Display Manager helps you can stay productive however you work.

Learn more about Dell Display Manager.



RECOMMENDED ACCESSORIES



Dell Premier Wireless ANC Headset | WL7022

Collaborate with ease anywhere with this Teams certified wireless headset which offers active noise cancellation and smart sensors that automatically mute and unmute your call.



Dell Premier Multi-Device Wireless Keyboard and Mouse | KM7321W


Multi-task seamlessly across 3 devices with this premium full-sized keyboard and sculpted mouse combo with programmable shortcuts and 36 months battery life.¹⁰



Dell Single Monitor Arm | MSA20

Attach your monitor to the arm, virtually tool-free. Enjoy flexibility and advanced cable management features in a small footprint.

PORTS AND SLOTS



- 1 Security lock slot¹¹
- 2 Power connector
- **3** HDMI 2.0
- 4 Display Port 1.4
- 5 USB-C upstream (DP 1.4, 90W PD)
- 6 DisplayPort (out)
- 7 USB-C Upstream
- 8 USB-A downstream (super speed 10Gbps)
- 9 RJ45

- 10 USB-A downstream (BC 1.2 with power charging, super speed 10Gbps)
- 11 Headphone/microphone combo jack
- **12** USB-C downstream (15W PD, super speed 10Gbps)

U3223QZ

ULTRASHARP 32 4K VIDEO CONFERENCING MONITOR - U3223QZ TECHNICAL SPECIFICATION

DIAGONAL VIEWING SIZE 80.01 cm (31.5 inches) **HEIGHT WITH STAND** 497.84 mm ~ 647.27 mm (19.60" ~ 25.48") (COMPRESSED ~ EXTENDED)

PRESET DISPLAY AREA (H X V) 697.31 mm x 392.23 mm (27.45" x 15.44") WIDTH WITH STAND 712.61 mm (28.06")

PANEL TYPE IPS Black Technology **DEPTH WITH STAND** 230 mm (9.06") **DISPLAY SCREEN COATING** Anti-glare treatment of the front polarizer (3H)

HEIGHT WITHOUT STAND 475.54 mm (18.72") hard coating WIDTH WITHOUT STAND 712.60 mm (28.06") MAXIMUM PRESET 3840 x 2160 @ 60Hz

DEPTH WITHOUT STAND 57.97 mm (2.28") VIEWING ANGLE (TYPICAL) 178° vertical / 178° horizontal WEIGHT (PANEL ONLY - 7.26 kg (16.01 lb) PIXEL PITCH 0.18159 mm x 0.18159 mm FOR VESA MOUNT)

PIXEL PER INCH (PPI) 140 WEIGHT (WITH STAND 11.90 kg (26.23 lb) ASSEMBLY AND CABLES)

CONTRAST RATIO 2000 to 1 (typical) WEIGHT (WITH PACKAGING) 16.15 kg (35.60 lb)

ASPECT RATIO 16:9 SECURITY Security lock slot (cable lock sold separately) BACKLIGHT TECHNOLOGY LED (based on Kensington Security Slot™)

 ENERGY STAR® certified Monitor
 EPEAT® registered where applicable. EPEAT BRIGHTNESS 400 cd/m² (typical) COMPLIANT STANDARDS

COLOR GAMUT 100% sRGB, 100% Rec.709, 98% DCI-P3, Delta E < 2 (Average) for sRGB, Rec.709, DCI-P3, 1.07 billion colors registration varies by country. See https://www.

epeat.net for registration status by country.

TCO Certified & TCO Certified Edge

RoHS Compliant RESPONSE TIME 5 ms gray to gray in Fast mode, 8 ms gray to gray in

BFR/PVC Free monitor (excluding external cables) Meets NFPA 99 leakage current requirements HDR READY Yes, DisplayHDR 400 Arsenic-Free glass and Mercury-Free for the panel only

· 1 x HDMI 2.0 (HDCP 2.2) VESA mounting holes (100 mm x 100 mm - behind attached VESA Cover) FLAT PANEL MOUNT 1 x USB Type-C (USB 3.2 Gen 2 upstream port)
 1 x USB Type-C (Alternate mode with DisplayPort INTERFACE

1.4/1.2, USB 3.2 Gen2 upstream port, Power Delivery up to 90W) Operating: 0°C to 40°C (32°F to 104°F)
Non-operating: -20°C to 60°C (-4°F to 140°F) TEMPERATURE RANGE · 1 x USB Type-C downstream (15 W), USB 3.2 Gen2 (10Gbps)

· 1 x DP (Out) with MST · 4 x super speed USB 10Gbps (USB 3.2 Gen2) Non-Operating: 5% to 90% (non-condensing) - Storage and Shipping

HUMIDITY RANGE

Operating: 10% to 80% (non-condensing)

· 1 x super speed USB 10Gbps (USB 3.2 Gen2) with BC 1.2 charging capability at 2 A (max) ALTITUDE Operating: 5000 m (16404 ft) max · 1 x 3.5 mm headphone iack Non-Operating: 12192 m (40000 ft) max

· 1 x RJ45 **VOLTAGE REQUIRED** 100 VAC to 240 VAC / 50 Hz or 60 Hz + 3 Hz / 2.5 ADJUSTABILITY Height adjustable (150 mm) A (typical)

Tilt (-5° to 21°) Swivel (-30° to 30°) **ENERGY EFFICIENCY CLASS** F (A TO G SCALE)

POWER CONSUMPTION 0.3 W (Off Mode) 0.3 W (Standby Mode) KEYBOARD, VIDEO Yes, KVM and Auto-KVM NORMAL OPERATION AND MOUSE (KVM) 29.90 W (On Mode) 240 W (Max)

DAISY CHAIN AVAILABILITY Yes WHAT'S INCLUDED Monitor, Stand Riser, Stand Base

1x Power cable
1x Type-C (C-C cable) - 1 m
1x DP cable (DP to DP) - 1.8 m
1x super speed USB (Type-A to Type-B) - 1 m AUDIO OUTPUT 1 x 3.5 mm headphone jack BUILT IN CAMERA¹² · Field of View - 65/78/90 degrees Focus mode - 5x digital zoom

Focusing distance - 25cm to infinity Focusing distance - 500 cm Factory calibration report Quick setup guide Safety, Environmental and Regulatory Information Active array size - 8 mega-pixel Video frame rate - 3840 x 2160 (4K UHD)

up to 30 frames per second, 1920 x 1080 (Full HD) up to 60 frames per second

DELL DISPLAY MANAGER Yes, Easy Arrange, Other key features

SPECIFICATIONS - SERVICE / 3-Year Advanced Exchange Service support DETAILS and Premium Panel Exchange

BUILT-IN MICROPHONES Dual Array Microphones **BUILT-IN SPEAKER** 2 x 14W

COMPATIBILITY

CONNECTIVITY · 1 x DP 1.4 (HDCP 2.2)

PBP / PIP PbP (Yes), PiP (Yes)

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.



Premium Panel Exchange

Dell Premium Panel Exchange¹³ allows a free monitor replacement during the Limited Hardware Warranty¹⁴ period even if only one bright pixel is found.

Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service¹⁵ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.¹⁴

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.¹⁶

- * Dell monitors are #1 Worldwide for 8 consecutive years (2013, Q2 to 2021, Q3)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3, 2021.
- ^ Based on Dell analysis of desktop monitors with built-in speakers, microphone and webcam, Aug 2021.
- 1 Dell adheres to standard USB-C specifications and protocol. Functionality with non-Dell USB-C systems may vary.
- Via quick access USB-C port.
- The power sync feature on this Dell USB-C Monitor enables start up and wake-on-demand on compatible Dell PCs. Please check your Dell PC to ensure support of this feature.
- MAC Address pass-through functionality is tested to work with most Dell PC systems. Functionality on non-Dell systems may vary.
- 5 By weight of the total weight of plastic parts in product. Excludes printed circuit boards, labels, cables, connectors, electronic components, optical components, ESD components, EMI components adhesives, and coatings
- 6 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- The outer box/corrugate cushion packaging and recycled fibers in Dell commercial monitor packaging (excluding D-series) are made from corrugate and virgin cardboard materials. Excludes foam cushioning and plastic bags.
- 8 Enabled by Dell Display Manager
- 9 Available for Windows 10 and above, and Mac OS 10.12 and above. Please refer to dell.com/ddm for full compatibility list and OS support.
- Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors.
 Based on Kensington Security Slot™
- 12 Customize webcam setting via Dell Peripheral Manager. Visit dell.com/support/dpem to download the software, available for Windows 10 and above. Refer to the site for a full a compatibility list and OS support Manager.
- 13 Applicable to Dell UltraSharp, P Series, and C Series desktop monitors.
- 14 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 15 For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see https://www.dell.com/warranty.
- 16 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2022 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be $trademarks \ of \ their \ respective \ owners. \ USB \ Type-C^{\circledast} \ and \ USB-C^{\circledast} \ are \ registered \ trademarks \ of \ USB \ Implementers \ Forum.$





v.1 03/2022