

351027 USB 2D Omnidirectional Desktop Barcode Scanner

Product Images



Features



Product Diagram





Short Description

- 2D CMOS IMAGE Barcode Scanner Image Sensor: 640x480 CMOS
- High-Resolution Imaging: Captures sharp and detailed images for accurate decoding.
- Precise scanning of 1D & 2D barcodes (barcodes & QR code)
- Efficiently deciphers linear barcodes for retail and inventory management.
- Durable Construction: Robust design to withstand daily use and potential drops.
- Protected and water-resistant (IP54)
- Wide Scan Range: Reads barcodes from various distances and angles.
- Multiple Scanning Modes: Options for manual, continuous , Auto-induction mode scanning.
- Plug-and-play functionality for quick setup
- Omnidirectional Scanning: Reads barcodes from any angle, reducing the need for precise alignment.

Description

The Equip USB 2D Omnidirectional Desktop Barcode Scanner is a versatile and high-performance scanning solution for various industries. Designed for desktop use, this device is perfect for retail, point-of-sale, and office applications. With omnidirectional

scanning capability, it can quickly and accurately read 2D barcodes from any angle, enhancing efficiency and reducing user effort.

The USB connectivity ensures easy integration with your computer or POS system, simplifying the setup process. This scanner is equipped to handle a wide range of barcode types, including QR codes and Datamatrix, making it suitable for tasks like product tracking, inventory management, and document handling.

The desktop design ensures stability and ease of use, allowing for hands-free scanning on a countertop or desk. This scanner is a valuable addition to businesses looking to streamline operations, improve accuracy, and enhance customer service. It's a reliable tool for organizations seeking an efficient way to manage 2D barcoded information in a desktop environment.

Additional Information

Harmonized System (HS) code	847190
Customs product code (TARIC)	8471900000
Decoding Type 1D	Code 128, UCC/EAN-128, AIM 128, EAN-8, EAN-13, ISSN, ISBN, UPC-E, UPC-A, Interleaved 2 of 5, ITF-14, Matrix 2 of 5(European Matrix 2 of 5), Industrial 2 of 5, Standard 2 of 5, Code 39, Codabar, Code 93, Code 11, MSI-Plessey, RSS-14, RSS-Limited, RSS-Expand
Decoding Type 2D	PDF417、QR Code、Data Matrix
Depth of Field	EAN13 20mm-200mm (13mil) Code 39 10mm-100mm (5mil) QR Code 5mm-180mm (15mil) PAYMENT CODE(PHOE) 20mm-450mm
Light Source (color)	WHITE LED
Protection	IP54
Scan Distance	700mm
Scan Speed	150 Scans / per sec
Trigger Mode	Manual, Continuous Scan, Auto-induction Scan
Connection mode	Wired
Approval and Compliance	CE, RoHS
Operating humidity	5% RH ~ 95% RH
Operating temperature	0°C ~ 45°C
Compatible operating systems	WIN XP/7/8/9/10 Android IOS LINUX
Storage temperature	-20°C ~ 70°C
Package Contents	Barcode Scanner Quick Installation Guide USB-A to RJ45 cable
Cable Length	1.8m
Dimensions (W x D x H)	120 x 110 x 146 mm
Product weight (kg)	0.295
Color	Black
EAN	4015867234303

Model Number	351027
Wireless connection	No
Material	ABS
Power supply	USB
Resolution	1D≥5mil 2D≥10mil

