

332723 2-Port HDMI 2.0 Bi-Direction Switch, 4K60Hz

Product Images





Short Description

- **Bi-Directional:** Toggle 2-in/1-out or 1-in/2-out (selector mode).
- **UHD Ready:** Supports 4K 60Hz resolution with HDMI 2.0 compliance.
- **Dynamic Range:** Full support for HDR10 and Dolby Vision (4:4:4).
- **Bandwidth:** 18Gbps capacity for lossless signal transmission.
- **Audio:** Supports uncompressed Dolby TrueHD and DTS-HD Master Audio.
- **Material:** Durable aluminum housing for professional aesthetics.

Description

The equip® 332723 is a versatile bi-directional HDMI 2.0 switch designed to solve dual-purpose routing needs. It serves as a definitive two-way bridge, allowing you to either connect two sources to one display or toggle one source between two displays. This unit acts as a stable and secure interface for 4K 60Hz content, ensuring full synchronization with HDR10 and Dolby Vision metadata.

Encased in a premium aluminum shell, the 332723 supports unthrottled 18Gbps bandwidth and high-fidelity 3D video transmission. Its one-button operation provides a professional and durable energy hub for users who need to switch perspectives frequently without swapping cables.

Additional Information

HDMI out	1
HDMI in	2
Harmonized System (HS) code.	854370
Customs product code (TARIC).	8543709099
EAN.	4015867204120
Model Number.	332723
Approval and Compliance.	RoHS
Operating temperature.	-10°C ~ 65°C
Package Contents.	HDMI Bi-Direction Switch User manual Quick Installation Guide
Dimensions (W x D x H).	50 x 20 x 50 mm
Product weight (kg).	0,07
Material.	Aluminum
Standards.	HDMI 2.0

