



133416 USB-C to HDMI Cable, M/M, 2.0m, 4K/60Hz

Product Images





Short Description

- USB-C Male (Compatible with TB3/TB4)
- HDMI Male
- Supports video resolutions up to 4K/60Hz
- Support resolution up to 3840 x 2160 @ 60 Hz
- Plug-and-Play installation
- Gold-plated connectors
- Aluminum casing
- USB-C port with DisplayPort Alternate Mode (DP Alt Mode) is needed
- Resolution up to below (depending on the system and the connected hardware)

4k: 3840 x 2160 @ 60 Hz

2k: 2560 x 1440 @ 144 Hz

1080P: 1920 x 1200 @ 240 Hz

Description

The equip® USB-C to HDMI adapter cable offers a convenient solution for directly connecting your USB-C™ device to your HDMI monitor or projector, Quality and stable transmission, gold-plated joints do not rust, say goodbye to water ripple stable transmission

Additional Information

Harmonized System (HS) code.	853690
Customs product code (TARIC).	8536901000
Color.	Black
EAN.	4015867228807
Model Number.	133416
Angled Plug.	No
Max. Resolution.	4K/60Hz
Connector 1.	USB-C, male
Connector 2.	HDMI-A, male
Cable Length.	2m
Dimensions (W x D x H).	4.5 x 4.5 x 2000 mm
Product weight (kg).	0.08
Cable Jacket material.	PVC
Conductor size (AWG).	32AWG
Material.	Aluminum
Standards.	HDMI 2.0
Video Output Port.	HDMI
Approval and Compliance.	RoHS
Operating temperature.	0°C ~ 40°C
Package Contents.	USB-C to HDMI Cable

