




625413 Cat.6 U/UTP Patch Cable, RJ45 Male to RJ45 Male, 0.25m, 250MHz, 1Gbps, Unshielded Ethernet LAN Network Cable, Beige

Product Images





Short Description

- **Connector:** RJ45 Male to RJ45 Male
- **Cable type:** Cat.6 U/UTP patch cable
- **Bandwidth:** 250MHz
- **Data rate:** Up to 1Gbps
- **Shielding:** Unshielded (U/UTP)
- **Conductor:** Copper Clad Aluminum (CCA), AWG 26/7
- **Build:** Molded boot with strain relief
- **Compliance:** RoHS compliant
- **Color:** Beige
- **Length:** 0.25m

Description

The Cat.6 U/UTP Patch Cable is designed to deliver stable Gigabit Ethernet connectivity in compact and space-limited network installations.

Featuring RJ45 male connectors on both ends, this unshielded patch cable is ideal for short-distance connections between switches, routers, patch panels, and network devices in racks or desktop environments. It supports Cat.6 performance at 250MHz with data transmission up to 1Gbps, suitable for standard office and commercial LAN applications.

The cable uses a Copper Clad Aluminum (CCA) conductor for cost-efficient short cable runs, while the molded boot with strain relief helps protect the connector transition point during frequent handling. It is fully examined to conform with industrial standards and meets RoHS environmental requirements.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Flat cable.	No
Shielded.	No
Shielding.	U/UTP
Connector 1.	RJ45 male
Connector 2.	RJ45 male
Approval and Compliance.	RoHS
Operating temperature.	0°C ~ 60°C
Package Contents.	Cat.6 U/UTP Patch Cable
Color.	Beige
EAN.	4015867171776
Model Number.	625413
Cable Length.	0.25m
Dimensions (W x D x H).	8.34 x 11.68 x 250 mm
Product weight (kg).	0,018
Category.	Cat.6
Conductor material.	CCA
Conductor size (AWG).	26AWG
Cable Jacket material.	PVC

