

# Data Sheet FUJITSU Notebook LIFEBOOK E556

### Reliable Business Performer

Enjoy reliability and powerful performance with FUJITSU Notebook LIFEBOOK E556 through latest technology enhancements. A comprehensive business feature-set with common port replicator and connectivity options support you to work with ease and efficiency on your notebook wherever your meeting room or workplace is situated. Choose a 39.6 cm (15.6-inch) or 35.6 cm (14.0-inch) display and even reduce weight with an interchangeable modular bay element

### Reliable and powerful performance

Technology enhancement offer advanced functionality

■ Latest processors, DDR4 RAM boost performance empowering you to work faster

### Secure and solid protection

Smart security and resistant design

 Integrated fingerprint sensor, SmartCard reader, TPM, among other security options protect your data, a solid housing and spill-resistant keyboard your notebook

### Family concept continuity

Reduce complexity and drive down evaluation and deployment costs

■ BIOS and mainboard for one bit image, components, modular bay elements, accessories and port replicator are shared across the LIFEBOOK E5 Series. Unique to Fujitsu, one port replicator befits 8 devices across the LIFEBOOK Ultrabook™, notebook, 2 in 1 and mobile workstation and is compatible with the predecessor

### Different high-capacity battery packs

Long lasting performance for extra working hours

 Choose from three different high-capacity battery packs to support efficient working in business environments

### Compatible with existing equipment

Reuse existing equipment and reduce TCO by connecting the notebook and equipment without adapter

A native Serial Port RS-232 option













## Components

Base unit	LIFEBOOK E556 non vPro	LIFEBOOK E556 vPro
Operating systems		
Operating system	Windows 10 Pro Windows 10 Home Windows 7 Professional 64-bit	Windows 10 Pro Windows 10 Home Windows 7 Professional 64-bit
Operating system compatible	Windows 8.1 Pro Windows 8.1 Windows 7 Professional 32-bit	Windows 8.1 Pro Windows 8.1 Windows 7 Professional 32-bit
Microsoft OS support information	This system receives full support from Microsoft with Windows 10/Windows 10 Pro only. For any other Microsoft OS installed, this device has limited support from Microsoft. For more information, please see Microsoft's Support Lifecycle FAQ.	This system receives full support from Microsoft with Windows 10/Windows 10 Pro only. For any other Microsoft OS installed, this device has limited support from Microsoft. For more information, please see Microsoft's Support Lifecycle FAQ.
Processor	Intel® Core™ i7-6500U processor (2.5 GHz, up to 3.1 GHz, 4	4 MB) *
	Intel® Core™ i5-6300U processor (2.4 GHz, up to 3.0 GHz, 3 MB)	
	Intel® Core™ i5-6200U processor (2.3 GHz, up to 2.8 GHz, 3 MB) *	
	Intel® Core™ i3-6100U processor (2.3 GHz, 3 MB) *	
	*Processor only for retail, SMB, education and government	
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM	
Hard disk drives (internal)	SSHD, 5,400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.	A.R.T.
	SSD SATA III, 512 GB, 2.5-inch, OPAL capable	
	SSD SATA III, 256 GB, 2.5-inch, OPAL capable	
	SSD SATA III, 256 GB, 2.5-inch	
	SSD SATA III, 128 GB, 2.5-inch, OPAL capable	
	SSD SATA III, 128 GB, 2.5-inch	
	SATA, 7,200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5,400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)	
Modular bay options	2nd hard disk drive	
	SuperMulti-format DVD burner (with double layer support)	
	Weight saver	
Interface add on cards/components (optional)		
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)	
	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mb	oit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8260 11ac with integrated Bluetooth 4.1	
Display	39.6 cm (15.6-inch),LED backlight,(HD),Anti-glare display	compound,1,366 x 768 pixel,350:1,220 cd/m²
. ,	39.6 cm (15.6-inch),LED backlight,(Full HD),Anti-glare IPS	

Page 2 / 8 www.fujitsu.com/fts/mobile

Multimedia			
Camera	Optional: Built-in webcam, Full HD (2,073 megapixel) (Microsoft® Lync™)	•	Built-in webcam, HD (Microsoft® Lync™)

## Base unit

Base unit	LIFEBOOK E556 non vPro	LIFEBOOK E556 vPro
General system information		
Chipset	Integrated	Integrated
Chipset notes		Supports iAMT 11.0 Intel® vPro™ requires Core i5-63xx & i7-66xx CPU, Intel WLAN 8260ac, TPM module
Supported capacity RAM (max.)	32 GB	32 GB
Memory slots	2 DIMM (DDR4)	2 DIMM (DDR4)
Memory notes	DDR4 - 2133 MHz	DDR4 - 2133 MHz
LAN	10/100/1,000 MBit/s Intel® I219V	10/100/1,000 MBit/s Intel® I219LM
BIOS features	InsydeH20 Bios	InsydeH20 Bios
Audio type	On board	On board
Audio codec	Realtek ALC255	Realtek ALC255
Audio features	Stereo speakers	Stereo speakers
Display		
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 40°, Top 10°, Bottom 30°; Color Gammut: 42%; 200cd FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 45%; 220cd	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 15°, Bottom 35°; Color Gammut: 45%; 200cd FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 45%; 220cd
Graphics		
Base unit	LIFEBOOK E556 non vPro	LIFEBOOK E556 vPro
TFT resolution (DisplayPort)	up to 4,096 × 2,160	up to 4,096 × 2,160
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200
Graphics brand name	Intel® HD Graphics 520	Intel® HD Graphics 520
Graphics features	3 Display Support (2 external, 1 internal)	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system
Interfaces		
DC-in	1	
Audio: line-out / headphone	1	
Audio: line-in / microphone	1	
Internal microphones	2x digital microphones (array)	
USB 3.0 total	3 (1 with Anytime USB Charge functionality)	
VGA	1	
DisplayPort	1	
Serial (RS-232)	1x optional	
Ethernet (RJ-45)	1	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)	
SmartCard slot	1 (optional)	
SIM card slot	1	

Page 3 / 8 www.fujitsu.com/fts/mobile

Port Replicator interfaces (optional)		
DC-in	1 (19V)	
Power on switch	1	
Audio: headphone	1	
Audio: microphone	1	
USB 3.0 total	4	
DisplayPort	2 - 1 DP (next to DVI) is shared with DVI, works when DVI not connected	
VGA	1	
DVI	1 - shared with DP (next to DVI) - works when DP (next to DVI) not connected	
Ethernet (RJ-45)	1 (10/100/1000)	
Kensington Lock support	1 (Portrep & System)	
eSATA	1	
Notes	Port replicator supports 0-Watts functionality	
Keyboard and pointing devices		
	Spill-resistant keyboard with number block	
	Number of keyboard keys: 104, Keyboard pitch: 19.0 mm, Keyboard stroke: 1.7 mm	
	Touchpad with two mouse buttons	
	Status LED	
	Application buttons Power Button	
	r owei Duttoii	
Wireless technologies		
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional	
Bluetooth	v4.1	
WLAN encryption	WEP, WPA, WPA2	
WLAN notes	Import and usage according to country-specific regulations.	
WiDi support	Yes (with Intel W-LAN)	
Power supply		
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter	
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology	
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter	
Notes	65W AC Adapter for usage with system/ 80 & 90W AC Adapter for usage with Port Replicator	
1st battery options	Li-Ion battery 6-cell, 5,600/5,800 mAh, 63 Wh	
	Li-Ion battery 6-cell, 6,400/6,700 mAh, 72 Wh	
	Li-Ion battery 6-cell, 4,500 mAh, 49 Wh	
Runtime 1st battery	up to 12 h	
Battery charging time	~150 min (63Wh) ~ 180 min (72Wh)	
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity).	
•	Refer to www.bapco.com for additional details.	
	The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between	
	manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity	
	decreases slightly with every re-charge and over its lifetime.	
Noise emission		
Noise emission	Please refer to the Eco Declaration Please refer to the Eco Declaration	
	Fiedde feler to the Leo Decidiotion Fiedde feler to the Leo Decidiotion	
Dimensions / Weight / Environmental	27/ 250 2/2 21/	
Dimensions (W x D x H)	374 x 250 x 24.2 - 31.4 mm	
	14.72 x 9.84 x 0.95 - 1.23 inch	
Weight	from 2.2 kg	
Weight (lbs)	from 4.9 lbs	
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	
Operating relative humidity	20 - 80 %	

Page 4 / 8 www.fujitsu.com/fts/mobile

Compliance		
Germany	GS (Full HD Display only)	
Europe	CE CB	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions) Microsoft Operating Systems (HCT / HCL entry / WHQL)	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Adobe® Reader® (pdf reader) Win7 or Win 8.1 only McAfee Internet Security and Antivirus Software (60 days trial version) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win10 and Win 8.1: Microsoft Push Button Recovery (hard disk based recovery) Win7: Fujitsu Recovery (hard disk based recovery)	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® Connection manager (optional with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software)	
——————————————————————————————————————		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) Intel® SBA Manageability Solution (see details: http://www.intel.com/go/sba) iAMT 11.0 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) WBEM (Web Based Enterprise Management) CIM (Common Information Model) BootP (made4you)	
Manageability link	http://www.fujitsu.com/fts/manageability	
 Security		
Physical Security	Kensington Lock support	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2 or 2.0) EraseDisk (optional)	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2 or 2.0) EraseDisk (optional)

Page 5 / 8 www.fujitsu.com/fts/mobile

### Security

**User Security** 

Access protection via internal SmartCard reader (optional) Access protection via internal SmartCard reader (optional) Embedded fingerprint sensor (optional) Embedded fingerprint sensor (optional)

Hard disk password Hard disk password

User and supervisor BIOS password User and supervisor BIOS password

Workplace Protect (secure authentication solution) SystemLock 3 SmartCard Security (optional): BIOS based

protection

Workplace Protect (secure authentication solution) SystemLock 3 SmartCard Security (optional): BIOS based pre-boot/ two-factor authentication for high level of access pre-boot/ two-factor authentication for high level of access

protection

Warranty	
Warranty period	1 year (for countries in EMEIA)
Warranty type	Collect & Return Service / Bring-in Service (depending on country)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
<b>Product Support Services - the perf</b>	ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	htttp://ts.fujitsu.com/Supportservice

### Recommended Accessories

Port Replicator for LIFEBOOK U745, T7, E5, E7 Series and **CELSIUS H730** 



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1337-L109

MicroSaver Slim



The Fujitsu Kensington MicroSaver slim features the patented T-Bar locking mechanism with carbon tempered steel core cable and an external braided steel sheath. The MicroSaver slim is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Order Code: S26361-F1650-L200

Prestige Case 15



The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. Through the nylon pockets you can see your modular bay accessories. The back half of the bag has a divided file compartment.

Order Code: S26391-F1194-L60

Second Hard Disk Drive or SSD Carrier for Modular Bay



Modern business generates more and more data everyday so you may find yourself needing some extra storage space for critical data. Extend your storage with this 2nd HDD or SSD option by simply sliding this carrier into the modular bay slot on your Fujitsu LIFEBOOK. Choose the storage capacity to suit your needs and order separately from the list of options.

Order Code: S26391-F1244-L709

Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code: S26381-K460-L100

### SOUNDSYSTEM DS E2000 Air



The new more powerful SOUNDSYSTEM DS E2000 Air gives you impressive, well-balanced sound throughout the frequency band. It is an unbeatable USB speaker set with a surprisingly small form factor. The robust satellite speakers are decorated with a deluxe piano finish and the base is adorned with warm ambient lighting.

S26391-F7128-L600

Page 7 / 8 www.fujitsu.com/fts/mobile

### More information

#### Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK E556, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### **Computing Products**

www.fujitsu.com/global/products/computing/

### Software

www.fujitsu.com/software/

### More information

Learn more about FUJITSU Notebook LIFEBOOK E556, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2016 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2016-06-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2016 Fujitsu Technology Solutions GmbH