Fujitsu recommends Windows 10 Pro.



# Data Sheet FUJITSU Notebook LIFEBOOK U747

### Ultra-Mobile Meets Ultra Secure

The new LIFEBOOK U747, based on the 7th generation Intel® Core™ processor is a slim and light ultra-mobile notebook for business professionals supporting optimum mobility for business trips and ergonomics in the office. With its 35.6 cm (14-inch) and light weight of only 1.43 kg (3.15 lbs.) it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator of the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.



### Premium connectivity

Stay flexible and productive within a modern workplace environment

- Full set of interfaces with full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth

### Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

 Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader



### Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

A remarkable slim 19.2 mm ultra-mobile notebook starting from 1.43 kg, HD or FHD display, antiqlare, FHD touch panel option, aluminum/magnesium housing and optional backlit keyboard



### Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

 Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

### Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily



Page 1 / 7 www.fujitsu.com/fts/mobile

# Components

Base unit	LIFEBOOK U747 non vPro	LIFEBOOK U747 vPro	
Operating systems			
Operating system	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro Windows 10 Home	
Processor	Intel® Core™ i7-7600U processor (2.9 GHz, up to 3.9 GHz, 4 MB)		
	Intel® Core™ i7-7500U processor (2.7 GHz, up to 3.5 GHz, 4 MB) *		
	Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB)		
	Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) *		
	Intel® Core™ i3-7100U processor (2.4 GHz, 3 MB) *		
	*Processor only for retail, SMB, education and government		
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM		
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2 module, SED		
	SSD SATA III, 256 GB, M.2 module, SED		
	SSD SATA III, 256 GB, M.2 module		
	SSD SATA III, 128 GB, M.2 module		
	PCIe-SSD, 512 GB, M.2 module, SED		
	PCIe-SSD, 256 GB, M.2 module, SED		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.		
	Accessible capacity may vary, also depending on used software.		
	Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCle		
	internal storage interiace. 3-AIA III of refe		
Interface add on cards/components (optional)			
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)		
	LTE Sierra Wireless EM7305 (Cat. 3) (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.1		
 Display	35.6 cm (14-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,350:1,220 cd/m²		
- 17 - 7	35.6 cm (14-inch), LED backlight, (Full HD), Anti-glare touchscreen, magnesium, 1,920 x 1,080 pixel, 700:1,300 cd/m		
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m²		
Multimedia			
MUTUITEUIA			

## Base unit

Base unit	LIFEBOOK U747 non vPro	LIFEBOOK U747 vPro	
General system information			
Chipset	Integrated	Integrated	
nipset notes		Supports iAMT 11.6 Intel® vPro™ requires Core i5-73xx & i7-76xx CPU, Inte WLAN 8265ac, TPM module	
Supported capacity RAM (max.)	32 GB	32 GB	
Memory slots	2 DIMM (DDR4)	2 DIMM (DDR4)	

Page 2 / 7 www.fujitsu.com/fts/mobile

General system information				
Memory notes	DDR4 - 2133 MHz	DDR4 - 2133 MHz		
LAN	10/100/1,000 MBit/s Intel® I219V	10/100/1,000 MBit/s Intel® I219LM		
BIOS features	InsydeH20 Bios InsydeH20 Bios			
Audio type	On board On board			
Audio codec	Realtek ALC255 Realtek ALC255			
Audio features	Stereo speakers Stereo speakers			
Display				
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72%	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85° Color Gammut: 72%		
Graphics				
Base unit	LIFEBOOK U747 non vPro	LIFEBOOK U747 vPro		
TFT resolution (DisplayPort)	up to 4,096 × 2,160	up to 4,096 × 2,160		
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200		
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200		
Graphics brand name	Intel® HD Graphics 620	Intel® HD Graphics 620		
Graphics features	3 Display Support	3 Display Support		
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system		
Interfaces				
DC-in	1			
Audio: line-out / headphone	1 (combo port with Audio line-in)			
Audio: line-in / microphone	1 (combo port with Audio line-out)			
Internal microphones	2x digital array microphones (optional)			
USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)			
VGA	1			
DisplayPort	1			
Ethernet (RJ-45)	1 (with status LED)			
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)			
SmartCard slot	1 (optional)			
SIM card slot	1 (only for models with integrated 4G/LTE module)			
Port Replicator interfaces (optional)				
DC-in	1 (19V)			
Power on switch	1			
Audio: headphone	1			
Audio: microphone	1			
USB 3.1 Gen1 (USB 3.0) total	4x Type-A 2x Type-C			
DisplayPort	2			
VGA	1			
DVI	1			
Ethernet (RJ-45)	1 (10/100/1000)			
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)			
Keyboard and pointing devices				
	Keyboard w/o touchstick (spill-resistant)#Keyboard w/ touch			
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm  Multi gesture touchpad with two mouse buttons Status LED Power Button			

Page 3 / 7 www.fujitsu.com/fts/mobile

Wireless technologies			
Wireless technologies Antennas	2 Dual band WLAN antennas, 2 LTE antenr	nas ontional	
Bluetooth	v4.1	ias optional	
WLAN encryption	WEP, WPA, WPA2		
WLAN notes	Import and usage according to country-spe	acific regulations	
		ecine regulations.	
Power supply			
AC Adapter		- 60 Hz, 3-pin (grounded) slim and light AC-Adapter	
		- 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology	
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
Notes	1 ,	n/ 90W AC Adapter for usage with Port Replicator	
1st battery options	Lithium polymer battery 4-cell, 50 Wh		
Runtime 1st battery	up to 10 h		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity) Refer to www.bapco.com for additional details.  The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
Noise emission			
Noise emission	Please refer to the Eco Declaration	Please refer to the Eco Declaration	
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	332.6 x 234 x 19.0mm (non-touch), 19.6n	nm (touch) mm	
	13.09 x 9.21 x 0.75 (non-touch), 0.77 (touch) inch		
Weight	From 1.43 kg		
Weight (lbs)	From 3.15 lbs		
Weight notes	Weight may vary depending on actual con	figuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		
Compliance with standards			
Germany	GS planned (Full HD Display only)		
Еигоре	CE		
·	СВ		
Global	RoHS (Restriction of hazardous substances WEEE (Waste electrical and electronic equi Microsoft Operating Systems (HCT / HCL en ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions) (planned	pment) try / WHQL)	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certifica	ates	
Additional Software			
Additional software (preinstalled)	McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)		
Additional software (optional)	LTE / UMTS Connection Manager (if configu Microsoft Office (buy license to activate the CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®	red with 4G/LTE or 3G/UMTS)	

Page 4 / 7 www.fujitsu.com/fts/mobile

Manageability				
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor)		
Manageability software	DeskView Client DeskView Instant BIOS Management			
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management			
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)			
Manageability link	http://www.fujitsu.com/fts/manageability			
Security				
System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)		
User Security	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)		
Warranty				
Warranty period	2 years (for countries within EMEIA)			
Warranty type		Collect & Return Service / Bring-in Service (depending on country)		
Warranty Terms & Conditions Product Support Services - the perfe				
Recommended Service	9x5, Onsite Response Time: Next Business Day			
Spare Parts availability	5 years after end of product life			

## Recommended Accessories

Service Weblink

			Order Code: S26391-F1607-L209
			Order Code: S26391-F1667-L100
Prestige Pro Case Midi 14	TITE	The Fujitsu Prestige Pro Case Midi 14 offers you a stylish high-quality leather and nylon combination which will impress everyone who sees it. It protects your 35.6 cm (14-inch) notebook plus your essential accessories in padded compartments. Everything will be safe but accessible in dedicated	

htttp://ts.fujitsu.com/Supportservice

Page 5 / 7 www.fujitsu.com/fts/mobile

front, document, and identification pockets.

### Sneaker Sleeve 14



The Sneaker Sleeve 14 protects notebooks with up to 14-inch screens. The front half of the bag has dedicated compartments for your notebook, power s26391-F1194-L401 cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files.

Page 6 / 7 www.fujitsu.com/fts/mobile

### More information

#### Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U747, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### **Computing Products**

www.fujitsu.com/global/products/computing/

### Software

www.fujitsu.com/software/

### More information

Learn more about FUJITSU Notebook LIFEBOOK U747, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2017 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2017-03-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH