

# Data Sheet FUJITSU Display P27T-7 UHD

Superior display: 68.5 cm (27-inch) widescreen Cutting edge display technology and innovative Green solutions

For pixel, color and performance-hungry professionals using demanding applications, look no further than the FUJITSU P27T-7 UHD Display. It provides outstanding picture quality with Ultra High Definition (UHD) resolution, also known as 4k. Picture in Picture (PiP), unrivalled ergonomics, a multitude of UHD supporting interfaces and manageability make this the perfect choice.

In Plane Switching (IPS) panel with an ultra wide viewing angle of 178°, LED backlight technology and high precision color performance

UHD or 4k resolution with 8.3 Mio pixel (3,840 x 2,160) - shows every detail in graphic and CAD applications and extremely sharp and clear characters in office application.

Optimum support by Windows 10.

Comfortable picture-in-picture function - shows content from 2 sources (e.g. PC and Tablet) on one screen simultaneously

Optimized and relaxed position - with ergonomic stand featuring height adjust, swivel, tilt and  $90^{\circ}$  rotation

Modern interfaces with optimum UHD support - DisplayPort 1.2, 1 x Mini DisplayPort, 1 x HDMI 2.0, 2 x HDMI/MHL, 2 x USB 3.0

DICOM greyscale standard compatible preset for clinical review applications

Due to the DisplayView Manageability tools ready for remote inventory gathering and for remote execution of configuration tasks















## Technical details

Special features	
	In-Plane Switching (IPS), LED backlight panel, DICOM Greyscale Standard Display Function compatible gamma prese DisplayView™ IT Suite, 24/7 usage, Eco button for Eco mode and 3-coloured Eco status LED
Ergonomic stand	Displayview It suite, 24/7 usage, Eco Duttoil for Eco filode and 3-colouled Eco status LED
Stand	4-in-1 Stand
Height adjust range	130 mm
Picture height over desk (min)	45 mm
Rotation to portrait	90° (AutoPivot)
Tilt angle	-5° / +35°
Swivel angle	340°
Picture performance	340
Panel and backlit	IPS/LED
Screen Surface Treatment	3H hard coating, Anti-glare
Contrast - typical	1,000:1
Contrast - advanced	20,000,000:1
Response time gray to gray typical	5 ms (in Video mode)
/iewing angle (h/v) - typical	178°/178° CR10:1
Color performance	1.07 billion colors
ligh color gamut - typical	78% NTSC (CIE 1931)
Brightness - typical	350 cd/m <sup>2</sup>
Size and resolution	
Aspect ratio	16:9
Diagonal Size	68.5 cm (27-inch)
Resolution (native)	3,840 x 2,160 pixel
Resolution (interpolated)	2,560 x 1,600 pixel, 2,560 x 1,440 pixel, 1,920 x 1,200 pixel, 1,920 x 1,080 pixel, 1,680 x 1,050 pixel, 1,400 x 900 pixel, 1,280 x 1,024 pixel, 1,024 x 768 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel
Picture size	597 x 336 mm
Pixel Pitch	0.155 mm
requencies	
Horizontal	15.6 - 135 kHz
/ertical	29 - 76 Hz
requencies - bandwidth	720 MHz (DisplayPort)
Connectivity	
DisplayPort	1 x DisplayPort 1.2, 1 x Mini DisplayPort
HDMI	1 x HDMI 2.0, 2 x HDMI 1.4 with MHL support
JSB downstream	2 x USB 3.0
JSB upstream	1 x USB
Ease-of-use menu	
Languages	Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese, Chinese traditional, Chinese simply
Brightness / Contrast	Brightness, Contrast
Color	7500K, 6500K, 5000K, Native, Custom Color (R,G,B)
mage adjust	Expansion, Saturation, Sharpness, Hue
Mode	Office, Photo, Video, D-Mode, sRGB, Low Blue Light
nformation	Model name, Serial number, Resolution/mode, Signal input, ACR Status
Picture in Picture (PIP)	Input, Mode, Position
Direct Access Keys	ECO, Input, Mode, Brightness, PIP (Picture in Picture)
Setup	Input select, Language, DDC/CI, ACR, OSD-Timeout, Factory preset, OSD-Position, Overdrive, OSD rotation
•	
Power consumption (typical)	0.17 W
Soft switch off	0.17 W
Power save mode	0.33 W

On analina with CDA analinas	22.0 W
Operating with EPA settings	22.8 W
Operating maximum brightness	43.7 W
Power supply	external
Power notes	Without USB
Electrical values	
Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1
Compliance	
Europe	Energy Efficiency Class: A+, CE certification according to EC Directive 2004/108/EEC, EN 60950, RoHS, WEEE, IT-Eco-Declaration
Model	P27T-7 UHD
Germany	TÜV GS
Russia	GOST
USA/Canada	FCC Class B, cUL
Japan	VCCI
Saudi Arabia	SASO
Global	ENERGY STAR® 7.0, TCO Certified Displays 6.0, EPEAT® Gold (dedicated regions), Zero bright and dark pixel faults, Subpixel faults according to ISO9241-307 (Pixel fault class I)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Quality and Reliability	
MTBF (demonstrated)	70,000 h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	644 x 72 x 383 mm
Simension menodesiana (m x 5 x m)	26.14 x 2.83 x 15.08 inch
Dimension with stand (W x D x H)	644 x 227 x 405 mm
Difficusion with stand (W X D X II)	26.14 x 8.94 x 15.94 inch
Weight (packed)	11 kg
мендит (раскей)	24.25 lbs
Weight (unpacked)	8.3 kg
weight (unpacked)	18.30 lbs
Maiaki (Maaika aak )	
Weight (Monitor only)	5.3 kg
	13.16 lbs
Operating ambient temperature	5 - 35 ℃
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock prepared
Color	Marble grey
Package content	
Display delivered accessories	DisplayPort data cable 1.8 m  HDMI cable 1.8 m  USB-cable 1.8 m (USB-A to USB-B)  External power adapter  Power cable for wall socket (Euro-Schuko-Type CEE7) 1.5 m  Quickstart flyer  Utility CD  Warranty booklet  Safety booklet
Display delivered accessories notes	Data cables, USB cable and audio cable detachable on display Power cable with IEC 60320-1 Type C5 connector on monitor side
Order information	
Order Code	S26361-K1564-V140
EAN Code	4053026837606
Accessories information	Further helpful options: Available Privacy Filters: http://globalsp.ts.fujitsu.com/dmsp/Publications/public/ds-Privacy-Filter.pdf Available Adapters: http://globalsp.ts.fujitsu.com/dmsp/Publications/public/pos-connectivity.pdf

Warranty	
Warranty period	3 years (depending on country)
Warranty type	Collect & Return Service (depending on country specific requirements)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

### More information

#### **Fujitsu OPTIMIZATION Services**

In addition to FUJITSU Display P27T-7 UHD, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Display P27T-7 UHD, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://www.fujitsu.com/fts/displays

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



#### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2017-05-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH