

# DATA SHEET

## AMILO Notebook Xi 3670

Issue: August 2009

### The art of entertainment

You are looking to replace your desktop computer? You want to use state-of-the-art video communication and enjoy entertainment at its best? Then the AMILO Notebook Xi 3670 is the ideal system for you, offering an amazing array of features in a very stylish casing. The 46.7 cm (18.4-inch) display is perfect for watching DVD in their native resolution.



#### Processor technology

- Intel® Centrino® 2 processor technology with Intel® Core™2 Duo processor or
- Intel® Core™2 Quad processor - designed to handle massive compute and visualization workloads enabled by powerful multi-core technology

#### Innovation

- NVIDIA® GeForce® GT 130M graphics (512 MB dedicated high-speed VRAM)
- NVIDIA HybridPower™ technology allows you to unleash graphics performance when you need it, or instantly switch gears to a lower power mode from the motherboard GPU for longer battery life and quieter operation
- Get rid of wires - connect USB devices like printers, scanners or external hard disks via wireless USB (WUSB) to your AMILO Notebook Xi 3670 (option)



#### Reliability

- Spill-proof keyboard to protect your notebook against accidentally spilt liquids
- Engineered in Germany

#### Ease of use

- Silent mode function that causes a noticeable reduction in fan noise
- Multimedia LightTouch™ bar and integrated Vista remote control let you easily play, stop or pause your DVDs or music CDs

#### Multimedia and Entertainment

- 46.7 cm (18.4-inch) high-resolution display with 16:9 aspect ratio and BrilliantView technology that provides vivid colors, amazing sharpness and impressive contrast
- The integrated AMILOcam (1.3 megapixels) with low-light technology for great video quality even in low-light conditions and a built-in digital array microphone are perfect for Internet telephony (VoIP) and video chats
- Connect the AMILO Notebook Xi 3670 to an external display or TV set via HDMI (with HDCP support)



#### Options

- Integrated Blu-ray Disc™ drive for the ultimate entertainment experience
- Dual hard disk drive with Raid 0/1 function: Choose either Raid 0 function and implement data striping to provide the best possible performance or Raid 1 function and define disk mirroring for simultaneous writing of data on two disks. If one drive becomes defect, all data can be accessed on the second drive



## Components

<b>Processor</b>	Intel® Core™2 Quad Q9000 (2.0 GHz, 6 MB, 1066 MHz)
	Intel® Core™2 Duo T6500 (2.10 GHz, 2 MB, 800 MHz)
	Intel® Core™2 Duo P8700 (2.53 GHz, 3 MB, 1066 MHz)

Processor notes	Processor depends on exact configuration. Please check at your local retailer. Processor technology depends on actually installed processor.
-----------------	---

<b>Memory options</b>	4 GB (2 module(s) with 2 GB, DDR3), 1066 MHz
Supported capacity RAM (min.)	2 GB
Supported capacity RAM (max.)	4 GB
Memory slots total	2
Memory slot type	SO DIMM (DDR3, 1066 MHz)
Memory notes	Memory size depends on exact configuration. Please check at your local retailer. Disclaimer: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4 GB RAM

<b>Hard disk drives (internal)</b>	1000 GB (2x 500 GB), 5400 rpm, SATA, 2.5-inch, HDD cache: 8 MB, S.M.A.R.T.
	640 GB (2x 320 GB), 5400 rpm, SATA, 2.5-inch, HDD cache: 8 MB, S.M.A.R.T.
	500 GB, 5400 rpm, SATA, 2.5-inch, HDD cache: 8 MB, S.M.A.R.T.
	320 GB, 5400 rpm, SATA, 2.5-inch, HDD cache: 8 MB, S.M.A.R.T.

Hard disk notes	Hard disk capacity depends on exact configuration. Please check at your local retailer. One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Raid function (optional, if two HDDs are installed): Raid 0: stripe set for performance Raid 1: mirroring for security
-----------------	---

<b>Optical drives</b>		
Optical drive technology	SuperMulti-format DVD burner with double layer (DL) support	Blu-ray Disc™ drive incl. SuperMulti-format DVD burner with double layer (DL) support
Interface type	SATA	SATA
Optical drive read speed	CD-ROM 24x, DVD-ROM 8x	BD 2x, CD-ROM 24x, DVD-ROM 8x
Optical drive write speed	CD-R 24x, CD-RW 16x, DVD+R 8x, DVD-R 8x, DVD+RW 8x DVD-RW 6x, DVD+R DL (8.5 GB) 6x, DVD-R DL (8.5 GB) 6x, DVD-RAM 5x	CD-R 16x, CD-RW 10x, DVD+R 8x, DVD-R 8x, DVD+RW 4x, DVD-RW 4x, DVD+R DL (8.5 GB) 4x, DVD-R DL (8.5 GB) 4x, DVD-RAM 5x

Optical drive notes	Optical disc drive depends on exact configuration. Please check at your local retailer.
---------------------	---

<b>Display</b>				
Base unit name	AMILO Xi 3670 (Full HD, Intel® Core™2 Duo)	AMILO Xi 3670 (HD+, Intel® Core™2 Duo)	AMILO Xi 3670 (Full HD, Intel® Core™2 Quad)	AMILO Xi 3670 (HD+, Intel® Core™2 Quad)
Display Technology	BrilliantView LCD with dual lamp (90% NTSC)	BrilliantView LCD	BrilliantView LCD with dual lamp (90% NTSC)	BrilliantView LCD
Diagonal Size	46.7 cm (18.4-inch)	46.7 cm (18.4-inch)	46.7 cm (18.4-inch)	46.7 cm (18.4-inch)
Aspect ratio	16:9	16:9	16:9	16:9
Display Resolution type	Full HD	HD+	Full HD	HD+
Resolution (native)	1920 x 1080 pixel	1680 x 945 pixel	1920 x 1080 pixel	1680 x 945 pixel
Response time typical	8 ms	16 ms	8 ms	16 ms
Brightness - typical	300 NIT	200 NIT	300 NIT	200 : NIT
Contrast - typical	800 : 1	600 : 1	800 : 1	600 : 1

## Battery

Battery type	Li-Ion battery 8-cell
Battery voltage	14.8 V
Battery capacity	2400 mAh
Battery runtime (idle mode)	Up to 4:40 hours (onboard graphics) / up to 3:20 hours (dedicated graphics)
Battery runtime (DVD playback)	Up to 2:40 hours (onboard graphics) / up to 2:15 hours (dedicate graphics)
Battery charging time (idle mode)	Up to 1:50 hours (onboard / dedicated graphics)
Battery charging time (normal use)	Up to 1:50 hours for DVD playback (onboard / dedicated graphics)
Battery charging time (off mode)	Up to 1:50 hours (onboard / dedicated graphics)

Battery notes	<p>Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time varies depending on usage. The recharge capacity may decrease after some months so that the battery lifetime as well as operating time can not be assured for the whole lifetime of the notebook.</p> <p>Battery runtime (idle mode) tested with Battery Mark 4.0.1 ("power saver mode"). Battery runtime (DVD playback) tested with Windows Media Player ("balanced mode"). Battery charging time (idle mode) tested without test program. Battery charging time (maximum active mode) tested with 3DMark 2006. Battery charging time (normal use) tested with DVD playback.</p>
---------------	--

## AMILO Notebook Xi 3670

### Operating system

Operating system compatible	Genuine Microsoft® Windows Vista® Home Premium (64-bit)
Recovery application	Backup and restore the original status of the hard disk and create system restore disks or individual recovery media on CD or DVD are included
Drivers	Updates downloadable at <a href="http://ts.fujitsu.com/support">http://ts.fujitsu.com/support</a>

### Product design

Color	Eclipse red (black with red molding)
-------	--------------------------------------

### General system information

System architecture	Intel® Centrino® 2 processor technology (optional)
Chipset	Intel® GM45, ICH 9-ME

### Graphics

Graphics brand name	NVIDIA® GeForce® GT 130M
Dedicated video memory	512 MB (GDDR3 VRAM, 1066 MHz)
Onboard graphics processor	Mobile Intel® Graphics Media Accelerator 4500MHD
Shared video memory	up to 1295 MB
3D Benchmark points	Up to 5800 (3DMark 2006, depending on configuration)
Max. resolution external display	1920 x 1200 pixel
Graphic features	<p>NVIDIA® HybridPower™ technology (hybrid graphic technology) NVIDIA® PureVideo® HD technology - Ultra-smooth video playback - Superb picture clarity and - Precise, vivid colors on any display NVIDIA® PhysX™ delivers the most advanced gaming physics, to define a totally new level of dynamic motion and interaction NVIDIA® Cuda™ technology lets your graphics card take over complex computations so that you obtain extreme performance boost for high-res 3D applications within a fraction of the time required on a CPU DirectX® 10 support</p>
Graphic notes	<p>- 2048 MB system memory enables up to 783 MB shared memory - 4096 MB system memory enables up to 1295 MB shared memory</p>

### Interfaces

DC-in	1
Audio: line-in	1
Audio: line-out / SPDIF	1
Audio: line-out / headphone	1
Audio: microphone in	1

## Interfaces

Internal microphones	2
USB 2.0 total	3
eSATA & USB combo	1
VGA	1
HDMI	1 (version 1.3b, incl. HDCP and S/PDIF out)
FireWire (IEEE1394)	1
Ethernet (RJ-45)	1
Memory card slots	1 x 15-in-1 card reader (supported formats: SD, miniSD, MicroSD, SDHC, MS, MS-Duo, MMC, RS-MMC, MMC-Micro, MSPRO, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo, M2, xD picture card)
Express card slots	1 (34/54 mm)
Kensington Lock support	1
Interface Module notes	Memory card slots: An adapter is needed for the following card formats: RS-MMC, MMC-Micro, miniSD, MicroSD, SDHC, MS-Duo, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo, M2

## Onboard or integrated Controller

Bluetooth	2.1 (integrated)	
Infrared link (Fast IrDa 1.1, 4 Mbps)	1	
LAN type	Gigabit Ethernet (10/100/1000 Mbit/s)	
Wireless USB (optional)	Integrated (Rev. 1.0) Up to 110 Mbit/s within 10 m distance Up to 480 Mbit/s within 3 m distance Frequency band: 3.1 GHz - 10.6 GHz	
Wireless USB notes	For use in EU (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LV, LT, LU, MT, NL, PL, PT, RO, SE, SI, SK) and EFTA (IS, LI, NO, CH)	
WLAN	Built-in WLAN (Wireless Local Area Network)	
WLAN name	pre-n WLAN (IEEE 802.11a/b/g/pre-n)	Intel® Wireless WiFi Link 5100 AGN (IEEE 802.11a/g/pre-n)
WLAN max. data rate	up to 300 Mbit/s	up to 300 Mbit/s
WLAN encryption	WEP, WPA, WPA2	WEP, WPA, WPA2
WLAN notes	For use in: BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY	For use in: BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY

## Audio

Audio type	On board
Audio codec	Realtek ALC888
Audio features	Support of high-definition audio for S/PDIF output with up to 7.1 channels 7.1 audio support also via 4x audio jacks (analog) 2x built-in speakers (2 W each) Built-in digital array microphone 1x built-in subwoofer (3 W) Sound volume control via function key or via LightTouch™ bar

## AMILOcam

Camera	Logitech® QuickCam®, 1.3 megapixel
Frame rate	30 per second (for 640 x 480)
Camera features	Auto focus Automatic brightness adjustment with status LED (blue: on, red: streaming / application on) Low-light technology for great video-quality even in dark surrounding
Camera notes	AMILOcam frame rate can vary significantly depending on the used software application.

## Input devices / Control buttons

Power Button	Located left of the keyboard, back lighted
Keyboard	Spillproof keyboard
Number of keyboard keys	85

---

## Input devices / Control buttons

Keyboard notes	The keyboard is spill-proof up to 50ml. This is enough to protect your notebook from an accidental spill. However, we recommend a backup as well as a system shut-down should liquids come into contact with the keyboard. The spill-proof protection does not prevent data loss caused by water damage. If this should happen, please contact your local customer service desk.
Number block	21 keys, 4 individually configurable quick-start application buttons (A1, A2, A3, A4)
Input device(s)	Hidden touchpad, with left and right mouse button, touchpad disable function via function key combination (Fn+F6)
Multimedia keys	Multimedia LightTouch™ bar located on top of the keyboard to launch the following applications: Silent mode (reduce noise level / fan speed, by reducing the CPU performance, office applications, Internet and DVD playback are not affected) Hybrid graphics to switch between onboard graphics for extended battery life and dedicated graphics for better performance DVD / multimedia playback Skip rewind Play / pause Skip forward Volume control
Remote Control	26-key Vista remote control, shipped in ExpressCard slot

---

## Hot keys

Hot key Fn+F1	WLAN / Bluetooth / Wireless USB on / off
Hot key Fn+F3	Mute on / off
Hot key Fn+F4	Volume down
Hot key Fn+F5	Volume up
Hot key Fn+F6	Touchpad on / off
Hot key Fn+F7	AMILOcam on / off
Hot key Fn+F8	Brightness down
Hot key Fn+F9	Brightness up
Hot key Fn+F10	Display switch
Hot key Fn+F11	Silent mode
Hot key Fn+F12	Suspend

---

## Status indicators

Status indicators	The notebook has 3 status LEDs Power status (& suspend) Blue (always on): on Blue blinking: stand by None: off Battery charge Blue (always on): full Blue blinking: charging Red blinking: < 10 % capacity WLAN / Bluetooth / Wireless USB Blue: on None: off
-------------------	--

---

## Power supply

AC adapter	20 V / 90 W (4.5 A) or 120 W (6 A)
Rated voltage range	110 - 240 V (AC Input)
Rated frequency range	50 - 60 Hz
Battery features	ACPI 3.0 supported; Dynamic charge supported (rapid charge)

---

## Energy consumption

S0 (idle mode)	15.5 W
S0 (max. active mode)	115.4 W (with 120 W AC Adapter)
S3 (stand by / energy saving mode)	1.81 W
S4 (hibernate)	0.74 W

---

---

## Energy consumption

S5 (off mode)	0.74 W
ACPI functions	ACPI 3.0 compliant for Vista requirement Power on stand by (S1 LCD off) Stand by / energy saving mode (S3 save to RAM) Hibernate mode (S4 save to disk) Off mode (S5 soft off)
Energy consumption notes	Maximum active mode tested with 3D Mark 2006.

---

## Noise emission

Idle mode	27.4 dB(A) (silent mode off)
Maximum active mode	34.3 dB(A) (silent mode off)
Noise notes / description	Noise emission (idle mode) tested according to ISO 7779 and ISO 9296. Noise emission (maximum active mode) tested with QAFE 8.01 / 2. sieve.exe (CPU stress test) / Diskload.exe according to ISO 7779 and ISO 9296.

---

## Dimensions / Weight / Environmental

Dimension (W x D x H)	440.2 x 302.5 x 38.5 (front) / 50.5 (back) mm
Weight	Approx. 3.9 kg
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35°C
Operating relative humidity	10 - 90 % (relative humidity, non-condensing)

---

## Compliance

Europe	CE Marking R&TTE (WLAN, Bluetooth®)
Global	RoHS (Restriction of hazardous substances) ISO13406-2 (Pixel fault class II)
Russia	GOST (WLAN)
Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates/default.aspx">https://sp.ts.fujitsu.com/sites/certificates/default.aspx</a>

---

## Application software

Home office software	Microsoft® Works Microsoft® Office Home and Student Trial (60-day trial version) Adobe Acrobat Reader Windows Mail (within Vista operating system) Windows Calendar (within Vista operating system)
Multimedia software	Nero Essentials S (CD / DVD write software) Vista DVD Playback Pack (DVD playback software) Windows Media Player (within Vista operating system) Windows Media Center (within Windows Vista® Home Premium operating system) Logitech® QuickCam® application software
Internet software	Microsoft® Internet Explorer Country specific Internet provider
Security software	Norman security software solution
Additional software (optional)	CyberLink Power DVD (playback software for Blu-ray Disc™, only with Blu-ray Disc™ drive)

---

## Security

Physical security	Kensington Lock support Lid switch (hidden)
User security	User and supervisor password

---

## Warranty

Standard Warranty	1 year / 2 years (depending on country)
Service level	Collect & Return Service / Bring in (depending on county specific requirements)

---

## Maintenance and Support Services - the perfect extension

Recommended Service	3 years, Collect & Return Service
Spare Parts availability	3 years
Service Weblink	<a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>

---

## Accessories

Accessories included	Manuals (manual on hard disk, quick start guide, safety guide, warranty guide, recovery guide) AC adapter 90 W or 120 W First Battery 8 cells Integrated remote control Cleaning wipe
Accessories link	<a href="http://ts.fujitsu.com/accessories">http://ts.fujitsu.com/accessories</a>



reddot design award  
honourable mention 2009

---

Information about environmental care, policies, programs and our Environmental Guideline FSC 03230:

<http://ts.fujitsu.com/aboutus>

Take back and Recycling information:

<http://ts.fujitsu.com/recycling>

---

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)  
Copyright © Fujitsu Technology Solutions August 2009

Published by  
Fujitsu Technology Solutions  
<http://ts.fujitsu.com>