

Data Sheet Fujitsu SL27T-1 LED Display

Advanced Display: 68.6 cm (27-inch) widescreen Lifestyle design and advanced entertainment features

The SL27T-1 LED offers XXL screen size for office and universal entertainment. It is the most energy efficient in its class, without compromising picture quality. Thanks to its high functionality it works with both IT and consumer electronics. This makes the display ideal for presentation areas as well as for multimedia applications at home.

Widescreen display with LED backlit panel in optimum 16:9 movie format

1920 x 1080 maximum resolution for ultimate entertainment and work experience

3 ms fast response time for internet, office, gaming and more

Touch sensor keys for smart adjustments

2 x HDMI, D-Sub for high flexibility

< 1W/inch typical power consumption and Energy Star compliant

Due to integrated speakers no further accessories needed































Technical details

<u> </u>	
Special features	LED backlight papel 6 + 1 touch concer love ECO Status LED, 2 colors for 2 modes loop aspect ratio entire
Stand details	LED backlight panel, 6 + 1 touch sensor keys, ECO Status LED: 3 colors for 3 modes, keep aspect ratio option
Stand	removable
Picture height over desk (min)	79.5 mm
	- 5° / + 15°
Tilt angle	- 3 / + 13
Picture performance Panel and backlit	TNULFO
	TN/LED 1000:1
Contrast - typical Contrast - advanced	
	5,000,000:1
Response time typical	5 ms
Response time gray to gray typical	3 ms
Viewing angle (h/v) - typical	176°/170°
Color performance	16.7 million colors (Hi-FRC)
Brightness - typical	250 cd/m
Size and resolution	16.0
Aspect ratio	16:9
Diagonal Size	68.6 cm (27-inch)
Resolution (native)	1920 x 1080 pixel (recommended)
Resolution (interpolated)	1680×1050 pixel, 1440×900 pixel, 1366×768 pixel, 1280×1024 pixel, 1280×720 pixel, 1024×768 pixel, 800×600 pixel, 1024×1024
Video modes	1080i/p, 720i/p, 576i/p, 480i/p
Picture size	597.9 x 336.3 mm
Pixel Pitch	0.311 mm
Frequencies	
Horizontal analog	31 kHz to 82 kHz
Horizontal digital	15 kHz to 82 kHz
Vertical	56 - 76 Hz
Frequencies - bandwidth	225 MHz
Connectivity	
HDMI	2 x HDMI
VGA/D-SUB	1 x D-SUB
Audio signal output	S/PDIF (optical)
Audio signal input	3.5 mm stereo phone jack
Audio sound output	2 x 3 W
HDMI audio	Yes
OSD Languages and setting options	
Languages	Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish
Brightness / Contrast	Brightness, Contrast, Black level, Auto level
Color	6500K, 7500K, 9300K, Native, sRGB, Custom Color
Image adjust	H-Position, V-Position, Sharpness, Clock, Phase
Audio	Mute, Volume
Information	Resolution/mode, Signal input
Power consumption (typical, w/o sou	nd)
Soft switch off	0.33 W
Power save mode	0.37 W
Operating with EPA settings	29.2 W
Operating maximum brightness	40 W
Power supply display	integrated

Electrical values	
Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1
Compliance	
Europe	CE, RoHS, WEEE, IT-Eco-Declaration
Russia	GOST
USA/Canada	FCC Class B, cUL
Saudi Arabia	SASO
Global	TCO Displays 5.1, ENERGY STAR® 5.0, EPEAT® Silver (dedicated regions), ISO9241-307 (Pixel fault class I)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Quality and Reliability	
MTBF (demonstrated)	50.000 h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	642 x 67 x 391.3 mm
Dimension with stand (W x D x H)	642 x 209.9 x 437.9 mm
Weight (packed)	7.66 kg
Weight (unpacked)	6.2 kg
Operating ambient temperature	5 - 40℃
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock
Color	Piano black
Package content	
Display delivered accessories	D-SUB Data cable 1.8 m , Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, User manual, Warranty booklet, Quickstart flyer
Display delivered accessories notes	Data cables and audio cable detachable on display
Order information	
Order Code	S26361-K1369-V160
EAN-No.	4049699293214
Warranty	
Standard Warranty	3 years
Service level	Collect & Return Service (depending on country)
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support



PC World

Best profitability, Fujtisu Display SL27T-1 LED, Poland – May 2011



PC Games Hardware

PC Games Hardware, Fujitsu
Display SL27T-1 LED, Test result:
Good, Germany - May 2011



ESCAPE DOPRA CENA

ESCAPE DOPRA CENA, Fujitsu Display SL27T-1, Slovakia June 2011



CHIP CZ

CHIP CZ, Fujitsu Display SL27T, Test result: Excellent, Czech Republic August 2011

More information

Fujitsu platform solutions

In addition to Fujitsu SL27T-1 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu SL27T-1 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://www.fujitsu.com/fts/displays

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-06-15 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions