

HS-HUB-GaN33

Introduction

GaN33 is GaN fast wall charger with 1 USB-C port and 1 USB-A port. Its maximum output power is 33W. It is an ideal product for office, family and travel.



Features

- High-Speed Charging:
Max. PD 33W Output Power. Fast charge your Phones, Tablet, Laptop, Switch and other compatible devices
- 2 Ports in 1 Charger
USB-C*1 USB-A*1 which can be used at the same time and the power distribution is reasonable
- Pocket-friendly Size
Adopting GaN II Chip, ensure your charger's extreme portability.
- Ultimate Compatibility
Support QC3.0、PD3.0、PPS、SCP、FCP、APPLE2.4A、Samsung 2.0A protocol
- Safe & Reliable:
Built-in Mechanism of Over-Temperature Protection, Over-Voltage Protection, Short-Circuit Protection and Over-Current Protection protect your device and your safety

Ordering Information

Model
HS-HUB-GaN33

Note

Please contact your local sales representative for detailed ordering information.

Specification

Model	HS-HUB-GaN33
Type	33W USB 1C+1A Fast Wall Charger
Plug	US
Output Port	USB-C*1, USB-A*1
Input Power	100V-240V
Frequency	50/60Hz
Output Power	USB-C Output: 5V= 3A, 9V= 3A, 12V= 2.75A, 15V= 2.2A, 20V= 1.65A USB-A Output: 5V= 3A, 9V= 3A, 12= 2.75A (33W Max.) C1+A1: 5V= 4.5A 22.5W Max
Max. Output Power	33W
Overcurrent Protection	≤4.0A
Charging Protocol	QC3.0、PD3.0、PPS、SCP、FCP、APPLE2.4A、Samsung 2.0A
Colour	White
Material	Fire-Resistant PC (UL 94-V0)
Dimension	32x31.7x34.2mm
Warranty	1 Year
Accessories	USB-C To USB-C Cable*1 100cm

Revision History

Version	Description	Date
V1.0.0	HS-HUB-GaN33	20240703

Data subject to change without notice.

© 2024 HANGZHOU HIKSTORAGE TECHNOLOGY CO.,LTD. All rights reserved.

Unless otherwise expressly stated herein, HIKSTORAGE does not make any warranties, guarantees or representations, express or implied, regarding to the manual, any information contained herein.

The manual includes instructions for using and managing the product, pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the manual is subject to change, without notice, due to firmware updates or other reasons. Please find the latest version of this manual at the HIKSTORAGE website (www.hiksemitech.com).