HP Color LaserJet Pro M255 Series



Get high-quality colour, wireless two-sided printing,^{1,2} and smart mobility and security.³

Impress with colour and increase efficiency. Get high-quality colour and fast two-sided print speeds. Save time with Smart Task shortcuts in HP Smart app and print and scan from your phone.³ Get seamless connections and strong security solutions.



HP Color LaserJet Pro M255nw



HP Color LaserJet Pro M255dw

Freedom to work anywhere

- Get easy printing and scanning from your mobile device, with HP Smart best-in-class mobile print app.^{3,4}
- Eliminate steps in repetitive tasks with customizable shortcuts, with Smart Tasks in HP Smart app. Scan to the cloud, email, and more in just a tap.³
- Organize documents 50% faster with Smart Tasks⁵ first mobile print app that automates scanning tasks.⁶
- Get notifications when printing, scanning, or copying from your mobile device, using HP Smart app.³

Trusted HP quality and performance

- Get high-quality colour and peak printing performance with Original HP Toner cartridges with JetIntelligence.
- Speed through multipage documents with automatic two-sided printing.¹
- Easily manage tasks at the device with an intuitive touchscreen.¹
- Help save energy with HP Auto-On/Auto-Off Technology.⁷

Security essentials, reliable connections

- Help protect your data. Get strong security with real-time threat detection and software validation.
- Get faster, more reliable connections with dual band Wi-Fi[®]. ^{1,8}
- Easily share resources access and print with wireless and Ethernet networking. 1,2
- Connect your mobile device directly to your printer and easily print without accessing a network.^{1,9}

Automatic two-sided printing capabilities available only on HP Color Laser Jet Pro MFP M255dw. ² Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting ³ Requires the HP Smart app download. For details on local printing requirements see hp.com/go/mobileprinting. Certain features/software are available in English language only. ⁴ Compared to DEM mobile printing apps for the majority of top-selling inkjet & laser printers & all-in-ones for home & home office, priced less than or equal to \$429.99 USD. Market share as reported by IDC CYQ2 2018 Hardcopy Peripherals Tracker. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence – Buyers Lab hands-on testing and study commissioned by HP. See September 2018 report at keypointintelligence.com/ HPSmartApp ⁵ Based on internal HP testing. Average timing estimate based on: 1) downloaded HP Smart app on mobile or desktop device, 2) setting up Smart Tasks shortcut, 3) scanning jobs which have more than 2-3 tasks associated with them (scan to email, save and rename, store to cloud, etc.). Average timing savings comparison based on using printer and desktop scan software to complete similar scanning tasks. Requires the HP Smart app download and supported HP printer. For details on local printing requirements see hp.com/go/mobileprinting. Certain features/software are available in English language only. ⁶ Compared to the majority of competing in-class consumer colour desktop inkjet all-in-ones <\$299 USD. Keypoint Intelligence – Buyers Lab 2018 research study commissioned by HP based on research survey of printer manufacturers' published specifications, sustainability reports and press releases as of 12/15/2018 and not confirmed by lab testing. Market share as reported by IDC CYQ3 2018 Hardcopy Peripherals Tracker, CYQ3 2018 Release. The ability to automate work defined as having the capability to use the OEM mobile print app to create a multistep workflow on mobile devi

Product walkaround

HP Color LaserJet Pro M255dw shown



Series at a glance



	HP Color LaserJet Pro M255nw	HP Color LaserJet Pro M255dw
Part number	7KW63A	7KW64A
Print speed ⁷	Up to 21 ppm	Up to 21 ppm
First page out from ready mode, black ⁸	10.5 seconds	10.5 seconds
First page out from ready mode, colour ⁸	12.2 seconds	12.2 seconds
Control panel	2-line LCD with buttons	6.85 cm colour touchscreen
Easy-access USB port	Not available	✓
Maximum input capacity	251 sheets	251 sheets
Wi-Fi Direct ¹²	✓	✓
Wireless networking ⁶	✓	✓
Security	Designed to help detect and stop attacks	Designed to help detect and stop attacks
Duty cycle ⁹ /RMPV ¹⁰ (in pages)	Up to 40,000/150-2,500	Up to 40,000/150-2,500
Cartridge yield, black/colour (in pages) ¹¹	A: ~1,350/1,250 X: ~3,150/2,450	A: ~1,350/1,250 X: ~3,150/2,450

[&]quot;Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). ² Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. ⁴ Compared to OEM mobile printing apps for the majority of top-selling inkjet and laser printers and all-in-ones for home and home office, priced less than or equal to \$429.99 USD. Market share as reported by IDC CYQ2 2018 Hardcopy Peripherals Tracker. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence -Buyers Lab hands-on testing and study commissioned by HP. See September 2018 report at keypointintelligence.com/HPSmartApp. ⁵ Requires the HP Smart App download. For details on local printing requirements see hp.com/go/mobileprinting. Certain features/software are available in English language only. Not available in all countries. ⁶ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. ⁷ At print speeds measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁸ At first page out times measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at hp.com/go/printerclaims. ⁸ Duty cycle is defined as the maximum number of pages p

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support. Maintenance Kit Replacement Service. Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration **Service:** Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Get easy printing and scanning from your mobile device, with HP Smart.1

Eliminate steps in repetitive tasks with customizable shortcuts, using Smart Tasks in HP Smart app.1

Count on high-quality colour and peak printing performance with Original HP Toner cartridges with JetIntelligence.

Speed through multipage documents with automatic two-sided printing.⁷

Easily manage tasks at the device with an intuitive touchscreen.

Help save energy with HP Auto-On/Auto-Off Technology.²

Strong security designed to help detect and stop attacks.

Get faster, more reliable connections with dual band Wi-Fi®.3

Easily share resources – access and print with wireless and Ethernet networking.⁴

Product	
7KW63A	HP Color LaserJet Pro M255n
7KW64A	HP Color Laser let Pro M255de

Replacement Cartrid	ges ⁵
W2110A	HP 206A Black Original LaserJet Toner Cartridge (~1,350 pages)
W2111A	HP 206A Cyan Original LaserJet Toner Cartridge (~1,250 pages)
W2112A	HP 206A Yellow Original LaserJet Toner Cartridge (~1,250 pages)
W2113A	HP 206A Magenta Original LaserJet Toner Cartridge (~1,250 pages)
W2110X	HP 206X High Yield Black Original LaserJet Toner Cartridge (~3,150 pages)
W2111X	HP 206X High Yield Cyan Original LaserJet Toner Cartridge (~2,450 pages)
W2112X	HP 206X High Yield Yellow Original LaserJet Toner Cartridge (~2,450 pages)
W2113X	HP 206X High Yield Magenta Original LaserJet Toner Cartridge (~2,450 pages)

HP	Care	Packs

UG086E	HP 3-year Next Business Day Consumer LaserJet - E SVC
UG289E	HP 3-year Return Consumer LaserJet - E SVC
UG361E	HP 3-year Pickup Return Consumer LaserJet -E SVC
UG481F	HP 3-year Onsite Exchange Consumer Laser let-E

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Recommended Papers⁶

CG964A	HP Professional Laser Paper, Glossy, A4, 250 sheets, 120 gsm
CG965A	HP Professional Laser Paper, Glossy, A4, 150 sheets, 150 gsm
CG966A	HP Professional Laser Photo Paper, Glossy, A4, 100 sheets, 200 gsm
065504	HP Professional Laser Photo Paper Matte, A4, 100 sheets

HP Inc Offices

Australia	(613) 8833 5000	hp.com.au
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	82 2-1544-0134	hp.com/kr
Malaysia	(603) 2332 3333	hp.com.my
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 8722 9000	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

HP Order-a-Cartridge⁶

Call HP's Order-a-Cartridge⁶ service and have them conveniently delivered to your doorstep.

1800 3003 3003 India

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP JetAdvantage Security Manager: hp.com/go/securitymanager

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/gsc

¹ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting 2 Requires the HP Smart app download. For details on local printing requirements see hp.com/go/mobileprinting. Certain features/software are available in English language only. ³ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). A Mobile device needs to be connected to Wi-Fi Direct® signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at hp.com/go/mobileprinting. Wi-Fi Direct® is a registered trademark of Wi-Fi Alliance®. Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. ⁶ Available in selected countries only. ⁷ Applicable only on HP Color LaserJet Pro M255dw.

HP Color LaserJet Pro M255 Series

Tributions Polity Provides Tributions Descriptions Tributions Descriptions Topic provides Tributions Descriptions Topic provides Topic provides Topic provides The page coul*** Back (formal, AR): pin 2 i prov. Calour (provide, AR): pin 2 i provide, AR): pin 2 i provide, are calour (provide, AR): pin 3 i	Technical specifications	HP Color LaserJet Pro M255nw (7KW63A)	HP Color LaserJet Pro M255dw (7KW64A)	
Internet price Security Secur	Number of user			
School County printing County printing State (Institute of the County of the C		Print, V	Vireless	
Special Special State (partners), ADC 19 part (Caleur formation). ADC 19 part (Caleur formatio				
Section Back formal, API-Up to 2 print, Color				
Resolution Stack Death Up to 900 x 900 op Black formalit Up to 900 x 900 op Colour (beed) up to 900 x 900		Black (normal, A4): Up to 21 ppm; Colour (normal, A4): Up to 21 ppm; Black (Portrait, A5):	Black (normal, A4): Up to 21 ppm; Colour (normal, A4): Up to 21 ppm; Black (Portrait, A5): Up to 5 ppm; Colour (Portrait, A5): Up to 5 ppm; Black Duplex (A4): Up to 12 ppm;	
Readurin Tetrorlogies From High Franchise From Hi				
Castridage number Castridage number Castridage number Castridage HPPCIG-HPPCIS-HPP post-propriete Servaleton PNG research PRPCII me PIG mis (See HPPCIS-HPP post-propriete Servaleton PNG research PRPCII me PIG mis (See HPPCIS-HPPCIS-HPP post-propriete Servaleton PNG research PRPCII me PIG mis (See HPPCIS-HP				
Sonted print Introduces IP PCLS - HP PCLS - HP PCLS - HP personal level is amulation (PWR roater (PSP PCLI, mPCL m. SCL) MPCLS - HP PCLS - HP personal power in the power i				
Energy servings feature Exchanding HP Auto-On-Wall-Cell Technology History component		HP PCL6; HP PCL5c; HP postscript level 3 emulation; PWG raster; PDF; PCLm; PCLm-S; URF HP PCL6; HP PCL5c; HP postscript level 3 emulation; PWG raster; PDF; PCLm; PCLm-S; URF		
Pinters main software Mopros-certified, Google Count Print, P. March-Onlands of Extendings, MP Sonart App. Smart task shortcus in HP Smart App. Politeholanting Secure Print 2. gagained LCD display 2. line graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display, Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews, Byll Loft arrows). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect, Reviews). Ize in a graphed LCD display (Shuttons (Toward, Silect		HP Auto-On/Auto-Off Techn	ology; Instant-on Technology	
Morais-cerafield, Google Claud Print, PP Alars, Children, Off technology, HP Smart App., The Association of Smart App. In App. Print	Printer management	HP Printer Assistant (UDC); HP Device To	olbox; HP JetAdvantage Security Manager	
Control panel 2-line graphical LCD displays, 5-buttors (Carnel, Seet-Revenee, Rept/Let arrows) 6.8 cm (2.7-a) colour graphic touch screen with 3 buttors at left side (Home, Help, Badd Duty ycle (monthly, AP) Up to 40,000 pages		Mopria-certified, Google Cloud Print, HP Auto-On/Auto-Off technology, HP Smart App,	Ethernet networking, Wireless direct printing,HP ePrint, Apple AirPrint™, Mopria-certified, Google Cloud Print, HP Auto-On/Auto-Off technology, HP Smart App, Smart task shortcuts	
Duty cycle (monthly, AP) Recommended monthly page volume* Letter(21 is x 280). Legal(21 is x 356). Executive(184 x 267). Officio 8.5x13(21 is x 330), 4 x 6 (10 2 x 152), 5 x 81(127 x 230); A4(210 x 299); A5(148 x 210); A6(105x140), 85(105x140), 85	Display	2-line graphical LCD display	6.8 cm (2.7-in) colour graphic screen	
Recommended monthly page volume* Media Letter(2 16 x 280); Legal(216 x 350); Executive(118 x 267); Oftico 8,5x1 3(216 x 330); 4 x 6(10 x 152); 5 x 8(127 x 203); Ad4(210 x 299); A5(148 x 210); A6(105x148); B5(05x118 x 257); B6(05x1128 x 128); DotScrift (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Dotable Potential(15x14 x 200); Devote and Units (Dot x 147); Devote Potential(15x14 x 200); Devote and Units (Dotable College); Devote Dotable College); Devote Dotable College; Devote	Control panel		6.8 cm (2.7-in) colour graphic touch screen with 3 button at left side (Home, Help, Back)	
Department Processor speed	Duty cycle (monthly, A4)4			
Sizes (Supported	Recommended monthly page volume ⁵	150 to 2,500 pages		
BB(JIS)(128 x 188); 10x1 Scm (100 x 150); Chica 216 x 340 m; 16x 19x 27 mm (19x 273); Postcard (19x 273); Postcard (19x 273); Postcard (19x 274); Environe (19x 274);	Media			
Weight Supported	Sizes (Supported)	B6UIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147);		
Paper handling	Weight (Supported)	60 to 163 g/m² (Uncoated/Matte, recommended), however up to 175 g/m² Postcards and 200 g/m² HP Matte is allowed in the driver; 60 to 163 g/m² (Coated/Glossy, recommended),		
Memory Processor speed Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, internet connection, USB port, internet Exploree. Windows Vista® (32-bit orly), 2 GB available hard disk space, internet connection, USB port, internet Exploree. Windows Vista® (32-bit orly), 2 GB available hard disk space, internet connection, USB port, internet Exploree. Windows Swers support is provided via the command line installar and supports Visins Swers. 2008 R2 and higher. Apple® more Side Sizes, included in the installar and supports Visins Swers. 2008 R2 and higher. Apple® more Side Visits Sizes (Vio.1.3) mac(05 High Sizes (Vio.1.4) mac(05 Edatina (Vio.1.5); 200MB Pit), Internet required for download; USB. Linux for more information. see the promote information. Swers supports in Swers space internet connection, USB port, internet Exploree. Windows Swers supports in Swers visits and the command line installar and supports Visits Swers. Apple® more information. Swers space internet connection, USB port, internet Exploree. Windows Swers space internet Exploree R. Windows Swers space internet Exploree R. Windows Swers space internet Exploree. Windows Visits® (32-bit orly), 2 GB available hard disk space, internet connection, USB port, internet Exploree. Windows Visits® (32-bit orly), 2 GB available hard disk space, internet connection, USB port, internet Exploree. Windows Visits® (32-bit orly), 2 GB available hard disk space, internet connection, USB port, internet Exploree. Windows Visits® (32-bit orly), 2 GB available hard disk space, internet connection, USB port, buttle in Exploree. Windows Swers space internet Exploree R. Windows Swers space internet Exploree R. Windows Swers Swers Swers Visits Perital Pretail Mile (16-bit Apple Windows Visits® (32-bit orly), 2 GB available hard disk space, internet connection, USB port, internet Exploree R. Windows Swers Swers Visits Pretail Pretail Replace and Swers Visits Pretail Replace Apple Windows Visits® (32-bit orly), 3 GB available hard disk space, internet				
Processor speed Operating system compatibility Windows* 10, 81, 8, 73.2-bit or 64-bit, 2.68 available hard disk space, internet connection, USB port, internet Explorer 8, Windows* YP SP3 or higher (22-bit only); any Intel® Pentium® II, Celeron® or 223 MHz compatible processor, 850 MB available hard disk space, internet connection, USB port, internet Explorer 8, Windows* Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple® miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple miscos Server support is provided via the command line installer and supports with Server 2008 IZ and higher. Apple miscos Server supports via the server 2008 I				
Operating system compatibility Windows** 10, 8.1, 8, 7:32-bit or 64-bit. 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8, Windows* State 10, 10.1 was of Catalian (vin 1.5); 200M BH (vin 1.6); Internet Explorer 8, Windows* State 10, 10.1 was of Catalian (vin 1.5); 200M BH (vin 1.6); Internet Explorer 6, Windows* State 10, 10.1 was of Catalian (vin 1.5); 200M BH (vin 1.6); Internet Explorer 6, Windows* State 10, 10.1 was of Catalian (vin 1.5); 200M BH (vin 1.6); Internet Explorer 6, Windows* State 10, 10.1 was of Catalian (vin 1.5); 200M BH (vin 1.6); Internet Explorer 6, Windows* State 10, 10.1 was of Catalian (vin 1.5); 200M BH (vin 1.6); Internet Explorer 6, Windows* Vin 1.6); Internet Explorer 6, Windows* Vin 1.6, Vin				
Internet connection, USB port, Internet Explorer 8. Windows 8 vs. 95 93 or higher (32-bit only) any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, thernet connection, USB port, Internet Explorer 8. Windows 8 very esupport is provided wis the command line installer and supports will server 2008 R2 and higher. Mac: Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina (v10.15); 200MB HD; Internet required for download; USB Connectivity Gonnectivity (standard) Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port; 802.11n 2.4/56Hz wireless, Walkup host USB port Wireless capability Mobile printing capability Mobile printing capability Mobile printing capability Supported network protocols Dimensions (W x D x H)* 392 x 385.8 x 247.5 mm 392 x 419 x 247.5 mm Weight* 13.8 kg 14.8 kg Environment Operating environment Operating environment Operating environment Operating environment Operating in temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity Range: 0 to 595 RH; Storage temperature range: -20 to 40° C Acoustic power emissions (active, printing): 6. 4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); Acoustic power emissions (ready): 15 d d d). Acoustic power emissions (active, printing): 6. 4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); 5.0 dB(A)(mono/simplex); 5.0 dB(A)(mono/simplex)	Operating system compatibility	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina (v10.15); 200MB HD; Internet required for download; USB. Linux (For more information,		
Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port; 802.11n 2.4/5GHz wireless Built-in Rost.11 b/g/n; authentication via WEP, WPA/WPA2, or 802.11 k; encryption via AES or TRIP, WPS; Wi-Fi Direct Mobile printing capability Mobile printing capability Mobile printing capability TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHC) protocols Dimensions (W x D x H) ⁷ 392 x 385.8 x 247.5 mm 393 x 385.8 x 247.5 mm 394 x 385.8 x 247.5 mm 395 x 385.8 x 347.5	Minimum system requirements	PC: Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher.		
Wireless capability Built-in 80.2.11 b/g/n; authentication via WEP, WPA/WPA2, or 802.11x; encryption via AES or TKIP; WPS; WF-Fi Direct Mobile printing capability HP ePrint; Apple AirPrint™; Mobile Apps; WF-Fi Direct printing; Mopria™-certified Supported network protocols TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHC) AutoIP, Manual), IPv6 Dimensions (W x D x H) Weight* 13.8 kg 14.8 kg Environmental Operating environment Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 3 to 70% RH; Non-operating Humidity Range: 0 to 95% RH; Storage temperature range: -20 to 40° C Acoustic Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); Acoustic pressure emissions bystander (ready): 16 dB (A) Power specifications Power supply type: Internal (Built-in) power supply required: 110-volt input voltage: 110 to 127 VAC (+1-10%), 50 Hz (+7-3 Hz); 220-volt input voltage: 220 to 240 VAC (+1-10%), 50 Hz (+7-3 Hz), 60		T	T	
Mobile printing capability HP ePrint; Apple AirPrint™; Mobile Apps; Wi-Fi® Direct printing; Mopria™-certified TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHC protocols AutolP, Manual), IPv6 392 x 419 x 247.5 mm 392 x 419 x 247.5 mm 40. 392 x 419 x 247.5 mm 392 x 419 x 247.5 mm 392 x 419 x 247.5 mm 40. 48 kg 40. 49 kg 40. 49 kg 40. 40 kg	Connectivity (standard)			
TCP/IR IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLR, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHC) AutoIR, Manual), IPv6 Dimensions (W x D x H) Weight 13.8 kg 14.8 kg Environmental Operating environment Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 3 to 70% RH; Non-operating Humidity Range: 0 to 95% RH; Storage temperature range: -20 to 40° C Acoustic Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); Acoustic power emissions (ready): 2.5 B (A); Acoustic pressure emissions (ready): 16 dB (A) Acoustic power emissions (ready): 16 dB (A) Acoustic power emissions (ready): 16 dB (A) Colour/duplex); Acoustic pressure emissions bystander (ready): 16 dB (A) Power specifications Power supply type: Internal (Built-in) power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz				
Dimensions (W x D x H) ⁷ 392 x 385.8 x 247.5 mm 392 x 419 x 247.5 mm	Supported network	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP,		
Environmental Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 3 to 70% RH; Non-operating Humidity Range: 0 to 95% RH; Storage temperature range: -20 to 40° C Acoustic Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); Acoustic power emissions (ready): 2.5 B (A); Acoustic pressure emissions (stive, printing): 5.0 dB(A)(colour/simplex); Acoustic pressure emissions bystander (active, printing): 5.0 dB(A)(colour/simplex); 5.0 dB(A)(colour/simplex); Acoustic pressure emissions bystander (ready): 16 dB (A) Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz); (Not dual voltage; 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz); (Not dual voltage; product varies by part number with # Option code identifiee); Power consumption: 53 37 watts (active printing), 7.2 watts (ready), 0.8 watt (Banual-Off), 0.05 (Auto Off/Maual on), 0.6 watt (Auto Off/Wake on LAN); Typical electricity consumption (TEC): ES: 0.23 kWh/Week; BA: 0.606 kWh/Week Software included No CD (Software is not included In-Box); Downloadable Software only from hp.com, 123.hp.com/laserjet or 123.hp.com One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. What's in the box® HP Color LaserJet Pro M255nw; Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide; (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide; (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide;				
Derating environment Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 3 to 70% RH; Non-operating humidity Range: 0 to 95% RH; Storage temperature range: -20 to 40°C Acoustic Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); Acoustic power emissions (ready): 2.5 B (A); Acoustic pressure emissions bystander (active, printing): 5.0 dB(A)(colour/simplex); Acoustic pressure emissions bystander (ready): 16 dB (A) Acoustic pressure emissions bystander (ready): 16 dB (A) Power specifications Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz); 60 Hz (+/- 3 Hz); 6				
Operating environment Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 3 to 70% RH; Non-operating Humidity Range: 0 to 95% RH; Storage temperature range: -20 to 40° C Acoustic Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); Acoustic power emissions (ready): 2.5 B (A); Acoustic pressure emissions bystander (active, printing): 50 dB(A)(colour/simplex); 50 dB(A)(mono/simplex); Acoustic pressure emissions bystander (ready): 16 dB (A) Power specifications Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) (Not dual voltage, product varies by part number with # Option code identifier); Power consumption: 337 watts (active printing), 7.2 watts (ready), 0.8 watt (sleep), 0.6 watt (Manual-Off), 0.05 (Auto Off/Manual On), 0.6 watt (Auto Off/Wake on LAN); Typical electricity consumption (TEC): ES: 0.23 kWh/Week; BA: 0.606 kWh/Week One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. What's in the box9 HP Color LaserJet Pro M255nw; Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) page yield and ~800 page yield black); installation guide; (~700 colour composite (C/Y/M) page yield and ~800 page yield black); installation guide;	Environmental		ny	
Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); 6.4 B(A)(nono/simplex); 6.4 B(A				
Power specifications Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) (Not dual voltage, product varies by part number with # Option code identifier); Power consumption: 337 watts (active printing), 7.2 watts (ready), 0.8 watt (sleep), 0.6 watt (Manual-Off), 0.05 (Auto Off/Manual On), 0.6 watt (Auto Off/Wake on LAN); Typical electricity consumption (TEC): ES: 0.23 kWh/Week; BA: 0.606 kWh/Week No CD (Software is not included In-Box); Downloadable Software only from hp.com, 123.hp.com/laserjet or 123.hp.com One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. What's in the box9 HP Color LaserJet Pro M255nw; Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide;	Acoustic	Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); Acoustic power emissions (ready): 2.5 B (A); Acoustic pressure emissions bystander (active, printing): 50 dB(A)(colour/simplex); 50 dB(A)(mono/simplex);	Acoustic power emissions (active, printing): 6.4 B(A)(colour/simplex); 6.3 B(A)(mono/simplex); 6.3 B(A)(mono/duplex); 6.3 B(A)(colour/duplex); Acoustic power emissions (ready): 2.5 B (A); Acoustic pressure emissions bystander (active, printing): 50 dB(A)(colour/simplex); 50 dB(A)(mono/duplex); 50 dB(A)	
Warranty One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to https://px.com/support to learn about HP award winning service and support options in your region. What's in the box ^a HP Color LaserJet Pro M255nw; Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide; (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide;	Power specifications	Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) (Not dual voltage, product varies by part number with # Option code identifier); Power consumption: 337 watts (active printing), 7.2 watts (ready), 0.8 watt (sleep), 0.6 watt (Manual-Off), 0.05 (Auto Off/Manual On), 0.6 watt (Auto Off/Wake on LAN); Typical electricity consumption (TEC): 5		
and support options in your region. What's in the box ³ HP Color LaserJet Pro M255nw; Introductory HP LaserJet Color cartridges (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide; (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide;	Software included	No CD (Software is not included In-Box); Downloadable Soft		
(~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide; (~700 colour composite (C/Y/M) page yield and ~800 page yield black); Installation guide;	Managata	One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to https://example.com/support to learn about HP award winning service and support options in your region.		
	warranty	and support option	ons in your region.	

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. ³ Measured using ISO/IEC 17629. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁵ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. ¹ Dimensions vary as per configuration ³ Weight varies as per configuration ³ Introductory cartridges included, ~800 page yield black and ~700 page yield colour composite (C/Y/M).

To learn more, visit hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

