
Technical Specifications

HP E22 G4 FHD Monitor




1. OSD Buttons

Front

2. Power Button

Technical Specifications

HP E22 G4 FHD Monitor



Back

- PowerConnector 1.
- DisplayPort™ 2. **HDMI Port**
- **VGA Port**

- **USB-B Port** 5.
 - 6. USB-A Ports (2)
 - USB-A Ports (2)



3.

Technical Specifications

Models: 9VH72AA

Panel SpecificationsDisplay Size (Diagonal)21.5-inDisplay Panel TypeIPS

Micro-Edge Bezel Yes, 3-sided

Curved Panel N/A

Native Resolution/Timing 1920×1080 @ 60 Hz Panel Bit Depth 8bit (6bit + FRC)

Aspect Ratio 16:9
Brightness - Typical 250 cd/m²
Static Contrast Ratio - Typical 1000:1
Dynamic Contrast Ratio (DCR) 5M:1
Flicker Free Yes

Pixel Pitch 0.24795(H)mm x 0.24795(V)mm

Pixels Per Inch (PPI) 94

Backlight Lamp Life (to half brightness 30k minimum

- in hours)

Anti-Glare Panel Yes

Response Time - Typical 5ms GtG (with overdrive)

Horizontal Viewing Angle (typical 178°

CR>10)

Vertical Viewing Angle (typical CR>10) 178°

Panel Active Area (w x h)476.06mm x 267.79mmPreset Graphic Modes/Supported640 x 480 @ 60 HzResolutions720 x 400 @ 70 Hz

800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1366 x 768 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz

 1920 x 1080 @ 60 Hz

 Maximum Resolution
 1920 x 1080 @ 60 Hz

 Recommended Resolution
 1920 x 1080 @ 60 Hz

 Vertical Scan Range
 50Hz - 60Hz

Horizontal Scan Range 30KHz - 80KHz
Default Color Temperature Neutral (6500K)
Maximum Pixel Clock Speed 170MHz

*VGA or DisplayPort™ 1.2 or HDMI 1.4 required to drive panel at its native resolution

NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Color Gamut Coverage NTSC 72%

Color Space / Subsampling Support RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2

Default Color Temperature Neutral (6500K)

Low Blue Light Modes Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution

certified)

RGB Channel Adjust Yes

Technical Specifications

Monitor Specifications Exterior Color of Monitor Bezel and Black head, Silver stand

Stand

Plug & Play Yes Tilt -5° to +23° **Swivel** ±45° **Pivot** ±90° **Height Adjustment Range** 150mm **VESA Mounting** Yes. 100mm

Security Lock Ready Yes **Detachable Base** Yes

Warranty Based on region

On Screen Display (OSD)

On Screen Display User Controls

Brightness+, Color, Image, Input, Power, Menu,

Management, Information, Exit

User Programmable Modes Yes,10

Monitor Control Buttons or Switches Menu/OK, Minus ("-")/Brightness, Plus ("+")/Color,

Back/Input, Power

User-Assignable Function Buttons Yes, 4

Languages

10 (English, Spanish, German, French, Italian, Netherlands,

Portuguese, Japanese, T-Chinese and S-Chinese)

DisplayPort™ 1, DisplayPort™ 1.2 **Connector Types**

HDMI 1, HDMI1.4 **VGA** 1

4 **USB-A USB-B**

Yes, (DisplayPort[™] and HDMI) **HDCP** support

Power & Operating

Specs

Power Supply Internal

100 - 240 VAC 50/60 Hz **Power Source**

Power Consumption - Maximum 50 W **Energy Saving** 0.5 W **Power Consumption - Typical** 23 W Power cable length 1.9 m

Energy Star Data Operational Mode at 100 VAC 11 W Operational Mode at 115 VAC 11 W

Operational Mode at 230 VAC 11 W

EU Energy Efficiency

Class (ERP lot-5)

On-mode Power Consumption

11 W

Annual Power Consumption 16 kWh **Energy Efficiency Class**

Operating Conditions Operating Temperature - Celsius 5°-35°C

> Operating Temperature - Fahrenheit 41° -95°F Non-operating Temperature - Celsius $-34^{\circ} - 60^{\circ}C$ Non-operating Temperature -29° - 140°F

Fahrenheit

Operating Humidity 20 – 80% Relative Humidity (non-condensing)

Non-operating Humidity 5 - 95%

Operating Altitude 0 - 5,000 m (16,400 ft.) Non-operating Altitude 0 – 12,192 m (40,000 ft.)

Mercury-free LED display backlighting Yes, Mercury-free LED backlighting

Technical Specifications

Environmental
Features and
Certifications

Arsenic-Free Display Glass Yes
Low Halogen** Yes

GSE HP-00011-01B, table 2 defines low-halogen (BFR, CFR,

PVC)

Agency Approvals and Certifications CE,CB,KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-307/

EAC/UL/CSA/PSB/ISC/CCC/CEL/Energy

Star/ISC/VCCI/FCC/BSMI/Vietnam MEPS/Australian-New

Zealand MEPS/WEEE

Microsoft WHQL CertificationWin 10, Win 8, Win 7ENERGY STAR®Yes, ENERGY STAR® 8

EPEAT® Registered* Yes

China Energy Label CEL Grade 1
TCO Certified Yes

SmartWay Transport Partnership - NA Yes (NA SKU)

only

NOTE: DisplayPort[™] and the DisplayPort[™] logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

Contains Recycled Plastics

Contains Recycled Plastics

Product Dimensions

85% recycled content by total weight

Unit	Product/Package
Spec	ifications

(Unpacked with stand) (W \times D \times H)
Product Dimensions
(Packed) (W x D x H)
Display Head Dimensions
(Unpacked without stand) (W x D x H)
Base Area Footprint
(w x d mm)
Bezel Measurements
Product Weight
(Unpacked with stand)
Product Weight
(Packed)
Product Weight

<u>Metric</u>	<u>Imperial</u>
48.87 x 48.06 x 20.07 cm	19.24 x 18.92 x 8.15 in
56.5 x 21.1 x 35 cm	22.24 x 8.31 x 13.78 in
48.87 x 29.46 x 4.7 cm	19.24 x 11.6 x 1.85 in
260 x 207 mm	10.24 x 8.15 in
Bottom 19.5 mm	Bottom 0.76 in
5.3 kg	11.68 lb
7.7 kg	17.0 lb
2.88 kg	6.35 lb

Display Management Software **HP Display Center**

(Head Only)

What's in the box?

Power Cord (1.8m) 5.9 ft HDMI Cable (1.8m) 5.9 ft DP Cable (1.8m) 5.9 ft USB A-B Cable (1.8m) 5.9 ft

^{*} Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit http://www.epeat.net for more information.

^{**}External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Technical Specifications

User Guide and Warranty Languages **User Guide Languages**

Warranty Languages

English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.

English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.



Technical Specifications

Copyright © 2021 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



Summary

Change Log		
January 3, 2021	V1 to V2	Techspecs Updated
February 28, 2021	V2 to V3	Energy Efficiency Class Updated

