



Get ahead with the curved GCB3484WQSU-B2 Red Eagle featuring 200Hz refresh rate and 0.6ms response time

Elevate your gaming setup with 34" GCB3484WQSU-B2 curved gaming monitor. Retaining the natural 1500R curvature that wraps around your field of view, this model pushes the boundaries of performance to keep you ahead of the competition.

The ultra-wide WQHD (3440 x 1440) VA panel delivers 4000:1 contrast ratio, ensuring deeper blacks and more vibrant colors that make every environment feel alive. With 200Hz refresh rate, motion is smooth and fluid. For the ultra-competitive, Dual Mode allows you to switch to a hyper-fast 400Hz at WHD resolution, providing the ultimate edge in high-speed titles.

Visuals are further refined with DisplayHDR 400, bringing lifelike brightness and clarity to every frame. To ensure your aim is as sharp as the picture, the new Target Assist crosshair function provides hardware-level precision.



HAJLÍTOTT DESIGN 1500R

Az emberi látómező által inspirált képernyő 1500R görbülete valóságos és kényelmes nézői élményt garantál, lehetővé téve, hogy valóban elmerülhessen a játékban.



DUAL MODE - MATCH THE SPEED!

Whether you want to experience WQHD in 200Hz or you aim at maximum speed with 400Hz in WHD - With dual mode you choose what is important for your gameplay!

01 KIJELZŐ JELLEMZŐI

Design	curved
Átló	34", 86cm
Panel	VA
Hajlított	1500R
Natív felbontás	3440 x 1440 @200Hz (4.9 megapixel UWQHD, DisplayPort)
Dual mode	1728 x 720 @400Hz
Képarány	21:9
Fényerő	450 cd/m ²
Statikus kontraszt	4000:1
Speciális kontraszt	80M:1
Válaszidő (MPRT)	0.6ms
Látótér	horizontális/vertikális: 178°/178°, jobb/bal: 89°/89°, fel/le: 89°/89°
Szín támogatás	1.07B 8bit+FRC (sRGB: 99%; NTSC: 80%)
Horizontális szinkronizálás	30 - 300kHz
Látható terület Sz x M	797.22 x 333.72mm, 31.4 x 13.1"
Pixel magasság	0.232mm
Szín	fekete

02 INTERFÉSZEK / CSATLAKOZÓK / VEZÉRLŐK

Jelbemenet	HDMI x2 (v.2.0, 3440x1440 @100Hz, (Dual mode: 1728x720 @200Hz)) DisplayPort x1 (v.1.4, 3440 x 1440 @200Hz (Dual mode: 1728x720 @400Hz))
USB HUB	x4 (2x Type A v.3.2 Gen 1 (5Gbps, 4.5W) 2x Type C (5Gbps, 7.5W))
HDCP	igen
Hangszóró csatlakozó	igen

03 JELLEMZŐK

Kéfény csökkentés	igen
Villogásmentes	igen
Adaptive Sync támogatás	FreeSync Premium - HDMI: 3440 x 1440 @100Hz, DP: 3440 x 1440 @200Hz
HDR	HDR400
OSD nyelvek	EN, DE, FR, ES, IT, PT, RU, JP, CZ, NL, PL, UK
Vezérlőgombok	Power Indicator, Joystick: Power / Menu (Center), Up / Signal Select, Down, Left / i-Style Colour / Night Mode / Blue Light Reducer, Right / Volume
Felhasználói vezérlők	picture adjust (contrast, brightness, OD, HDR, FreeSync Premium, ACR, Night Mode, Blue Light Reducer, Motion Blur Reduction, Gamma), input select, audio settings (volume, mute), store user settings (user modes), colour settings (6-axis, colour temperature, user preset, black tuner), image adjust (i-Style Colour, x-res technology, Sharp and soft, HDMI range, direct drive mode, video mode adjust), language, setup menu (OSD horizontal position, OSD vertical position, OSD rotate, OSD time, opening logo, power LED, DDC/CI control, USB charge), Dual Mode, Target Assist, display information, reset
Hangszórók	2 x 5W
Kényelem	Kensington-lock™ előkészítve, DDC2B, Mac OSX

04 MECHANIKUS

Kijelző helyzetének beállításai	magasság, forgatható, billenthető
Magasság beállítása	150mm

Hajlásszög	23° fel; 5° le
VESA állvány	100 x 100mm
Kábelkezelő rendszer	igen

05 TARTOZÉKOKAT TARTALMAZZA

Kábelek	áramellátás (1.85m), USB (1.85m), HDMI (1.85m), DP (1.85m)
Egyéb	gyors üzembe helyezési útmutató, biztonsági útmutató

06 ENERGIAGAZDÁLKODÁS


Tápegység	belső
Áramellátás	AC 100 - 240V, 50/60Hz
Energiafogyasztás	31W jellemző, 0.5W készenlét, 0.3W kikapcsolva
Áramfogyasztás	0.5W készenlét

07 FENNTARTHATÓSÁG

Előírások	CE, TÜV-Bauart, EAC, PSE, RoHS támogatás, ErP, WEEE, VCCI, HATÓTÁVOLSÁG, UKCA
Energiahatékonysági osztály ((EU) 2017/1369 rendelet)	F

08 MÉRETEK / SÚLY

Termék méretei Sz x H x M	808 x 433 (578) x 290mm
Doboz méretei Sz x H x M	982 x 490 x 190mm
Súly (doboz nélkül)	8.6kg
Weight (without stand)	5.9kg
Súly (dobozzal)	13kg
EAN kód	4948570127900



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED