

#### **K 4 Compact UM Limited Edition**

Easy to transport and quick to stow away: The K 4 Compact UM with telescopic handle for occasional use on moderate dirt. Including WB 150 Power Brush.  $30 \text{ m}^2/\text{h}$  area performance.













- 1 Compact and lightweight device
- Easy to transport for flexible cleaning.
- 2 Telescopic handle
- The aluminium telescopic handle can be extended for transport and retracted again for storage.

- 3 Detergent use
- Suction hose for use of detergents.
- Kärcher detergents increase efficiency and help protect and care for the surface being cleaned.
- 4 Integrated accessory storage on the device
- Convenient and space-saving storage.

### **TECHNICAL DATA AND EQUIPMENT**





#### **K 4 Compact UM Limited Edition**

Technical data		
Order no.		1.679-406.0
EAN code		4054278885254
Pressure	bar / MPa	20 - max. 130 / 2 - max. 13
Flow rate	I/h	420
Inlet temperature	°C	max. 40
Connection load	kW	1.8
Weight without accessories	kg	4.7
Dimensions (L x W x H)	mm	273 × 256 × 456
Supply voltage	V / Hz	220 - 240 / 50 - 60

Equipment		
High-pressure gun		G 180 Q
Vario Power Jet		I
Dirt Blaster		I
High-pressure hose	m	6
Device-side Quick Connect		I
Detergent application via		Suction hose
Integrated water filter		1
Adapter for A3/4" garden hose co	onnec-	1
tor		
WB 150 Power Brush		1
Telescopic handle		I

■ Included in the scope of supply.

# K 4 COMPACT UM LIMITED EDITION 1.679-406.0































			T		1		$\overline{}$
		Order no.			Price	Description	
Brushes					l		$\perp$
WB 150 power brush	1	2.643-237.0				WB 150 power brush for splash-free cleaning of sensitive	
·						surfaces. The effective combination of high pressure and	
						manual brush pressure saves energy, water and up to 30%	
						time.	$\square$
WB 120 rotating wash brush	2	2.644-060.0				Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic.	
						Quick and easy attachment changing thanks to the integrat-	
						ed release lever.	
WB 130 rotating wash brush	3	2.644-286.0				Always in motion: The rotating wash brush with inter-	
						changeable attachment cleans smooth surfaces such as	
						paint, glass or plastic. Quick attachment changes thanks to	
Rotating wash brush	4	2.644-061.0				the integrated release lever.  Ideal for cleaning smooth surfaces such as paint, glass or	H
Notating wash brosh	4	2.044 001.0				plastic: The rotating wash brush with interchangeable at-	
						tachment.	
	5	2.644-288.0				Effective cleaning of smooth surfaces such as paint, glass or	
						plastic: The rotating wash brush with interchangeable at-	
WD 120 retating week brush car 0		2.644.120.0				tachment.	+
WB 120 rotating wash brush car & bike	6	2.644-129.0				Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment	
DIKE						Car & Bike. Machine washable at 60 °C.	ľ
WB 130 rotating wash brush car &	7	2.644-287.0				Gentle cleaning of cars and motorbikes: The rotating wash	П
bike						brush with innovative removable microfibre Car & Bike	
		0.540.000.0				attachment. Machine washable at 60 °C.	$\vdash$
WB 60 soft surface wash brush	8	2.643-233.0				Soft flat brush for cleaning larger areas such as car, caravan boat, conservatory or roller shutters. Good area perfor-	1
						mance with working width of 248 mm.	ľ
Wheel washing brush	9	2.643-234.0				Wheel washing brush for effective cleaning also in difficult	
						to reach areas. Uniform 360° water distribution for a perfec	t 🗆
Mark house	4.0	6 000 076 0				cleaning result.	$\vdash$
Wash brush	10	6.903-276.0				Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area.	
						Suitable for all Kärcher K 2 to K 7 pressure washers.	
	11	2.642-783.0				Universal brush with ergonomic handle and soft bristles for	П
						thorough and gentle cleaning of all surfaces.	Щ
Spray lances			ı	ı	ı		,
VP 145 vario power jet for K 4-K	12	2.642-725.0				Vario power spray lance for pressure washers in classes K 4	
5						to K 5. Continuously adjustable from low-pressure detergen jet to high-pressure jet, simply by turning the spray lance.	-
DB 145 dirt blaster for K 4-K 5	13	2.642-728.0				Dirt blaster with powerful middle rotary nozzle for Kärcher	П
						pressure washers in classes K 4 and K 5. For particularly	
						stubborn dirt like that on mossy or weathered surfaces.	Ш
TLA 4 telescopic spray lance	14	2.644-190.0				Simple cleaning at (almost) every point: The telescopic spray	
						lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	
Façade & glass cleaning kit	15	2.644-249.0				Set comprising the telescopic spray lance TLA 4 and the	Н
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10					façade and glass cleaning attachment. For easy cleaning of	
						objects that are difficult to access such as house façades or	
Coloch guard	1.0	2 6 4 2 70 6 6				conservatories.	H
Splash guard	16	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area	
						from spray water. Ideal for cleaning corners and edges.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.

### **K 4 COMPACT UM LIMITED EDITION** 1.679-406.0





























			T					_	
		Order no.			P	rice	Description		
Angled spray lance	17	2.638-817.0					Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under bodies.		
1-step lance extension	18	2.643-240.0					Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.		
VP 180 S vario power jet short 360° for K 2-K 7	19	2.643-254.0					VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.		
MP 145 multi power jet for K 3-K 5	20	2.643-239.0					Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.		
Telescopic spray lance	21	2.642-347.0					Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gur Weight: ca. 2 kg	٦. 🗆	
<b>Trigger guns</b> G 180 Q Quick Connect trigger gun	22	2.642-889.0					The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.		
Surface cleaners			,						
T 7 Plus T-Racer surface cleaner	23	2.644-074.0					Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas.		
T 5 T-Racer surface cleaner	24	2.644-084.0					Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	5	
PS 30 power scrubber surface cleaner	25	2.644-123.0					The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs an edges. Includes integrated squeegee blade to remove the dirty water.	d C	
PS 30 Plus power scrubber surface cleaner	26	2.644-212.0					The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.		
High-pressure replacement hose: W	ith an	ti-twist system and Qui	ck Connect system						
H 10 Q Flex PremiumFlex anti twist		2.643-585.0					Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.		
High-pressure replacement hose: sy	ì	2.641-721.0	k connect system	I			9 m high-pressure replacement hose for K 2 to K 7 pressure		
H 9 Q high-pressure hose Quick Connect	28	2.041-721.0					9 in light-pressore replacement nose for K 2 to K 7 pressore washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	l	
High-Pressure replacement hose ki	t syste	m starting 1992							
Extension hose adapter kit	29	2.643-037.0					Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.		

<sup>■</sup> Included in the scope of supply. 

Available accessories.

# K 4 COMPACT UM LIMITED EDITION 1.679-406.0































						$\overline{}$
		01		B	Baraniakian	
		Order no.		Price	Description	
High-pressure extension hose: Syst	em foi	r devices with Quick Co	onnect system			
XH 10 Q extension hose Quick	30	2.641-710.0			High-pressure hose extension for greater flexibility. 10-m,	
Connect					robust DN 8 quality hose for excellent durability. For K 3-K	
					7 devices with Quick Connect adapter.	4
XH 6 Q extension hose Quick	31	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m	
Connect					robust DN 8 quality hose for durability. For K 2 to K 7 series	es.
					from 2008 with Quick Connect adapter. Connect between	
Bio adamina					spray gun and high-pressure hose.	_
Pipe cleaning		I I			I=1	4
PC 20 roof gutter and pipe clean-	32	2.642-240.0			The gutter and pipe cleaning kit works all by itself - with	
ing kit					high pressure. It easily cleans outflows, pipe blockages and	
DC 15 pine elegating bit	22	2.637-767.0			gutters. Hose length: 20m.	+
PC 15 pipe cleaning kit	33	2.037-707.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	34	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in	+
r c 7.5 pipe cleaning kit	34	2.037 723.0			pipes, drains and downpipes.	
Foam jet					pipes, arans and downpipes.	_
FJ 6 foam jet	35	2.643-147.0			FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra	a
13 o rodin jet		2.043 147.0			foam cleaner). For cars, motorcycles etc. and for applying	1
					cleaning products to stone and wood surfaces and façades.	
FJ 3 foam jet	36	2.643-150.0			FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra	$\neg$
•					foam cleaner). For cars, motorcycles etc. and for applying	
					cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet	37	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect	
+ Ultra Foam Cleaner					'n' Clean foam nozzle. Easy change between different deter	-
					gents with just a simple click.	4
FJ 10 C foam jet Connect 'n' Clean	38	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n'	
with car shampoo 3-in-1					Clean foam nozzle. Easy change between different deter-	
					gents with just a simple click.	_
Miscellaneous	l	1				4
SH 5 suction hose	39	2.643-100.0			Environmentally friendly 5-metre long suction hose for	
					sucking up water from alternative sources such as water	
SH 3 suction hose	40	2.643-101.0			butts or water containers.  3 metre suction hose for drawing water from alternative	+
3H 3 SUCTION HOSE	40	2.045-101.0			sources such as water butts and barrels.	
Sand and wet-blasting kit	41	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stub	_
Sand and Wet blasting Kit	41	2.030 732.0			born dirt using Kärcher abrasive.	
Vario joint	42	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas	5
					For connection between gun and accessory or extension	
					lance and accessory.	
Water filter	43	4.730-059.0			Water filter protects pressure washer pumps against dirt	T
					particles from dirty water.	
	44	2.642-794.0			Water filter to protect the high-pressure pump against dirt	٦
					particles from contaminated water.	
Anti-twist adapter	45	2.644-257.0			The anti-twist adapter eliminates loops in the high-pressure	٤
					hose for guaranteed twist-free working. For all high-pres-	
					sure hoses with a Quick Connect adapter on the gun.	4
O-ring set	46	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and	Ľ
		│			safety plugs on pressure washer accessories.	$\Box$

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.

### **K 4 COMPACT UM LIMITED EDITION** 1.679-406.0





















			1			T	_
		Order no.			Price	Description	
Hase stores and base trailer.		0.00.00			1		_
Hose storage and hose trolley	1	1264F 46F0		1	1	Watering Station for the practical and space source status	
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering Station for the practical and space-saving stowag of hoses and garden accessories. With removable drum,	2
3/0						storage possibility for nozzles, spray guns, and spray lance	٦١٥
						and spacious storage box. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Compact hose trolley with height adjustable handle, angled	
						hose connector, free-wheeling crank, and innovative folding	g [
						function for space-saving stowage. Fully assembled.	丄
Hoses			1		1	I	Ţ
Hose set for pressure washers	3	2.645-156.0				Hose set for high-pressure cleaning or garden watering.	
						With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqu	
						Stop.	d
Water supply hose set	4	2.645-258.0				Hose set for water supply (pressure washer, garden water-	$^{+}$
						ing). With 10 m PrimoFlex* hose (½"), hose connector with	
						and without Aqua Stop, and universal connection for	L
						non-threaded taps.	$\perp$
PrimoFlex* hose 1/2" - 20 m	5	2.645-138.0				The PrimoFlex® (1/2") flexible garden hose is 20 m long,	
						temperature-resistant, comes with pressure-resistant rein-	
						forcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0				PrimoFlex® quality garden hose (3/4"). 25-m long. With	+
711116116X 11636 3/4 23 111		2.043 142.0				pressure-resistant reinforcement mesh. Contains no sub-	
						stances that are harmful to health. Bursting pressure: 24	
						bar. High temperature resistance from -20 to 65 °C.	$\perp$
Hose Performance Plus 1/2" -20m	7	2.645-318.0				Flexible and extremely resistant to kinks thanks to	
						high-quality multi-layered woven material: the new 20-me	-   [
						tre long Performance Plus 1/2" garden hose. Ensures constant water flow.	
Hose Performance Plus 3/4" -25m	Q	2.645-322.0				Easy-to-handle, long-lasting and weather-resistant: the	+
11036 1 C1101111dilice 1 103 3/4 23111	0	2.043 322.0				25-metre long Performance Plus 3/4" garden hose. Flexible	.   _
						ultra-robust and extremely resistant to kinks - for constant	
						water flow.	$\perp$
Performance Premium hose, 1/2"	9	2.645-324.0				The hose innovation from Kärcher: the ultra-flexible and	
-20 m						kink-resistant Performance Premium garden hose. Diamete	r:  <sub> </sub>
						1/2". Length: 20 m. With Kärcher Premium anti-torsion	
Hose connection systems						technology.	_
Universal hose coupling Plus	10	2.645-193.0	I			Universal hose coupling plus with soft plastic recessed grip	٠
Olliver 3di 1103e COOPIIIIR F103	10	2.043-133.0				for comfortable handling. Compatible with all click systems	- 11
Universal hose coupling Plus with	11	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plasti	
Aqua Stop						recessed grips for comfortable handling. Compatible with a	
						click systems.	$\perp$

<sup>■</sup> Included in the scope of supply. 

Available accessories.