# Lenovo V530-15ICR 11BH0032HX

Product Lenovo V530-15ICR

**Region** EET

*Country/Region* Hungary

Machine Type 11BH

TopSeller TopSeller

**Processor** Intel Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

Chipset Intel B365

Graphics Integrated Intel UHD Graphics 630

Memory 1x 8GB DIMM DDR4-2666

Storage 256GB SSD M.2 2280 NVMe Opal

**Optane Memory** None

**Optical** 9.0mm DVD±RW

*Media Reader* 7-in-1 Card Reader

Speaker 1.5Wx1

*Ethernet* Integrated 100/1000M

WLAN + Bluetooth Intel 3165 11ac, 1x1 + BT4.0

**Color** Black

**Optional Rear Ports** None

## Keyboard

USB Calliope Keyboard, Black, Hungarian

*Mouse* USB Calliope Mouse, Black

**Power Supply** 180W 85%

*Monitor Cable* None

Bundled Accessories None

**Operating System** None

Bundled Software

Base Warranty 1-year, Onsite

Bundled Service None

*End of Support* 2025-11-15

**Announce Date** 2019-10-15

### **Recommended Services**

**Better** 4Y Premier Support Upgrade from 1Y Onsite (5WS0T36168)

Good 3Y Premier Support Upgrade from 1Y Onsite (5WS0T36147)

## L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

#### https://psref.lenovo.com

# 

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2020. All rights reserved.



# Lenovo V530-15ICR Tower Platform Specifications

Product Specifications Reference (PSREF)

Lenovo

	Intel® Celeron®, Intel Pentium® Gold, or 8th / 9th Generation Intel Core™ i3 / i5 / i7 / i9 Processor							Audio support High Definition (HD) Audio, Realtek® ALC623-CG, optional internal speaker (1.5 watt)
	Processor	Cores /	Frequency Base/Max(GHz)		Memory Support (Up to)	Integrated Graphics		Some: 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
	Celeron G4900	2/2	3.1G	2 MB			1	Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
	Celeron G4920         2 / 2         3.2G         2 MB           Pentium Gold G5400         2 / 4         3.7G         4 MB           Pentium Gold G5420         2 / 4         3.8G         4 MB		Į	UHD 610	Bluetooth™	Some: Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter		
					DDR4-2400		Ethernet	One gigabit ethernet port, Realtek ŘTL8111HN, Wake on LAN®
	Core i3-8100	4/4	3.6G	6 MB	4	·		None
	Core i3-9100	4/4	3.6G / 4.2G	6 MB	1		Security chip	Firmware TPM 2.0
	Core i5-8400	6/6	2.8G / 4.0G	9 MB	T I			• One lock to secure both cover and
	Core i5-8500	6/6	3.0G / 4.1G	9 MB	ļ l	·	1	entire system to fixed object: -Padlock loop (in rear for opt padlock) • Hard disk password • Power-on password
	Core i7-8700	6/12	3.2G / 4.6G	12 MB		UHD 630	1	-Security slot (in rear for optional
	Core i5-9400	6/6	2.9G / 4.1G	9 MB	DDR4-2666	·		Kensington® MicroSaver® cable)
	Core i5-9500 Core i7-9700	6/6 8/8	3.0G / 4.4G 3.0G / 4.7G	9 MB 12 MB	+ I	·	Keyboard Mouse	Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Calliope Mouse (USB connector), red wheel, black
	Core i9-9900	8/16	3.1G / 5.0G	16 MB	1			Some: Lenovo Galilope Mouse (USB connector), red wheel, black Some: Lenovo Fingerprint Mouse (USB connector), black
	32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller						Mechanical	
Optane™ Memory	Some: Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s Some: Solid State Drive (SSD) / SATA 6.0Gb/s, Opal Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4 * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s y Optional 16GB Intel Optane Memory (not support Celeron / Pentium Processor),							<ul> <li>Approx. 12.5 lb (5.7 kg), weight may vary by configuration</li> <li>Bay 1: Slim external ODD bay</li> <li>Bay 2: 2.5", internal, HDD/SSD (optional bay, bay comes with disk)</li> <li>Bay 3: 3.5", internal, HDD/SSD (optional bay, bay comes with disk)</li> <li>Slot 1: PCle 3.0 x16</li> <li>Slot 2: PCle 3.0 x1</li> <li>M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD)</li> </ul>
, ,	M.2 Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm)						Power supply	180 watts, autosensing, 85% PSU
	Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)							
Onboard SATA	Three onboard SATÀ 6.0Gb/s connectors (for HDD/SSD and ODD) Optional 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)							Some: 1-year or 3-year, limited onsite service
Graphics	Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort <sup>™</sup> , one HDMI, supports three independent displays, works along with discrete graphics to support more displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1080 (VGA)@60Hz Some: NVIDIA Geforce® GT 730, DirectX 12, 2GB, GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 35 watts; <i>Max resolution:</i> 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz Some: AMD Radeon <sup>™</sup> 520, DirectX 12, 1GB, GDDR5, PCIe 2.0 x8 adapter, one							Preloaded operating system         Some:       Windows 10 Pro 64-bit         Some:       Windows 10 Home 64-bit         Preloaded applications (only some listed)         • Microsoft Office preloaded; purchase a product key to activate         • Lenovo Vantage         • Lenovo App Explorer         • McAfee <sup>®</sup> LiveSafe™(30-day trial)
	VGA, one HDMI, 30 watts;					•		ENERGY STAR <sup>®</sup> 7.0 ; EPEAT <sup>™</sup> Silver rating; GREENGUARD <sup>®</sup> ; RoHS-compliant
Parallel Cable	<i>Max resolution:</i> 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz Optional					JIIZ	Accessories	For compatible accessories, please go to http://smartfind.lenovo.com/
	Intel B365 Chipset						7	
	Six USB 3.1 Gen 1, microphone (3.5mm), combo audio/microphone jack (3.5mm),					(3.5mm),	7	
Rear ports∗	optional card reader Four USB 2.0, one serial, optional parallel, one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI, additional VGA, or HDMI on optional graphic card on some models							
Rear audio ports*	* Line-in (3.5mm), line-out (3.5mm), microphone (3.5mm) * Depending on many factors, actual data transfer speed may be lower than theoretical speed							

Note: The specifications above may not be available in all regions.

Lenovo September 2019 Θ



(intel)

(intel)







(intel) inside\*

(intel) inside\*



(intel) inside