

ThinkStation P3 Tower

Business professionals can enhance their work experience and performance with this 27-liter tower, powered by up to 13th Gen Intel Core i9 Processor. Optional Wi-Fi 6E enables faster connection speeds even in densely congested areas, while the optional Thunderbolt 4 port allows for high-speed display connectivity and file sharing. The tower also includes a slew of security features, such as a discrete TPM 2.0 chipset, power-on password, and UEFI secure boot, that keep data well-protected.



With up to 128GB DDR5 memory configuration, this device provides exceptional portable power, allowing users to easily multitask on compute-intensive workflows. Additionally, EPEAT Gold and ENERGY STAR 8.0 certification means the laptop is energy-efficient and built to last longer.

Business specialists can easily view and compare detailed spreadsheets by connecting multiple independent displays through onboard video ports and discrete graphics.

EPEAT Gold and ENERGY STAR 8.0 certification means it is an energy efficient device.

**Professional machines for
advanced users**

Lenovo services

Lenovo delivers tailored sustainability services, devices, and infrastructure solutions from our broad portfolio, working closely with you to support your target outcomes across the IT lifecycle..



On-site Service

If a problem can't be fixed remotely, we will visit your location
 Normally next business day service
 Agreed appointment times

Accessories

Lenovo Go Wired Speakerphone

Microsoft Teams certified, omni-directional far-field 2x microphones array
 Portable plug-and-play capabilities and effortless PC UC support
 Comes with intuitive control with volume wheel, tactile keys, and readable LEDs



PN: 4XD1C82055, GXD1C82051

Lenovo Pro Stereo Wired VOIP Headset

USB or 3.5mm analog connection with integrated call controls
 Skype for Business and Microsoft Teams certified
 HD noise-cancelling microphone



PN: 4XD0S92991

ThinkStation P3 Tower

Key Specifications

Processor

Up to one 13th Gen Intel Core i3 / i5 / i7 / i9

Operating System

Windows 11 Pro, Windows 11 DG Windows 10 Pro 64, Windows 11 Home, Ubuntu Linux LTS, Red Hat Enterprise Linux (certified only)

Max Graphics

Supports up to one NVIDIA RTX A5500 or two NVIDIA RTX A2000

Memory

Up to 128GB, four DDR5 DIMM slots

Max Storage Drives

Up to 5 drives (4x HDD + 1x M.2 SSD) or 6 drives (3x HDD + 3x M.2 SSD)

- 3.5" HDD up to 6TB each
- 2.5" HDD up to 1TB each
- M.2 SSD up to 4TB or 2TB each
- RAID 0/1/10/5 supported for HDD
- RAID 0/1 supported for M.2 SSD

Storage Types Supported

Up to 5 drives (4x HDD + 1x M.2 SSD) or 6 drives (3x HDD + 3x M.2 SSD)

- 3.5" HDD up to 6TB each
- 2.5" HDD up to 1TB each
- M.2 SSD up to 4TB or 2TB each
- RAID 0/1/10/5 supported for HDD
- RAID 0/1 supported for M.2 SSD

Storage Controllers

Onboard Intel RSTe SATA RAID
Integrated NVMe Controller

Power Supply

One of the following

1100W Platinum Fixed | 500W Platinum Fixed | 750W Platinum Fixed

Dimensions

180 x 415 x 370 mm (7.09 x 16.34 x 14.57 inches)

Weight

13.6 kg (29.9 lbs, maximum configuration)

Green Certifications

EPEAT Gold, ENERGY STAR 8.0, ErP Lot 3, TCO Certified 9.0, RoHS compliant

Connectivity

Front I/O

2x USB 3.2 Gen 1, 2x USB 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x headphone / microphone combo jack (3.5mm), 1x microphone (3.5mm)

Rear I/O

1x HDMI 2.1 TMDS, 2x DisplayPort 1.4, 4x USB 3.2 Gen 1 (one supports Smart Power On), 1x Ethernet (RJ-45), 1x line-out (3.5mm), Optional 1x HDMI 2.1 TMDS (Flex IO), Optional 1x VGA (Flex IO), Optional 1x USB-C 3.2 Gen 1 with DisplayPort function (Flex IO), Optional 1x DP 1.2 (Flex IO), Optional 1x USB-C 3.2 Gen 2x2, Optional 2x USB 2.0, Optional 2x USB 3.2 Gen 1, Optional 1x Thunderbolt 4 via additional PCIe adapter, Optional 1x serial, Optional 4x serial (via 4-port serial expansion card, PCIe x1), Optional 1x parallel. Optional 2x PS/2

Optional Rear Ports

One of the following

1x DP (Flex IO) | 1x HDMI (Flex IO) | 1x Parallel | 1x Parallel + 1x DP (Flex IO) | 1x Serial | 1x Serial + 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO) + 2x USB 2.0 | 1x Serial + 1x USB-C 3.2 Gen 2x2 + 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO) | 1x Serial + 2x USB 2.0 | 1x Thunderbolt 4 | 1x Thunderbolt 4 + 1x Serial | 1x Thunderbolt 4 + 2x USB 2.0 | 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO) | 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO) + 2x USB 2.0 | 1x USB-C 3.2 Gen 2x2 | 1x USB-C 3.2 Gen 2x2 + 1x HDMI (Flex IO) | 1x USB-C 3.2 Gen 2x2 + 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO) | 1x VGA (Flex IO) | 2x PS/2 | 2x PS/2 + 1x Serial | 2x USB 2.0 | 2x USB 2.0 + 1x DP (Flex IO) + 1x USB-C 3.2 Gen 2x2 + 1x Serial | 2x USB 3.2 Gen 1 | 2x USB 3.2 Gen 1 + 1x Thunderbolt 4 + 2x USB 2.0 | 2x USB 3.2 Gen 1 + 1x USB-C 3.2 Gen 2x2 + 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO) | 4x Serial

WLAN + Bluetooth

Intel Wi-Fi 6E AX211, 11ax 2x2 + BT5.1, vPro

Security & Privacy

Chassis Intrusion Switch
Cable Lock
E-Lock
Discrete TPM 2.0, TCG certified
Optional Cable lock
Optional E-lock
Kensington Security Slot, 3 x 7 mm
Padlock Loop
Optional Chassis intrusion switch

Manageability

Intel vPro Enterprise with Intel AMT 16
Non-vPro