PROFESSIONAL MACHINES FOR ADVANCED USERS



ThinkStation P3 Series workstations provide affordable power-computing with a choice of processor technologies, expansion bays and support for multiple storage drives.

ThinkStation P340 Tower

For a modest budget advanced users can get this compact workstation and scale performance capabilities as they need. Although 5% smaller than the previous generation, it supports the latest 125W multi-core processors, up to NVIDIA Quadro RTX5000 graphics, 4 internal SATA drives plus up to 4x M.2 SSD. Users can quickly screen and identify potential system errors with the ThinkStation Diagnostics tool.



REASONS TO BUY

Lenovo Performance Tuner enables users to fine-tune power management, BIOS, processor priority, graphics features and more. Save settings in softwarespecific profiles or use the predefined profiles created by our experts for popular applications like ANSYS, AutoDesk and Solidworks.

Smarter

for all

technology

Lenovo

Select Intel Xeon W processors and error-free ECC memory configurations to support data analysis workloads.

For graphic design, configure with multiple PCIe SSD drives, up to a 125W Intel Xeon processor and advanced NVIDIA Quadro graphics.

ThinkStation P340 Tower

KEY SPECIFICATIONS up to Intel Xeon Processor **Operating System** Powered by Win Max Graphics up to 1x NVIDIA Memory up to 128GB DD Max Storage Drives Internal storage: SATA HDD/SSD) M.2 SSD: 8TB (4x PCIe to M.2 adap Overall storage cap other options instal Storage Types Supported 3.5"" SATA HDD 2.5"" SATA HDD 2.5"" SATA SSD 60 Optane Memory M.2 PCIe NVMe RAID 0/1/10/5 su Storage Controllers **Onboard Intel RS Onboard Intel RS** Optical optional DVD Bu Power Supply One of the followin 300W 90% | 500W Dimensions Width: 170mm (6. (14.8"") Weight Max configuratio

GREEN CERTIFICATIONS

GREENGUARD. EPEAT Silver rating. ENERG

CONNECTIVITY

n W-1290P or 10th Gen Intel Core i9 processor	Front I/O	2x USB 3.2 Gen 1, 2x USB 3.2 Gen 2, 1x USB-C 3.2 Gen 1, mic-in, audio combo iack
indows 10 Pro for Workstations		,
A Quadro RTX 5000	Rear I/O	2x USB 3.2 Gen 1, 2x USB 2.0, ethernet (RJ-45), 1x COM, 2x DisplayPort, audio line-out
DR4-2933 ECC or 128GB DDR4-2933 non-ECC	Optional Rear Ports	One of the following 1x PS/2 1x PS/2 + 1x Thunderbolt 1x PS/2 + 1x Video port, DP 1x PS/2 + 1x Video port, HDMI 1x PS/2 + 1x Video port, USB-C 1x Parallel 1x Parallel + 1x USB-C 1x Parallel + 1x Video port, HDMI 1x Serial 1x Serial + 1x PS/2 1x Serial + 1x Parallel 1x Serial + 1x Parallel + 1x PS/2 1x Serial + 1x Parallel + 1x Video port, DP 1x Serial + 1x PS/2 1x Serial + 1x Parallel + 1x Video port, DP 1x Serial + 1x Thunderbolt 1x Thunderbolt + 1x Video port, HDMI 1x USB-C 1x USB-C + 1x Video port, HDMI 1x USB-C + 1x Video port, USB-C 1x Video port, DP 1x Video port, HDMI 1x Video port, USB-C 2x USB 2.0 + 1x Serial + 1x Video port, HDMI 2x USB 2.0 + 1x Thunderbolt + 1x Video port, USB-C 2x USB 2.0 + 1x USB-C 2x USB 2.0 + 1x USB-C + 1x Video port, HDMI 2x USB 2.0 + 1x USB-C + 1x Video port, USB-C + 1x Video port, USB-C 2x USB 2.0 + 1x VISB-C 2x USB 2.0 + 1x USB-C + 1x Video port, HDMI 2x USB 2.0 + 1x VISB-C + 1x Video port, USB-C + 1x Video port, HDMI 2x USB 2.0 + 1x VISB-C + 1x Video port, USB-C + 1x Video
e: 14TB (2x 6TB 3.5"" SATA HDD + 2x 1TB 2.5"" D) or 4TB (4x 2.5"" 1TB SATA SSD/HDD) 4x 2TB M.2 PCIe NVMe SSD - 2 onboard & 2 via apter) apacity depends on mix of Internal, M.2, PCIe cards and talled		
D 6Gb/s 7.2k RPM up to 6TB D 6GB/s 7.2k RPM up to 1TB FIPS 0 6GB/s up to 1TB ry PCIe NVMe 32GB le SSD up to 2TB supported		
RST SATA RAID RSTe PCIe		
Burner		· · · · ·
ving OW 92%	WLAN + Bluetooth	Intel AX201 11ax, 2x2 + BT5.1
(6.7"") Depth: 315.35mm (12.4"") Height: 376mm	SECURITY & PRIVACY	
tion: 9.4kg (20.7lb)	Chassis Intrusion Switch Cable Lock E-Lock Kensington lock slot Padlock slot	
GY STAR 8.0, 80 Plus Platinum (500W, 300W PSU)	Cable lock Hardware TPM 2.0	
	MANAGEABILITY	
	Intel vPro with AMT 14. D.	ASH

Intel vPro with AMT 14. DASH Standard Manageability

ISV CERTIFICATIONS

ANSYS, Altair HyperWorks, Autodesk Alias, Autodesk AutoCAD, Autodesk Inventor, Autodesk Revit, Autodesk VRED, Avid Media Composer, BarcoMedical Monitors, Bentley MicroStation V8i, CONNECT Edition, LumenRT, DS (CATIA, DELMIA, ENOVIA), DS SOLIDWORKS, McKesson / Change Healthcare Enterprise Medical Imaging, PTC Creo, Siemens NX, TcVis, Tecnomatix, Siemens Solid Edge, Vectorworks

Recommended for this device



ThinkVision T32h-20

31.5" QHD (2560x1440) near-borderless monitor with 99% sRGB colour gamut

1x HDMI, 1x DisplayPort, 1x USB-C (data, video & data), 4x USB3.1, audio out

Lift, Tilt, Pivot, Swivel stand for viewing comfort. Integrated smartphone holder in base.



ThinkVision T34w-20

34" WQHD display with 1500R curvature, ultra-wide 21:9 aspect ratio, 3000:1 contrast ratio, 99% sRGB colour gamut

1x HDMI, 1x DisplayPort. Integrated USB hub (1x USB-C. 4x USB3.1). Audio out.

Lift, Tilt, Pivot, Swivel stand for viewing comfort. Integrated smartphone holder in base.



Technician Installed Customer Replaceable Unit

Add-on service for On-Site Warranty Upgrades and Premier Support

If a faulty device requires a Customer Replaceable Unit (CRU) part we will send a technician to your premises

Information presented here may represent the maximum possible configurations for this product, but it does not necessarily reflect what is available in your region. Please ask your rep or check the specifications for specific Part Numbers in your region. © 2020 Lenovo. Products are available while supplies last. Lenovo is not responsible for photographic or typographic errors. Lenovo, the Lenovo logo, ThinkPad, ThinkBook, ThinkStation and ThinkVision are trademarks or registered trademarks of Lenovo. 3rd party product and service names may be trademarks of others. Depending on factors such as the processing capability of peripheral devices, file attributes, system configuration and operating environments, the actual data transfer rate of USB connectors will vary and is typically slower than published standards.