



QVP-21A-04CH

| | |
|--------------------------------------|--|
| OS | QVR Pro OS (QVP) |
| CPU | Intel® J1900 quad-core 2.0 GHz processor (burst up to 2.42 GHz) |
| CPU Architecture | 64-bit x86 |
| Graphic Processors | Intel® HD Graphics |
| System Memory | 8 GB SO-DIMM DDR3L (2 x 4 GB) |
| Maximum Memory | 8 GB (2 x 4GB) |
| Memory Slot | 2 x SO-DIMM DDR3L |
| Flash Memory | 5GB (Dual boot OS protection) |
| Max Live Cameras (Local Display) | 12ch @ All 720p,H.264, 30FPS 6ch @ All 1080p,H.264, 30FPS |
| Max Playback Cameras (Local Display) | 12 |
| Max Concurrent Connection (Client) | 8 (4 live cameras / per remote client) *The number of client concurrent connection varies by live cameras |
| Embedded Channel | 4 |
| Max Channel | 16 |
| Max Throughput | 180 Mbps |
| Drive Bay | 2 x 3.5-inch SATA 6Gb/s, 3Gb/s |
| Drive Compatibility | 3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives |
| Hot-swappable | Yes |
| Gigabit Ethernet Port (RJ45) | 2 |
| USB 3.2 Gen 1 port | 3 |

| | |
|--|--|
| HDMI Output | 1, HDMI 1.4b (up to 3840 x 2160 @ 30Hz) |
| Form Factor | Tower |
| LED Indicators | Power/Status, LAN, USB, HDD1-2 |
| Buttons | Power, USB copy, Reset |
| Dimensions (HxWxD) | 150 × 102 × 216 mm |
| Weight (Net) | 1.47 kg |
| Weight (Gross) | 2.92 kg |
| Operating temperature | 0 - 40 °C (32°F - 104°F) |
| Relative Humidity | 5-95% RH non-condensing, wet bulb: 27°C (80.6°F) |
| Power Supply Unit | 90W adapter, 100-240V |
| Power Consumption: HDD Sleep Mode | 10.14 W |
| Power Consumption: Operating Mode, Typical | 16.34 W |
| Power Off (Wake-On-LAN/WOL) | 0.74 |
| Fan | 1 x 70mm, 12VDC |
| Sound Level | 19.4 db(A) |
| System Warning | Buzzer |
| Tray Locker | Yes |
| File System: Internal Hard Drive | EXT4 |
| RAID Recovery | Yes |
| Online RAID Capacity Expansion | Yes |
| RAID 1 | Yes |
| Single Disk | Yes |
| Wake on LAN (WOL) | Yes |
| Schedule Power On/Off (15 settings) | Yes |
| Telnet & SSH logins (Admin only) | Yes |
| Syslog Server & Client | Yes |

Language

English, German, French, Italian, Spanish, Polish, Swedish, Danish, Norwegian, Finnish, Russian, Japanese, Korean, Dutch, Czech, Traditional Chinese, Simplified Chinese, Turkish, Hungarian, Romanian, Thai, Portuguese/Brazil, Greek

Megjegyzés: Kérjük, csak QNAP memória modulokat használj a rendszer teljesítménye és stabilitása fenntartása érdekében. Olyan NAS készülékek esetén, amelyekben több mint egy memóriafoglalat található, megegyező specifikációjú QNAP modulok telepítése szükséges.

Figyelem: A hivatalosan nem támogatott modulok használata csökkentheti a teljesítményt, programhibákhoz vezethet, vagy akár a teljes rendszerindítást megakadályozhatja.

The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

A feltüntetett képek csak illusztratív jellegűek, a valós termék megjelenése eltérő lehet. A monitorokból és a színmegjelenítésből adódó különbségek miatt a termék valódi színe eltérhet a weboldalon megjelenített színektől.

A megjelenés és a specifikációk előzetes értesítés nélkül megváltozhatnak.