

**Go Series G430**

**2K 4MP 4G Pan-Tilt Camera, Battery or Solar Powered, with Person/Vehicle Detection**

- 4G LTE Network
- 2K 4MP Super HD
- Person/Vehicle Detection



**Specifications**

<b>Video &amp; Audio</b>	
Image Sensor	1/2.7" CMOS sensor
Video Resolution	2880 x 1660 (5 megapixels) @15fps
Lens	f=4mm, F1.6
Video Compression	H.265
Field of View	Horizontal: 90° Vertical: 47° Diagonal: 110°
Infrared Night Vision	Up to 10 meters (33ft) ; LED: 2pcs/1.2W/850nm (Auto-switching with IR-cut filter)
Color Night Vision	2pcs/2.4W/6500K
Audio	two-way audio
<b>Power</b>	
Battery	6000mAh rechargeable battery (Battery life varies based on settings, usage & temperature)
Solar	Reolink Solar Panel

<b>Interface</b>	
Power Port	USB Type-C port
Reset Button	Built-in microphone and speaker
Audio In/Out	Supports Max.128GB microSD card (32GB included)
<b>Storage</b>	
microSD Card Slot	YES
<b>Pan &amp; Tilt</b>	
PT Angle(Max.)	Pan: 355°; tilt: 140°
Preset Points	Supports 1 guard position & up to 32 preset positions
<b>3G/4G Bandwidth</b>	
Frequency Bands	<ul style="list-style-type: none"> <li>• Europe Version: LTE FDD: B1/B3/B7/B8/B20/B28A WCDMA: B1/B8</li> <li>• U.S. Version: LTE FDD: B2/B4/B5/B12/B13/B14/B66/B71</li> <li>• Australia Version: LTE FDD: B1/B3/B5/B7/B8/B28 WCDMA: B1/B5/B8</li> </ul>
<b>Software</b>	
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Protocols & Standards	SSL, TCP/IP, UDP, UPNP, SMTP, NTP, P2P
User Access	Max. 12 simultaneous streams (2 main & 10 sub streams)
<b>Other Features</b>	
Smart Alarm	PIR detection/person detection/vehicle detection/animal detection
PIR Detecting Distance	Adjustable up to 10m (33 ft)
PIR Detecting Angle	120° horizontal
Recording Modes	Triggered recording
Time Lapse	YES
Smart Home Compatibility	Google Assistant, Alexa

Cloud Storage	Supports Reolink Cloud (available in selected countries)
<b>Working Environment</b>	
Operating Temperature	-10 to 55° C (14° to 131° F)
Weather Resistance	IP64
<b>Mechanical</b>	
Size	Φ98 x 112mm (Φ3.7 x 4.4 in)
Weight Battery Included	485 g (17.1 oz)
<b>Warranty</b>	
Limited Warranty	2-year limited warranty. For support, visit <a href="https://support.reolink.com/hc/en-us/">https://support.reolink.com/hc/en-us/</a>

## Gallery & Specs



1. Speaker
2. IR LEDs
3. Spotlights
4. Daylight Sensor
5. Lens
6. Status LED
7. PIR Motion Sensor
8. Built-in Microphone



1. Antenna
2. USB Port
3. Power Switch
4. Nano SIM Card Slot
5. microSD Card Slot