

CLX-3175FW wireless color laser multifunction printer

Good things do come in small packages. With the 3175FW you'll enjoy all of the benefits of an all-in-one printer in a smaller and elegantly designed package. And it's made even more attractive because of its wireless feature. The 3175FW has high quality color that will impress you—the 17 ppm black/4 ppm color print speed, and 2400 x 600 dpi output, ensure professional results, quickly.



small footprint

A small footprint of 16.3" x 14.7" means it will fit comfortably in your home office or small workgroup.

one-touch functions

Built-in one-touch functions give you fast copying features, including ID card, clone, N-up, auto fit and poster. USB Direct Printing and Scanning. A front USB port lets you scan and print files directly to and from your USB flash drive.

network-ready

With high-speed USB 2.0 and Ethernet capability you simply plug it in and you're ready to go.

distinctive finish

Small, compact and elegant.

ENERGY STAR compliant

By being ENERGY STAR compliant you are assured that your SAMSUNG model is helping the environment by using less energy while



saving you money. ENERGY STAR is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy promoting energy efficiency.

Overview

Function	color print, copy, scan, fax
----------	------------------------------

Print

Speed (Mono)	up to 16 ppm in A4 (17 ppm in letter)
Speed (Color)	up to 4 ppm in A4 (4 ppm in letter)
First Print Out Time (Mono)	less than 14 seconds
First Print Out Time (Color)	less than 26 seconds
Resolution	up to 2,400 x 600 dpi effective output
Emulation	SPL-C (SAMSUNG Printer Language Color)
Duplex	manual

Copy

First Copy Out Time (Mono)	less than 18 seconds
First Copy Out Time (Color)	less than 45 seconds
Zoom Rate	25 ~ 400 % for platen, 25 ~ 100 % for ADF
Multy Copy	1 ~ 99
Copy Features	ID Copy, Clone Copy, N-UP Copy, Poster Copy

Scan

Compatibility	TWAIN standard, WIA standard (Windows2003/XP/Vista)
Method	color flatbed scanner
Resolution (Optical)	up to 1,200 x 1200 dpi
Resolution (Enhanced)	up to 4,800 x 4,800 dpi
Scan to	scan to USB / Folder / Application / Network

Fax

Compatibility	ITU-T G3
Modem speed	33.6 Kbps
Resolution	up to 300 x 300 dpi (mono), up to 200 x 200 dpi (color)
Memory	2 MB
Auto Dial	Yes
Fax Feature	color fax, PC-Fax (mono send only)

Paper Handling

Input Capacity and Types	150-sheet cassette
Output Capacity and Types	100-sheet face down
Media Size	76 x 160 mm (3" x 6.3") ~ 216 x 356 mm (8.5" x 14")
Media Type	envelopes, labels, card stock, transparency, papers (pre-printed, glossy, punched, recycled)
ADF Capacity	15 pages
ADF Document Size	76 x 127 mm (3" x 5") ~ 216 x 356 mm (8.5" x 14")

General

LCD	2-Line LCD
Memory / Storage	128 MB
OS Compatibility	Windows 2000 / XP / 2003 / Vista, various Linux OS including Red Hat 8.0~9.0, Mandrake 9.2~10.1, SuSE 8.2~9.2 and Fedora Core 1~4, Mac OS X 10.3~10.5
Interface	Hi-Speed USB 2.0, Ethernet 10/100 Base-TX, 802 / 11b / g
Noise Level	less than 48 dBA (printing), less than 52 dBA (copying), less than 27dBA (standby)
Duty Cycle, Monthly	up to 20,000 pages
Dimension (W x D x H)	16.3" x 14.7" x 13.5"
Weight	33.5 lbs.

Consumables

Black Toner Cartridge	average continuous black cartridge yield: 1,500* standard pages (ships with 1,000 pages starter toner cartridge) * Declared yield value in accordance with ISO/IEC 19798
Yellow/Magenta/Cyan Toner Cartridge	average continuous yellow / magenta / cyan cartridge yield: 1,000* standard pages (ships with 700 pages starter toner cartridge) * Declared yield value in accordance with ISO/IEC 19798
Imaging Unit	approx. 24,000 pages (mono), 6,000 pages (color)
Waste Toner Container	approx. 10,000 pages (mono), 2,500 pages (color)