



WD BLACK™

Mobile Hard Drives

WD Black hard drives are designed for enthusiasts and creative professionals looking for leading-edge performance. These 2.5-inch mobile drives are perfect for high-performance applications like photo and video editing, gaming and power PCs.



INTERFACE

SATA 6 Gb/s
SATA 3 Gb/s

WIDTH/HEIGHT

2.75 in./0.28 in. to 0.374 in.
69.85 mm/7.0 mm to 9.5 mm

ROTATIONAL SPEED

7200 RPM

CAPACITIES

160 GB to 750 GB

MODEL NUMBERS

WD7500BPKX WD3200BEKT
WD7500BPKT WD2500BEKX
WD5000BPKX WD2500BEKT
WD5000BPKT WD1600BEKX
WD3200BEKX WD1600BEKT

Note: Not all products may be available in all regions of the world.

Product Features

Maximum performance

Sophisticated performance enhancing features deliver the speed you need for demanding applications like photo and video editing and Internet gaming.

No compromises

High performance, high capacity, high reliability, and cutting-edge technology make up WD Black, the ideal drive for those who demand only the best.

Industry-leading warranty

WD Black carries the highest available warranty protection on the market, a 5-year limited warranty.

Dual processor

Twice the processing power to maximize performance.

Dynamic cache

WD's dynamic caching algorithm improves performance in real time by optimizing cache allocation between reads and writes. For example, if there's an overwhelming percentage of read traffic as opposed to write traffic, the drive automatically allocates more cache for read data, which reduces congestion and improves overall drive performance.

Available SATA 6 Gb/s interface

The SATA 6 Gb/s interface provides greater flexibility for use with the latest chipsets as well as backwards compatibility to legacy systems with SATA 3 Gb/s requirements. (BPKX and BEKX models only).

Rock-solid mechanical architecture

Twice the processing power to maximize performance.

NoTouch™ ramp load technology

The recording head never touches the disk media ensuring significantly less wear to the recording head and media as well as better drive protection in transit.

Tested for compatibility

We perform tests on hundreds of systems and a multitude of platforms in our FIT Lab™ to give our customers confidence that our drives will work in their systems.

Applications

- Power computing applications such as video and photo editing, and maxed out gaming computers.
 - WD Black hard drives are tested and recommended for use in notebook computers.*
- * WD hard drives are designed and tested for use in specific applications and environments. This ensures that your hard drive is compatible with and functions properly in your application. Our hard drives are warranted against defects in materials and workmanship in the system for which they were designed. Use in systems other than for what the hard drive was designed could result in compatibility problems that affect proper function, unrelated to material and/or workmanship defects. For best results, be sure to select the appropriate product for your application by consulting our product spec sheets on our website at www.wd.com or by calling our customer support line where we would be happy to help you through the selection process.

The WD Advantage

WD puts our products through extensive Functional Integrity Testing (F.I.T.) prior to any product launch. This testing ensures our products consistently meet the highest quality and reliability standards of the WD brand. WD also has a detailed Knowledge Base with more than 1,000 helpful articles as well as helpful software and utilities. Our customer support lines have longer operational hours to ensure you get the help you need when you need it. Our toll-free customer support lines are here to help or you can access our WD Support site for additional details.



Specifications	750 GB	500 GB	320 GB	250 GB	160 GB
Model number	WD7500BPKX WD7500BPKT	WD5000BPKX WD5000BPKT	WD3200BEKX WD3200BEKT	WD2500BEKX WD2500BEKT	WD1600BEKX WD1600BEKT
Interface	SATA 6 Gb/s (BPKX) SATA 3 Gb/s (BPKT)	SATA 6 Gb/s (BPKX) SATA 3 Gb/s (BPKT)	SATA 6 Gb/s (BEKX) SATA 3 Gb/s (BEKT)	SATA 6 Gb/s (BEKX) SATA 3 Gb/s (BEKT)	SATA 6 Gb/s (BEKX) SATA 3 Gb/s (BEKT)
Formatted capacity ¹	750,156 MB	500,107 MB	320,072 MB	250,059 MB	160,041 MB
User sectors per drive	1,465,149,168	976,773,168	625,142,448	488,397,168	312,581,808
Form factor	2.5-inch	2.5-inch	2.5-inch	2.5-inch	2.5-inch
Advanced Format (AF)	Yes	Yes	No	No	No
RoHS compliant ²	Yes	Yes	Yes	Yes	Yes
Performance					
Data transfer rates					
Interface speed	6 Gb/s (BPKX) 3 Gb/s (BPKT)	6 Gb/s (BPKX) 3 Gb/s (BPKT)	6 Gb/s (BEKX) 3 Gb/s (BEKT)	6 Gb/s (BEKX) 3 Gb/s (BEKT)	6 Gb/s (BEKX) 3 Gb/s (BEKT)
Internal transfer rate (max)	160 MB/s	160 MB/s	115 MB/s	115 MB/s	115 MB/s
Cache (MB)	16	16	16	16	16
Rotational speed (RPM)	7200	7200	7200	7200	7200
Average drive ready time (sec)	3.2	3.2	3	3	3
Reliability/Data Integrity					
Load/unload cycles ³	600,000	600,000	600,000	600,000	600,000
Non-recoverable read errors per bits read	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴
Limited warranty (years) ⁴	5	5	5	5	5
Power Management					
5VDC ±10% (A, peak)	1.15	1.15	1.1	1.1	1.1
Average power requirements (W)					
Read/Write	1.75	1.75	1.75	1.75	1.75
Idle	0.8	0.8	0.8	0.8	0.8
Standby/Sleep	0.2	0.2	0.2	0.2	0.2
Environmental Specifications⁵					
Temperature (°C)					
Operating	0 to 60	0 to 60	0 to 60	0 to 60	0 to 60
Non-operating	-40 to 70	-40 to 70	-40 to 70	-40 to 70	-40 to 70
Shock (Gs)					
Operating (2 ms, read)	350	350	350	350	350
Non-operating (2 ms)	1000	1000	1000	1000	1000
Acoustics (dBA) ⁶					
Idle	28	28	22	22	22
Seek (average)	28	28	25	25	25
Physical Dimensions					
Height (in./mm)	0.374/9.50	0.374/9.50	0.374/9.50	0.374/9.50	0.374/9.50
Length (in./mm)	3.94/100.20	3.94/100.20	3.94/100.20	3.94/100.20	3.94/100.20
Width (in./mm)	2.75/69.85	2.75/69.85	2.75/69.85	2.75/69.85	2.75/69.85
Weight (lb./kg, ± 10%)	0.25/0.115	0.25/0.115	0.23/0.106	0.23/0.106	0.23/0.106

¹ As used for storage capacity, one megabyte (MB) = one million bytes, one gigabyte (GB) = one billion bytes, and one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment. As used for buffer or cache, one megabyte (MB) = 1,048,576 bytes. As used for transfer rate or interface, megabyte per second (MB/s) = one million bytes per second, and gigabit per second (Gb/s) = one billion bits per second. Effective maximum SATA 3 Gb/s transfer rate calculated according to the Serial ATA specification published by the SATA-IO organization as of the date of this specification sheet. Visit www.sata-io.org for details.

² WD hard drive products manufactured and sold worldwide after June 8, 2011, meet or exceed Restriction of Hazardous Substances (RoHS) compliance requirements as mandated by the RoHS Directive 2011/65/EU.

³ Controlled unload at ambient condition.

⁴ The term of the limited warranty may vary by region. Visit <http://support.wd.com/warranty> for details.

⁵ No non-recoverable errors during operating tests or after non-operating tests.

⁶ Sound power level.

WD Black is part of WD's complete lineup of internal hard drives.



WD BLUE™
Everyday Storage



WD GREEN™
Cool & Quiet Storage

WD BLACK™
Performance Storage

Western Digital
3355 Michelson Drive, Suite 100
Irvine, California 92612
U.S.A.

For service and literature:

<http://support.wd.com>
www.wd.com

800.ASK.4WDC North America

(800.275.4932)

800.832.4778

+800.6008.6008

00800.27549338

+31.880062100

Spain

Asia Pacific

Europe

(toll free where available)

Europe/Middle East/Africa



Learn more about WD Black Mobile hard drives



Canada ICES-003 Class B / NMB-003 Classe B

Western Digital, WD, and the WD logo are registered trademarks in the U.S. and other countries; and WD Blue, WD Green, WD Black, NoTouch, and FIT Lab are trademarks of Western Digital Technologies, Inc. Other marks may be mentioned herein that belong to other companies. Product specifications subject to change without notice.