Datasheet Fujitsu Business Notebook LIFEBOOK U7412

FUJITSU

Fujitsu recommends Windows 11 Pro

Secure Mobile Office Companion

The Fujitsu LIFEBOOK U7412 is a modern slim & light notebook for business professionals seeking optimum mobility for business trips and ergonomics in the office. Based on the 12th generation Intel® Core™ processor, a 14-inch screen, light weight of 1.13 kg and an all-day battery runtime enables it to provide excellent mobility and portability.

Elegant design and great mobility

Maximize your productivity with ultimate convenience

- Thanks to the complete magnesium alloy chassis, the weight is remarkably lightweight starting at 1.13 kg and Military tested to be durable and reliable.
- Built on Intel® vPro® platform featuring performance, security manageability and stability.
- Power performance with 12th Gen Intel® Core™ processors, up to 12 cores and 16 threads
- Automate driver, BIOS, software updates with Fujitsu DeskUpdate.

Excellent security

Enhance your security to best protect your notebook and data

- Peace of mind security protection from BIOS to application level with SSO solution, help protect from unauthorized threat.
- Keep safe from prying eyes by activating ePrivacy filter at a touch of a button
- Leading edge biometric security from Fujitsu PalmSecure™ which authenticates based on vein pattern, fingerprint sensor and face recognition
- Protect malicious surveillance with physical Privacy Camera Shutter.

Premium connectivity

Stay flexible and productive within a modern workplace

- Compact and versatile Intel® Thunderbolt™ 4 with USB4 Type-CTM (40Gbps) connector
 to charge your notebook, transfer files at faster speeds, and connect to external monitors
 and other peripherals
- Wi-Fi 6E allows more bandwidth which provides faster and low latency connections
- Full set of interfaces with full-size LAN connector and HDMI

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

• Battery, memory, and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C[™] port replicator, USB Type-C[™] AC Adapter, BIOS, and Image across the ultra-mobile LIFEBOOK U7 family











Components

Dragosor	Intol® CovoTM :71270D processor /12 Covos up to 4.9 CUTA upon Fatavarian autorial
Processor	Intel® Core™ i7-1270P processor (12 Cores, up to 4.8 GHz), vPro Enterprise supported Intel® Core™ i5-1250P processor (12 Cores, up to 4.4 GHz), vPro Enterprise supported
	Intel® Core™ i5-1240P processor (12 Cores, up to 4.4 GHz), vPro Essentials supported
	Intel® Core™ i7-1255U processor (12 Cores, up to 4.7 GHz), vPro Essentials supported
	Intel® Core™ i5-1245U processor (10 Cores, up to 4.4 GHz), vPro Enterprise supported
	Intel® Core™ i5-1235U processor (10 Cores, up to 4.4 GHz), vPro Essentials supported
	Intel® Core™ i3-1215U processor (6 Cores, up to 4.4 GHz)
Operating systems ¹	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business.
	Windows 11 Home
	Windows 10 Pro through Windows 11 Pro downgrade rights
Memory	Minimum: 4GB DDR4-3200; Maximum 64GB DDR4-3200
Internal Storage ²	2TB, Gen 4 PCIe-SSD M.2 2280 NVMe module, SED
	1TB, Gen 4 PCIe-SSD M.2 2280 NVMe module, SED
	512GB, Gen 4 PCIe-SSD M.2 2280 NVMe module, SED
	256GB, Gen 4 PCIe-SSD M.2 2280 NVMe module, SED
	1TB, Gen 3 PCIe-SSD M.2 2280 NVMe module, SED
	512GB, Gen 3 PCIe-SSD M.2 2280 NVMe module, SED
	256GB, Gen 3 PCIe-SSD M.2 2280 NVMe module, SED
Display	14 inch (35.6 cm), HD, 1,366 x 768 pixel, Anti-glare display, Non-touch, 220 cd/m², 500:1
	14 inch (35.6 cm), FHD, 1,920 x 1080 pixel, Anti-glare touchscreen, 300 cd/m², 700:1
	14 inch (35.6 cm), FHD, 1,920 x 1080 pixel, Anti-glare display, Non-touch, 300 cd/m², 800:1
	14 inch (35.6 cm), FHD, 1,920 x 1080 pixel, Anti-glare, Non-touch, ePrivacyFilter, 400 cd/m², 1000:1
Graphics ³	Intel® Iris® X ^e Graphics (with Dual channel memory)
	Intel® UHD Graphics (with Single channel memory)
LAN	Intel® Ethernet Connection I219-LM
WLAN (Optional)	Intel® Wi-Fi 6E AX211 - Bluetooth 5.2 (depends on OS support), SRD cat.2 (6E frequency only in dedicated regions)
WWAN (Optional) ⁴	Fibocom FM350-GL (Sub-6/Cat.19) – 5G, LTE, UMTS (regional offering)
Camera (Optional)	Built-in HD Webcam with integrated privacy shutter (Windows Hello Supported)
Audio	Realtek® ALC257 HD Audio, Stereo Speakers
Internal Microphone (Optional)	Dual digital array microphone
Interfaces ⁵	1x Audio Combo
	2x USB 3.2 Gen 1 (1 with Anytime USB charge functionality)
	2x USB 4.0 Gen 3 Type-C or Intel® Thunderbolt™ 4 (with DisplayPort and Power delivery function)
	1x HDMI 2.0
	1x Ethernet RJ-45
Expansion Slots	1x microSD 3.0 card slot (supports microSD, microSDHC, microSDXC)
	1x SIM card slot (available when WWAN module is configured)
	US/ Taiwan/ Thai/ JP Spill-resistant keyboard, available with standard or backlit keyboard
Keyboard and	
Keyboard and Pointing Device	Number of keys (US-layout): 84, Keyboard pitch: 19mm, Keyboard stroke: 1.7mm Multi gesture touchpad with two mouse buttons

Security	Integrated Fingerprint sensor (Optional)
	Integrated PalmSecure™ palm vein sensor (Optional)
	Integrated Smartcard reader
	Trusted Platform Module (TPM 2.0) (Optional)
	Fujitsu EraseDisk
	Fujitsu AuthConductor™ Client Basic
	Fujitsu BIOS/Hard Disk password protection
	Kensington lock slot (lock to be purchased separately)
Manageability	Intel® AMT (depending on processor and configuration), WOL, WOM, PXE, WFM 2.0 Compliant DMI
BIOS version	UEFI Specification 2.8
	InsydeH20 BIOS
Additional Software	Fujitsu USB Type-C [™] charge and feeding power utility
	Fujitsu Battery Utility
	Fujitsu Function Manager
	Fujitsu DeskUpdate (driver and utility tool)
	Microsoft Office (free 30-day trial)
	WWAN Control Utility
	Fujitsu LIFEBOOK Application Panel
	Fujitsu Mic Mute Utility
	Waves MaxxAudio
	Fujitsu Pointing Device Utility
AC Adapter	20V/65W (3.25A), 100V – 240V, 50Hz – 60Hz, 3-pin (grounded) Type-C AC-Adapter
Battery ⁶	Lithium polymer battery 4-cell, 60Wh, up to 11hr 30mins
	Quick Charge: Up to 80% charging in 1 hour
Dimension (WxDxH) ⁷	322 x 211 x 18.9 mm / 12.68 x 8.31 x 0.74 inch
Weight	Starting at 1.13 kg / Starting at 2.50 lbs
	(Weight may vary depending on actual configuration)
Warranty	Please visit: https://www.fujitsu.com/hk/microsite/warranty/
	*Accidental damage is not covered under standard limited warranty
Compliance	Product: LIFEBOOK U7412; Model: 7U14A3
Certifications	CE
	СВ
	RoHS
	ENERGY STAR® 8.0
	TCO 9
	EPEAT® Silver (dedicated regions only)
	MIL CTD 04011 samplingty
	MIL-STD-810H compliant*

More information

Moving forward for a sustainable world - Fujitsu Uvance



The word "Uvance" embodies a concept of "Making all (Universal) things move forward (Advance) in a sustainable direction.

Fujitsu Uvance will leverage Fujitsu's technological capabilities and problem-solving expertise across seven key focus areas, including Sustainable Manufacturing, Consumer Experience, Healthy Living, Trusted Society, Digital Shifts, Business Applications, and Hybrid IT, to offer unprecedented value to customers, while contributing to the achievement of its

ultimate purpose —"to make the world more sustainable by building trust in society through innovation."

Through Fujitsu Uvance, we are committed to transforming the world into a place where people can live their lives, enjoying prosperity and peace of mind. Empowering each other to make the world more sustainable.

For more information of Fujitsu Uvance, please visit https://www2.fujitsu.com/global/uvance

Driving customer success with Fujitsu's complete portfolio of service offering

To grow in an uncertain world, it is imperative to stay resilient and agile to respond complex and unforeseen challenges.

Under the global business brand – Uvance, Fujitsu provides a full range of reliable and best-in-class product, service, and solution offerings with digital innovation, from sustainable manufacturing to smart city ecosystem, to create a more sustainable world and resolve social issues. This empowers customers to strengthen resilience through Fujitsu's trusted solutions using cutting-edge technologies, while increasing their business agility and improving the reliability of their IT operations.

For more information, please visit https://www.fujitsu.com/global

Contact Us

HONG KONG

Fujitsu Business Technologies Asia Pacific Ltd.

Tel: (852) 3910-8228

Email: fbta.hksales@fujitsu.com

hk.fujitsu.com/pc

INDONESIA

PT Fujitsu Indonesia

Tel: (62) 21-570-9330

Email: marketing.fid@fujitsu.com

id.fujitsu.com/pc

TAIWAN

Fujitsu Taiwan Ltd.

Tel: (886) 2-2311-2255

Email: ftl.lifebook@fujitsu.com

tw.fujitsu.com/pc

Note: For countries not listed above, please contact Hong Kong office.

SINGAPORE

Fujitsu Asia Pte Ltd.

Tel: (65) 6512-7555

Email: fapl.info@fujitsu.com

sg.fujitsu.com/pc

PHILIPPINES

Fujitsu Philippines, Inc.

Tel: (63) 2-8841-8488 Email: info@fujitsu.com ph.fujitsu.com/pc

THAILAND

Fujitsu (Thailand) Co., Ltd.

Tel: (66) 0-2302-1500 Email: info.th@fujitsu.com

th.fujitsu.com/pc

CHINA

Fujitsu (China) Holdings Co., Ltd. – PC

China Division

Tel: 86 (21) 58871000-8721

Email: fpcacn.support@cn.fujitsu.com

cn.fujitsu.com/pc

MALAYSIA

Fujitsu (Malaysia) Sdn. Bhd

Tel: (60) 3-8230-4188

Email: askfujitsu.my@fujitsu.com

my.fujitsu.com/pc

VIETNAM

Fujitsu Vietnam Limited

Tel: (84-24) 2220-3113

Email: sales-vn@fujitsu.com

vn.fujitsu.com/pc

Specification disclaimers

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. *CB = 1 billion bytes. TB = 1 trillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery. *Shared memory depending on main memory size and operationg system. *WMAN module is optional and available in specific countries only. It requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factors. Please contact our Fujits us aless specialist for more information. *Interfaces depend on the configuration selected by customers. *Battery runtime information is based on worldwide acknowledged BAPGo* MobileMark* 2018 (office productivity). Refer to www.bapco.com for additional details. The BAPCo* MobileMark* Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. For more detail, please contact Fujitsu sales specialist. *The stated thickness does not include rubber feet.

Fujitsu shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside, Intel Logo, Intel Evo, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Enpirion, Iris, MAX, Intel RealSense, Stratix, and Intel Optane are trademarks of Intel Corporation or its subsidiaries. USB Type-C[™] and USB-C[™] are trademarks of USB Implementers Forum. All other trademarks are the property of their respective owners.

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitis.com/dolpal/about/resources/terms/

© 2022 Fujitsu Business Technologies Asia Pacific Limited

Last Update: May 27, 2022